The Journal of Laryngology and Otology

EDITED BY G. H. BATEMAN

> ASSISTANT EDITOR LIONEL TAYLOR

Contents

PHARYNGEAL DIVERTICULA, THEIR CAUSE AND TREAT-	C. P. Wilson
Hæmorrhagic Thrombocythæmia	T. McM. BOYLE
THE AETIOLOGY AND TREATMENT OF EPISTAXIS: BASED ON A REVIEW OF 200 CASES	John Evans
PLATINECTOMY AND VEIN GRAFTING OF THE OVAL WINDOW IN OTOSCLEROTIC DEAFNESS	PHILIP H. BEALES
CARCINOMA OF THE LARYNX	P. D. Shroff
CLINICAL RECORDS—	
OSTEOCLASTOMA OF THE TEMPORAL BONE .	Ezzedin Essamma
Dysphagia in Dystrophia Myotonica , .	H. LUDMAN
GENERALIZED MUSCULAR DISEASES PRESENTING AS PHARYNGEAL DYSPHAGIA	W. LEACH

London

GENERAL NOTES

Headley Brothers

109 Kingsway WC2

Annual Subscription £4/4/0 net, U.S.A. \$13

Monthly, 10/- net post free

The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this Journal solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the

Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and

sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C. and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of fito per article; beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this

purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to The Epiron, Journal of

Laryngology, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is four guineas sterling (U.S.A. \$13) post free, and is payable in advance.

Single copies will be on sale at 10s. od. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers, 109 Kingsway, London, WC2.

United States of America

Orders for this Journal may be sent through local bookseller, or to STECHERT-HAPNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, Headley Brothers, 109 Kingsway, London, WC2, England.

O Journal of Laryngology and Otology, 1962

CONTENTS

F	PAGE
Pharyngeal Diverticula, their Cause and Treatment. C. P. Wilson (London)	151
Нæмоггнадіс Тнгомвосутнæміа. Т. МсМ. Boyle (Leeds) .	181
The Aetiology and Treatment of Epistaxis: based on a Review of 200 Cases. John Evans (Blackburn)	185
PLATINECTOMY AND VEIN GRAFTING OF THE OVAL WINDOW IN OTOSCLEROTIC DEAFNESS. Philip H. Beales (Doncaster) .	192
CARCINOMA OF THE LARYNX. P. D. Shroff (Bombay, India)	221
CLINICAL RECORDS—	
OSTEOCLASTOMA OF THE TEMPORAL BONE. Ezzedin Essamma	
(Cairo)	229
Dysphagia in Dystrophia Myotonica. H. Ludman (London)	234
GENERALIZED MUSCULAR DISEASES PRESENTING AS PHARYNGEAL	
Dysphagia. W. Leach (London)	237
General Notes	24I

ARCHIVES OF OTOLARYNGOLOGY

Chief Editor:

GEORGE E. SHAMBAUGH, Jr. 40 South Clay Street, Hinsdale, Ill.

The Archives of Otolaryngology is published monthly by the American Medical Association and is an official publication of the Association.

The yearly rate of the Archives of Otolaryngology is: United States, U.S. Possessions, and Canada, one year, \$8.00; two years, \$12.00; all other countries, one year, \$10.00; two years, \$16.00.

Subscription orders should be addressed to: American Medical Association, 535 North Dearborn Street, Chicago 10, Illinois.



'Planidets'

trade mark brand
ANTISEPTIC/ANALGESIC LOZENGES

For the rapid relief and effective treatment of painful and infective conditions of the mouth and throat. 'Planidets' do not contain an antibiotic. Each lozenge contains: dibromopropamidine embonate 1 mg. chlorphenoctium amsonate 1 mg. butylaminobenzoate 4 mg.




An M&B brand Mea≈al Product

Manufactured by

MAY & BAKER LTD

Distributors PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD DAGENHAM

MA 8254



Extremely effective in low concentration and therefore non-irritant and soothing.

Soframycin

 active against staphylococci pyocyaneus and proteus




Dexamethasone – active against inflammation and its sequelae

Ointment - tubes of 3 G.

Drops - bottles of 3 ml.

ROUSSEL LABORATORIES LTD., WEMBLEY PARK, MIDDLESEX WEMBLEY 9701

SURGICEL* ABSORBABLE HAEMOSTAT



Bleeding from the anterior aspect of the nasal cavity is readily controlled by the application of SURGICEL* to the bleeding site.

The SURGICEL* is removed 12 to 24 hours after application without fear of provoking further bleeding

A MAJOR ADVANCE IN HAEMOSTASIS

effective control of difficult bleeding

Surgicel haemostatic gauze completely controls capillary and venous oozing. Its use increases the range and safety of surgical procedures on highly vascular areas.

easily handled

Surgicel is more easily handled than other agents in this field. It does not fragment, can be sutured in position and adheres closely to the site of bleeding but does not cling to gloves or instruments.


completely absorbed

SunciceL is made from oxidized regenerated cellulose. It is absorbed with minimum tissue response and may be safely left in situ. No case of intolerance or sensitivity has been recorded.

Johnson Johnson PRODUCTS TO MATCH THE SURGEON'S SKILL

HOSPITAL DIVISION - SLOUGH - BUCKS

*a trade mark of Johnson & Johnson JJ 104



When the sensitivity of the strain is unknown, when the infection is dangerous, and particularly if it has arisen in hospital, it is wise to begin treatment with methicillin

Brit. med. J. 1961, i, 887



* For the widest possible choice of hearing aids at lowest prices RELY ON SHIPTON'S

Shipton's are independent suppliers of a superb range of hearing aids which are selected from the finest available in the world. Your patients can compare the various makes and receive a genuinely impartial, thoroughly competent service.

At Shipton's, all aids are carefully selected to meet with Specialists' findings and are carefully fitted to individual requirements. Prices are generally below those of competitive instruments.

Domiciliary visits throughout the country are part of the Shipton Service for those of your patients outside London.

E. SHIPTON & CO. (Hearing Aids) LTD.

4 Dering Street (off Oxford Street, near New Bond Street), LONDON, W.1

Telephone: HYDe Park 1221

YOU CAN RELY ON SHIPTON'S SERVICE

'PETERS' **NEW** CLINIC **AUDIOMETER**

FOR PURE-TONE AND SPEECH



CONSIDER THESE FEATURES:

- A continuous frequency range with continuous automatic threshold compensation.
- Twin continuously variable attenuators accurate to 1 db.
- Narrow band masking of pure tones plus insert receiver.
- Manual or automatic completely silent interruption.
- Loudness Balance and Difference Limen Recruitment Tests.
- High Fidelity Speech Circuit with Accessories for Free Field Speech Audiometry.
- Full Spectrum of White Noise for Masking Speech.
- Completely Transistorised for reliability.

The Westrex Company Limited, who are leading suppliers of Deaf Education Equipment, have a nationwide servicing organisation. In the immediate future their engineers in the field will be co-operating in the speedy servicing of all "Peters" audiometers in Great Britain.

Write for a descriptive brochure giving full details of this magnificent instrument and ask for a demonstration from either:

WESTREX COMPANY Ltd.

152 COLES GREEN ROAD, LONDON, N.W.2

ALFRED PETERS & SONS

VICTORIA WORKS, GELL STREET, SHEFFIELD 3



"Strike, but hear me"

Themistocles

And the reply was $\mu\alpha\rho\nu\delta\iota\alpha$ which is hardly surprising when you consider that in that helmet he could hardly have heard him anyway.

Fortunately, few, if any, patients wear Grecian helmets these days and most are delighted to have the name of an independent hearing aid consultant of impeccable reputation murmured tactfully into their ears.

Today more people than ever before can benefit from a carefully selected aid. But careful selection is important. INGRAMS, the Independent Suppliers, have twenty-six different makes – the largest selection in the country – for patients to choose from. Couple this with expert impartial advice and a high reputation and you have the reason why so many E.N.T. Specialists refer their patients to Ingrams.



2 SHEPHERD STREET, LONDON, W.I

Domiciliary visits in any part of the country

First clinical audiometer to provide 100% accurate audiograms



AMPLIVOX MODEL 82

world's most fully-developed clinical audiometer

It is now known that the disc type of earphone, used in conventional audiometers for air conduction testing and the application of masking noise, transfers the sound by bone conduction to the opposite ear at a level only 40 dB below the signal level. This means that up to 50% of audiograms taken at the present time with other audiometers may be invalid.

The Amplivox Model 82 Audiometer provides, for the first time, the means of taking accurate audiograms in cases of severe unilateral deafness through the provision of narrow band masking applied by insert earphone. This new masking technique is of special significance in bone conduction audiometry.

In addition to the exclusive narrow band masking feature, the Model 82 provides loudness balance test facilities, and all the other tests essential to proved pure tone audiometry.

AMPLIVOX LTD

Medical Acoustic Division 80 New Bond St, London W.1. Tel: HYDe Park 9888



SEND FOR THIS DESCRIPTIVE BROCHURE

Containing full information on the latest audiometric techniques in air and bone conduction.

'Diconal' Tablets for relief of intractable pain

Diconal' Tablets provide analgesia comparable with that produced by morphine. They are therefore of great value in carcinoma. Because the tablets are given by mouth and not by injection, the patient can be kept oblivious of the fact that his condition calls for so potent an analgesic.

Disconal Tablets contain dipipanone and cyclizine. Dipipanone relieves severe pain; cyclizine appreciably reduces the incidence of nausea and vomiting, even in patients new to this type of therapy.



'Diconal' Tablets are:

Of high value in relief of pain due to neoplastic disease, and other conditions where narcotic drugs would be employed.



A balanced formulation which permits flexibility in dosage, according to the needs of each patient.



Often effective in morphine- and pethidine-resistant cases.

'Diconal' Tablets are subject to the D.D.A.

'Diconal' brand Tablets

Each tablet contains dipipanone hydrochloride, B.P.C. 10 mgm., and cyclizine hydrochloride, B.P.C. 30 mgm. Coloured red and scored for easy division.



BURROUGHS WELLCOME & CO (The Wellcome Foundation Ltd.) LONDON