

Systematic Parasitology

Editor-in-Chief:

D. I. Gibson, *Dept. of Zoology, The Natural History Museum, London*

Systematic Parasitology publishes papers on the systematics, taxonomy and nomenclature of the following groups: Nematoda (including plant-parasitic), Monogenea, Digenea, Cestoda, Acanthocephala, Aspidogastrea, Cestodaria, Arthropoda (parasitic copepods, hymenopterans, mites, ticks, etc.), Protozoa (parasitic groups), and parasitic genera in other groups, such as Mollusca, Turbellaria, etc.

Systematic Parasitology publishes fully illustrated research papers, brief communications, and fully illustrated major revisions.

In order to maintain high standards, all contributors describing new taxa are asked to state clearly where the holotype is deposited and to make paratypes available for examination by the referees. It is recognized that, in some cases, this may cause problems for the authors, but it is hoped that by adhering to this rule authors may be protected against rapid synonymy of their taxa, and the types will be preserved for posterity.

Systematic Parasitology is abstracted and/or indexed in *Current Contents*, *Vital Notes on Medical Periodicals*, *Current Awareness in Biological Sciences*, *Bibliography of Agriculture (Agricola)*, *Reference Update*, *CAB International*.

Subscription Information

ISSN 0165-5752

1993, Volumes 24-26 (9 issues)

Subscription rate: Dfl.891.00/US\$556.50

incl. postage and handling

P.O. Box 322, 3300 AH Dordrecht, The Netherlands
P.O. Box 358, Accord Station, Hingham, MA 02018-0358, U.S.A.

Journal Highlight

**KLUWER
ACADEMIC
PUBLISHERS**



Parasitology

Back volumes. Vols. 1–71 : Inquiries should be addressed to Wm. Dawson & Sons Ltd, Cannon House, Folkestone, Kent. Vols. 72 onwards : quotations for parts still in print may be obtained from Cambridge or the American Branch of Cambridge University Press.

Copying. This journal is registered with the Copyright Clearance Center, 27 Congress Street, Salem, Mass. 01970. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per-copy fee of \$5.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0031–1820/93 \$5.00 + .00.

Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions.

ISI Tear Sheet Service. 3051 Market Street, Philadelphia, Pennsylvania 19104, USA, is authorized to supply single copies of separate articles for private use only.

For all other use, permission should be sought from Cambridge or the American Branch of Cambridge University Press.

Claims for missing issues can only be considered if made immediately after receipt of the subsequent issue.

Advertising. Details of advertising in *Parasitology* may be obtained from the publisher.

© Cambridge University Press 1993

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011–4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

Printed in Great Britain by the University Press, Cambridge

Parasitology

CONTENTS

	PAGE
Cheng, Q., Stowers, A., Huang, T.-Y., Bustos, D., Huang, Y.-M., Rzepczyk, C. and Saul, A. Polymorphism in <i>Plasmodium vivax</i> MSA1 gene – the result of intragenic recombinations?	335
Ey, P. L., Andrews, R. H. and Mayrhofer, G. Differentiation of major genotypes of <i>Giardia intestinalis</i> by polymerase chain reaction analysis of a gene encoding a trophozoite surface antigen	347
Baylis, M. and Nambiro, C. O. The effect of cattle infection by <i>Trypanosoma congolense</i> on the attraction, and feeding success, of the tsetse fly <i>Glossina pallidipes</i>	357
Bradley, J. E., Gillespie, A. J., Trenholme, K. R. and Karam, M. The effects of vector control on the antibody response to antigens of <i>Onchocerca volvulus</i>	363
Goyal, P. K. and Wakelin, D. Influence of variation in host strain and parasite isolate on inflammatory and antibody responses to <i>Trichinella spiralis</i> in mice	371
Quinnell, R. J., Slater, A. F. G., Tighe, P., Walsh, E. A., Keymer, A. E. and Pritchard, D. I. Reinfection with hookworm after chemotherapy in Papua New Guinea	379
Moulia, C., Le Brun, N., Dallas, J., Orth, A. and Renaud, F. Experimental evidence of genetic determinism in high susceptibility to intestinal pinworm infection in mice: a hybrid zone model	387
Knox, D. P., Redmond, D. L. and Jones, D. G. Characterization of proteinases in extracts of adult <i>Haemonchus contortus</i> , the ovine abomasal nematode	395
Stewart, G. R., Perry, R. N., Alexander, J. and Wright, D. J. A glycoprotein specific to the amphids of <i>Meloidogyne</i> species	405
Theodore, J. G., Kaliraj, P., Jayachandran, S. and Jayaraman, K. Cloning, over-expression and evaluation of a recombinant fusion protein of <i>Wuchereria bancrofti</i> towards its application as a diagnostic agent for bancroftian filariasis	413
Parri, H. R., Djamgoz, M. B. A., Holden-Dye, L. and Walker, R. J. An ion-sensitive microelectrode study on the effect of a high concentration of ivermectin on chloride balance in the somatic muscle bag cells of <i>Ascaris suum</i>	421
Maule, A. G., Halton, D. W., Shaw, C. and Johnston, C. F. The cholinergic, serotonergic and peptidergic components of the nervous system of <i>Moniezia expansa</i> (Cestoda, Cyclophyllidea)	429

CAMBRIDGE
UNIVERSITY PRESS



0031-1820(199305)106:4;1-V