The Journal of Laryngology and Otology

G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

respiratory tract		I. FRIEDMANN	631
Hazards in ear, nose and throat surgery .		Myles L. Formby	683
The treatment of Wegener's granulomatosis with immunosuppressive-cytotoxic drugs	ith	P. J. FROUD and A. H. HENDERSON	703
Clinical records—			100
Closure of the nostrils (Young's operation) atrophic rhinitis.	in	K. C. GADRE, K. B. BHARGAVA, R. Y. PRADHAN, J. D. LODAYA	
		and M. V. INGLE	711
Closure of the nostrils in atrophic rhinitis .	1	A. Young	715
Fibromyoma of posterior end of inferior turbinal		M. RAM	719
Total nasal columellar reconstruction		James O. Stallings, David D. Beal, K. C. Stewart, Donald G. Sessions	
		and Matthew L. Howard	723
A battered baby with pharyngeal atresia .		T. M. O. Morris and H. A. J. REAY	729
An unusual pharyngeal tumour		A. G. BEEDEN and F. W. ALEXANDER	733
Maxillary tumour as a presenting sign of secondary hyperparathyroidism due to renal insufficier		I. GAY, J. R. VISKOPER	
		and I. Chowers	737
General notes	-		743

Headley Brothers Ltd

Ashford, Kent

The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951), Journal of Laryngology and Otology, 65, 33. The titles of all Journals should be given without abbreviation.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

- 3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.
- 4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers Ltd., The Invicta Press, Ashford, Kent. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.
- 5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.
- 6. Editorial communications may be addressed to The Editor, Journal of Laryngology, c/o Headley Brothers Ltd., The Invicta Press, Ashford, Kent.
- 7. The annual subscription is £8 (eight pounds sterling) post free; U.S.A. \$23 post free, and payable in advance.
- 8. Single copies of current or back numbers (when available) will be on sale at £1 (including postage) each.
- 9. All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.


HEADLEY BROTHERS LTD.

The Invicta Press, ASHFORD, Kent.

O Journal of Laryngology and Otology Ltd., 1971

AMPLIVOX 84

The successor to the world's most widely used clinical Audiometer.



Take a look at all the advantages you get with this superb audiometer.

- Pure tone at eleven frequencies—now including 750 Hz
- Bone conduction at eight frequencies
- Narrow band masking via insert and headphones Automatic presentation
- ISO specification
- Trimpot calibration
- Continuously variable second channel for ABLB (Fowler) recruitment test
- Tone decay test
- Illuminated patient's signal

PLUS Calibrated speech audiometry via microphone or tape.

Write now for illustrated brochure to:

AMPLIVOX HEARING CONSERVATION LTD

Beresford Avenue, Wembley, Middx. HAO 1RU. Phone: 01-902 8991

Special features include:

1 Compact design with high intensity coaxial illumination

Motorised zoom continuous magnification changer controlled by a new single foot pedal 3
Motorised fine focus
control operated by the
same foot pedal – leaving
both hands free for
surgery
4

Built-in geared tilting for accurate alignment of the microscope head

Coupling K120/76 with geared angling movement of the microscope head. Can also be used with all existing Zeiss Operating Microscopes

New

Zeiss Operating Microscope 6







To be shown at the 3rd British Academic Conference, Otolaryngology, Edinburgh, July





P. C. WERTH LTD. Contractors to H.M. Government and Local Authorities

Specialist Supply, Maintenance, Calibration Services for Audiological Test and Teaching Equipment

17 STRATFORD PLACE, OXFORD ST., LONDON W1N ODH

Telephone: 01-629 5559

Clinical, Diagnostic, Screening and Bekesy Audiometers. Acoustic Impedance Apparatus. Stereo Auditory Trainers. Acoustic Cabins. Artificial Mastoid, etc.

Kamplex DA11 Twin-Channel Clinical Audiometer

many new features:

Probably the most keenly priced twin-channel audiometer currently available.

Fowler, Sisi, Luscher and Rainville test facilities inbuilt.

Complete speech facilities. Narrow band and white

noise masking to 100 db.

Pure tone attenuation to 120 db.



THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$24.00 per year Canada \$25.00 per year Foreign \$25.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M..D **EDITOR**

222 PINE LAKE ROAD, COLLINSVILLE, ILLIOIS 62234



The Portex Aural Grommet is inert and can safely be left inside the ear as long as necessary. It has a stainless steel wire to aid



insertion. Contour design of the Aural Grommet encourages rejection into the outer ear. The manufacturing process is closely controlled, to give uniformity and maintain the high quality which you have come to associate with all products from Portex.





Portex has given a lot of thought to packaging, with the result that the Aural Grommet is extremely easy to get at, but at the same time it remains sterile until you want to use it.



Supplies are obtainable through usual Portex distributors. For further information contact Portex direct. Portex Limited, Hythe, Kent. Telephone: Hythe 66863. Telex: 96165. Telegrams: Portex Hythe Telex. Portex Division, Smiths Industries Inc., 2 Gill Street, Woburn, Mass. 01801, U.S.A. In Canada: 105 Scarsdale Road, Don Mills, Ontario. Telephone: (416) 447-7292.

The Portex Aural Grommet has all the advantages-including price PORTEX





PETERS

Audiometers and Sound Proof Rooms for clinics, hospitals, schools and factories all over the world


Literature and further information from:

PETERS

Head Office: 55 Clarkehouse Road, Sheffield S10 2LE Telephone 0742 64434 Regional Sales and Service Centres

London: 45 New Cavendish Street, London W1 Telephone 01-935 2604

South West England: 7 St. Augustine's Parade, Bristol BS1 4 HX Telephone 0272 20737



the drop that soothes and clears infected ears

soothes by reducing inflammation with hydrocortisone clears by rapidly destroying virtually all bacteria commonly found in ear infections

OTOSPORIN drops contain polymyxin B sulphate, neomycin sulphate and hydrocortisone in a bland suspension designed to facilitate penetration. Supplied in dropper bottles of 5 ml. Full information is available on request.

*Trade Mark OTOSPORIN



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) Dartford, Kent

Oto-, Rhino-, Laryngology

Important, up-to-date, and scientifically accurate abstracts of reports from the world's biomedical literature dealing with Oto-, Rhino-, Laryngology are brought to your desk in this monthly publication.

First published in 1948,

Oto-, Rhino-, Laryngology currently contains some 4,750 abstracts each year.

MAIN CHAPTER HEADINGS

- I. SKULL
- 2. FACE AND LIPS
- 3. MOUTH
- 4. TONGUE
- 5. SALIVARY GLANDS
- 6. NECK
- 7. PHARYNX
- 8. ESOPHAGUS
- 9. LARYNX
- 10. TRACHEA
- 11. BRONCHI, LUNGS, MEDIASTINUM
- 12. OLFACTORY SYSTEM
- 13. EXTERNAL NOSE
- 14. NASAL CAVITY
- 15. NASAL SEPTUM

- 16. NASOPHARYNX
- 17. NASAL SINUSES
- 18. EXTERNAL EAR
- 19. MIDDLE EAR
- 20. INTERNAL EAR
- 21. OTOSCLEROSIS
- 22. MENIERE DISEASE
- 23. FACIAL NERVE
- 24. VESTIBULAR SYSTEM
- 25. CEREBELLOPONTINE ANGLE TUMORS
- 26. HEARING
- 27. SPEECH
- 28. PHONIATRICS
- 29. ANESTHESIA


Specimen copies are available on request.

Annual Subscription Rate: U.S. \$50.00/£20. 19. 0d. Sterling/Dfl. 180,00

EXCERPTA MEDICA

Herengracht 119-123, Amsterdam, The Netherlands

Menière's syndrome is a specific condition Now there is a specific treatment



Menière's syndrome was first clearly defined over a century ago and since then has been recognised as a distinct disease entity characterised by vertigo, tinnitus and loss of hearing, frequently accompanied by nausea, earache and/or headache. To date, treatment of Menière's syndrome has been mostly empirical in nature and variable in its results. But now there is SERC - a new and specific treatment for Menière's syndrome. There is evidence that SERC acts against all the major manifestations of Menière's syndrome. Its effect on the episodes of vertigo, often the most disturbing symptom, is most striking1. SERC has been found to diminish, over a period of time, the intensity of tinnitus2. And it may also arrest hearing loss3. SERC is supplied as tablets containing 8 mg, betahistine dihydrochloride, in bottles of 100 tablets. Further information is available on request.

1. Clinical Medicine (1967) 74:63 2. Journal of the American Medical Association (1966) 96:187 3. Archives of Otolaryngology (1967) 86:610

duphar Laboratories Limited Basingstoke Hants. Tel. 0256 26351 Outline Parlips-Duphar likeland) Limited Basingstoke Hants. Tel. 0256 26351 Outline





clears both fungi and bacteria in ear infections

Candida albicans and Aspergillus niger are isolated in over 20 per cent of cases of otitis externa, and if high success rates are to be achieved treatment must take account of this. Otoseptil[®] ear drops employs a very broad-spectrum attack with efficient anti-inflammatory action.

The new antibiotic ester-neomycin undecylenate-provides potent dual bactericidal and antifungal activity.

Tryrothricin (containing gramicidin and tyrocin) effectively eliminates resistant Grampositive cocci, while Hydrocortisone alcohol exerts its characteristic anti-inflammatory
action. Rapid tissue contact is ensured by the penetrant Ethylene oxide polyoxypropylene
alvool condensate, which is incorporated in the clear liquid ear drop.

glycol condensate, which is incorporated in the clear liquid ear drop.
For pain relief, AUDAX® ear drops may be used concomitantly with Otoseptil® ear drops because they are completely miscible and compatible.

Full information is available on request.

® Registered trade marks

