General Notes

Herein, he advocates their use as a preventative measure before operation when hæmorrhage is to be feared, after a systematic and detailed biological examination of the blood, and as a curative measure for severe post-operative hæmorrhages and spontaneous hæmorrhages when all other remedies, local and general, have failed and the patient's life is in danger.

He gives notes, with the method of irradiation, of 13 cases where the treatment was of the greatest benefit.

There is an extensive bibliography.

L. GRAHAM BROWN.

GENERAL NOTES

ROYAL SOCIETY OF MEDICINE,

I Wimpole Street, London, W. I.

Section of Laryngology.—The Opening Meeting of the Session, 1929-30, will be held on Friday, 1st November, at 5 P.M.

President, Dr Dan McKenzie. Hon. Secretaries, Mr M. E. Vlasto, 26 Wimpole Street, London, W. I, and Mr V. E. Negus, M.S., 133 Harley Street, London, W. I.

Section of Otology.—The Opening Meeting of the Session, 1929-30, will be held on Friday, 1st November, at 9.30 A.M.

President, Mr W. M. Mollison, M.Ch. Secretaries, Mr F. C. Ormerod, F.R.C.S., and Mr L. Graham-Brown, F.R.C.S., 32 Devonshire Place, London, W. I.

THE SEMON LECTURE, 1929.

Dr Harris P. Mosher of Boston, U.S.A., has been invited by the Semon Lecture Board to give the Semon Lecture of the University of London. The address, which is entitled "The lower end of the Esophagus at Birth and in the Adult," will be delivered in the Hall of the Royal Society of Medicine, I Wimpole Street, London, W. I, on the afternoon of Thursday, 5th December, at 5 o'clock.

BOOKS FOR REVIEW.

The following books have been received for review:-

The Nose, Throat and Ear and their Diseases. By Chevalier Jackson and George Morrison Coates. Published by W. B. Saunders.

The Mechanism of the Larynx. By V. E. Negus, M.S. Published by Heinemann.

Pathologie der Oberen Luft und Speisewege. von Prof. Dr Felix Blumenfeld u. Prof. Dr Rudolf Jaffé. Leipsig: Curt Kabitsch.

Models of the Labyrinth



These models (King's College Hospital pattern) were devised by

Mr A. H. CHEATLE
and
Mr NEGUS
for teaching purposes
and for investigating

labyrinthine diseases.

The pointers on the Head frame lie parallel with the Frankfort plane, so that when the frame is on the head the models lie in correct orientation in all respects. The patient's head can be put in any position and the exact relations of each of the canals are seen; rotation and caloric tests can be carried out with the frame in position.

Surgical Instrument Manufacturers
Established over Sixty Years

Mayeng CHIRON HOUSE
59-61 New Cavendish St.
London, W.1

