[RADIOCARBON, VOL. 16, NO. 1, 1974, P. 10-14]

FLORENCE RADIOCARBON DATES II

C M AZZI

Consiglio Nazionale delle Ricerche, Sezione di Firenze

L BIGLIOCCA, and E PIOVAN Istituto di Antropologia, Università di Firenze

This list comprises age measurements carried out from October 1972 to July 1973. Samples dated are all of archaeologic interest and come from Italian territory. Pretreatment of samples, production of purest CO_2 and counting techniques have been described elsewhere (Azzi, 1972; Azzi *et al*, 1973).

We have set up a chemical bench to produce CO_2 directly from a sample without CaCO₃ precipitation (Broecker *et al*, 1959); we checked this new method with two samples, F-17 and F-45, below. Ages obtained by both methods agree satisfactorily, but we will continue to check the new bench.

Activity of our "modern standard" wood grown near Florence between 1850 and 1870, was checked with 95% of NBS oxalic acid counting rate and measurements were found coincident within 1σ . Age of samples is calculated using the conventional half-life of 5568 \pm 30 yr and is referred to the standard year, 1950. Errors are stated in terms of one standard deviation of counting statistics.

ACKNOWLEDGMENTS

We thank the Consiglio Nazionale delle Ricerche for providing financial support.

SAMPLE DESCRIPTIONS

I. ARCHAEOLOGIC AND HISTORIC SAMPLES

A. Italy

Grotta Paglicci series

Charcoal and burnt bones from Grotta Paglicci on left side of Settepenne V on S side of Gargano promontory near Rignano Garganico, 15km E S Severo, prov Foggia, Apulia (41° 39' 8" N, 15° 36' 51" E). Coll 1971 and subm 1972 by A Palma di Cesnola, Ist Preist e Protostoria, Firenze, and F Mezzena, Museo Civ di Storia Nat, Verona.

Depth of deposit is, at this point of excavation, nearly 8m; 21 layers were distinguished. Grotta Paglicci consists in an atrium and a large internal hall, $6m \times 20m$.

Samples dated belong to Layers 18-21. Layers 10 to 16 can be related to Grotta del Romito, Layer 34: 18,750 \pm 350 (R, 1967, v 9, p 358); Ugento, Layer 4 to 7: 14,170 \pm 170; 13,870 \pm 110 (*ibid*, p 359); Riparo Tagliente (R, 1970, v 12, p 599-601).

14,260 ± 280 12,310 вс

Charcoal from Layer 18, b2. Final Gravettian industry.

F-43. Grotta Paglicci 18, b2 a

F-44. Grotta Paglicci 18, b2 b

Burnt bones from Layer 18, b2, together with charcoal of F-43. Laver contained Final Gravettian industry like Mochi shelter industry, Layer C, and Monte Longo (F-28) industry (R, 1973, v 15, p 483). Comment: F-44 date agrees with stratigraphy; F-43 sample appears contaminated; chemical treatment for 1st sample was: HCl 10%-NaOH O.1N-HCl 10%; for the 2nd: HCl 10% for a 1st washing, afterwards a strong

 $20,160 \pm 310$ 18.210 вс F-45. Grotta Paglicci 18, b3

Charcoal from Layer 18, b3, Final Gravettian type industry. F-45 was given only standard pretreatment. Date for this sample, with new direct line for CO₂ production: $20,380 \pm 350$ confirms other date.

F-46. Grotta Paglicci 19, a

F-49. Grotta Paglicci 20, cb

Charcoal from Layer 19, a. Layer 19 is named "transition layer" because upper part is similar to deepest part of Layer 18, and lower part resembles top of Layer 20, linking Final Gravettian to Evolute Gravettian age.

$21,260 \pm 340$ 19,310 вс F-47. Grotta Paglicci 20, b

Charcoal from Layer 20, b. Evolute Gravettian type industry. Layer 20 is typologically parallel with Perigordian V, 2 of W Europe.

F-48. Grotta Paglicci 20, ca	22,220 ± 360 20,270 вс
Charcoal from Layer 20, c.	
	$22,\!110\pm330$

Burnt bones from Layer 20, c, together with charcoal F-48. Evolute Gravettian age; both samples had standard pretreatment. Difference between 2 ages is not very significant.

		$22,630 \pm 390$
F-50.	Grotta Paglicci 20, de	20,680 вс

Charcoal from Layer 20, de. Evolute Gravettian type industry.

F-51.	Grotta	Paglicci	21, a	

Charcoal from Layer 21, a. Evolute Gravettian type industry with blade of "La Font Robert". Typologically parallel with Perigordian V, 1 in W Europe.

	-	$23,\!470\pm370$
F-52.	Grotta Paglicci 21, b	21,520 вс

Charcoal from Layer 21, b. Same industry as F-51.

HCl leaching till destruction of organic fraction.

 20.730 ± 290 18,780 вс

20,160 вс

 $23,040 \pm 380$ 21.090 вс

F-53.	Grotta	Paglic	ci 21,	c			24,210 ± 410 22,260 вс
T 1	c	~		_	-		

Burnt bones from Layer 21, c. Evolute Gravettian age.

		$23,750 \pm 390$
F-54.	Grotta Paglicci 21, c	21,800 вс

Charcoal from Layer 21, c, together with charcoal F-53. Difference between ages not very significant.

		$24,720 \pm 420$
F-5 5.	Grotta Paglicci 21, d	22,770 вс

Charcoal from Layer 21, d. Evolute Gravettian industry.

S Reparata series (inside)

Six more samples of charcoal and wood coll and subm 1972 by F Toker, archaeologist of S Reparata excavation. S Reparata is an Early Christian church beneath the present day Cathedral of Florence, Italy. They form a sequel to Samples F-10 to F-16 (Azzi *et al*, 1973). Samples were dated to clarify 3 major points about chronology of site: construction date of a large Roman house preceding church, destruction date of house, and foundation date of Early Christian church. The latter was dated stylistically at ca 6th century (Toker, 1972).

F-56. S Reparata, Q N 3

$\begin{array}{r} 1660\pm80\\ \text{ad}\,290 \end{array}$

Charcoal from a deep stratum very close to foundation of best preserved room of N side of Roman house. Date in 3rd or 4th century for expansion of N side is confirmed by other findings.

I495 ± 85 F-57. S Reparata, H 266, H N I AD 455

This charcoal sample was especially significant, having been found below level of mosaic floor and above intact floor of atrium of Roman house. Date could well indicate a period in which house was no longer functioning but before church was built. This date and that of F-58, point to 5th century for this intermediate period. This has already been suggested by presence of many crude groves on the site, which, in all probability, were erected by the barbarian invaders of Florence ca AD 410 to 490.

F-58. S Reparata, Q N 5 1460 ± 85 AD 490

Charcoal, from level -2.61m, from ruins at NW corner of Roman house. The 5th century ruins can be explained by hypothesis outlined above for F-57.

1405 ± 85

F-59. S Reparata, Zone R₂ AD 545

Charcoal from below mosaic level in S side of Early Christian

church. Date indicates last possible moment for laying of mosaic floor of church, and accords with stylistically proposed date of early 6th century, but a mid- or late 6th century date is also possible.

F-60. S Reparata, J 75, J S I

Charcoal from a low stratum, -2.40m, in very disturbed zone just E of atrium of Roman house in its final stage. Coin and ceramic dating indicate that house was begun in or near Augustus reign, but was evidently enlarged several times. Possibly, this area lay outside the original small house.

F-61. S Reparata, Piazza S Giovanni AD 1070

Large charcoal chunk extracted by the Government Archaeol Service in Florence from a lime preparation pit directly W of site of S Reparata, during excavation between Cathedral and Baptistery of Florence in 1971. Pit was probably not used during construction of Early Christian church and was, instead, part of reconstruction of S Reparata in Early Romanesque style. Documents refer to rebuilding of church in mid-11th century, so that carbon sample is highly relevant.

705 ± 75

 940 ± 75

AD 1010

F-17. S Reparata, Tomb 42 (remeasured) AD 1245

Wood from coffin of Giovanni di Alamanno de'Medici, who died in 1353, was previously ¹⁴C dated, almost a century too late (Azzi *et al*, 1973). Second date falls slightly short of date of death but agrees with age of wood. The age obtained by CO_2 direct preparation is: 725 \pm 75 and agrees very well with radiocarbon date.

F-62. Monate I, piroge

Monate 2, piroge

Wood from pirogue discovered in Monate Lake, Varese, Lombardy (45° 48' N, 16° 14' E), from a one-piece pirogue (type monoxile), 2.58m long, named Monate I. Coll 1971 by Castelletti and subm 1972 by M Mirabella Roberti, Sopr Antichità della Lombardia, Milano. Sample was dated (unpub, awaiting confirmation of date by submitter). First date: 970 ± 105 , agrees with 2nd date: 940 ± 75 . *Comment*: to extract humic acids from unpub sample, 3% NH₄OH was used, and for F-62, 0.1N NaOH extending treatment until total extraction.

$\begin{array}{r} 1580 \pm 105 \\ \text{ad} \, 370 \end{array}$

Wood from pirogue discovered in Monate Lake, Varese, Lombardy (45° 48' N, 16° 14' E). Sample came from a 1-piece pirogue, 3.85m long, named Monate 2. Coll 1971 and subm 1972 by M Mirabella Roberti.

F-63.

13

1805 ± 95 ad 145

 880 ± 80

General Comment on pirogues: the submitter has not furnished any further documented evidence on pirogues. Therefore, we have no other information about depth of discovery and typology of pirogues.

References

Alessio, M, Bella, F, Bachechi, F, and Cortesi, C, 1967, University of Rome carbon-14 dates V: Radiocarbon, v 9, p 358.

Alessio, M et al, 1970, University of Rome carbon-14 dates VIII: Radiocarbon, v 12, p 599-616.

Azzi, C M, 1972, Costruzione e messa a punto di un impianto per datazioni tramite ¹⁴C con il metodo a gas: Riv Sci Preistoriche, v 28, p 196-209.
Azzi, C M, Bigliocca, L, and Piovan, E, 1973, Florence radiocarbon dates I: Radiocarbon, v 15, p 479-487.
Broecker, W S, Tucek, C S, and Olson, E, 1959, Radiocarbon analysis of oceanic CO₂:

Internatl Jour appl Radiation and Isotopes, v 7, p 1-18.

Toker, F, 1972, Gli scavi sotto il Duomo di Firenze: Notiziario di Archeol Medioevale, v 2, p 2-4.