

INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179.

Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq_tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. **Tables** Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

EDITORIAL

The antidepressant standoff: why it continues and how to resolve it

Ormel J, Spinhoven P, de Vries YA, Cramer AOJ, Siegle GJ, Bockting CLH & Hollon SD 177

REVIEW ARTICLE

Brain structural effects of treatments for depression and biomarkers of response: a systematic review of neuroimaging studies

Enneking V, Leehr EJ, Dannlowski U & Redlich R 187

ORIGINAL ARTICLES

Sustained impact of a sleep intervention and moderators of treatment outcome for children with ADHD: a randomised controlled trial

Sciberras E, Mulraney M, Mensah F, Oberklaid F, Efron D & Hiscock H 210

The relation between dopamine D₂ receptor blockade and the brain reward system: a longitudinal study of first-episode schizophrenia patients

Wulff S, Nielsen MØ, Rostrup E, Svarer C, Jensen LT, Pinborg L & Glenthøj BY 220

Hormonal and psychological factors in nausea and vomiting during pregnancy

Dekkers GWF, Broeren MAC, Truijens SEM, Kop WJ & Pop VJM 229

Translating a rodent measure of negative bias into humans: the impact of induced anxiety and unmedicated mood and anxiety disorders

Aylward J, Hales C, Robinson E & Robinson OJ 237

Associations of antenatal glucocorticoid exposure with mental health in children

Wolford E, Lahti-Pulkkinen M, Girchenko P, Lipsanen J, Tuovinen S, Lahti J, Heinonen K, Hämäläinen E, Kajantie E, Pesonen A-K, Villa PM, Laivuori H, Reynolds RM & Räikkönen K 247

Effects of neurofeedback on the dysregulation profile in children with ADHD: SCP NF meets SDQ-DP – a retrospective analysis

Heinrich H, Gevensleben H, Becker A & Rothenberger A 258

Can psychological features predict antidepressant response to rTMS? A Discovery–Replication approach

Krepel N, Rush AJ, Iseger TA, Sack AT & Arns M 264

Increased amygdala-visual cortex connectivity in youth with persecutory ideation

DeCross SN, Farabaugh AH, Holmes AJ, Ward M, Boeke EA, Wolthuisen RPF, III GC, Nyer M, Fava M, Buckner RL & Holt DJ 273

Factors associated with satisfaction of inpatient psychiatric care: a cross country comparison

Bird V, Miglietta E, Giacco D, Bauer M, Greenberg L, Lorant V, Moskalewicz J, Nicaise P, Pfennig A, Ruggeri M, Welbel M & Priebe S 284

Prevalence of mental illness in primary care and its association with deprivation and social fragmentation at the small-area level in England

Grigorioglou C, Munford L, Webb RT, Kapur N, Ashcroft DM & Kontopantelis E 293

Migration and psychosis: a meta-analysis of incidence studies

Selten J-P, van der Ven E & Temorshuizen F 303

Individual differences v. the average patient: mapping the heterogeneity in ADHD using normative models

Wolfers T, Beckmann CF, Hoogman M, Buitelaar JK, Franke B & Marquand AF 314

Detecting DSM-5 somatic symptom disorder: criterion validity of the Patient Health Questionnaire-15 (PHQ-15) and the Somatic Symptom Scale-8 (SSS-8) in combination with the Somatic Symptom Disorder – B Criteria Scale (SSD-12)

Toussaint A, Hüsing P, Kohlmann S & Löwe B 324

Alexithymia and frontal-amygdala functional connectivity in North Korean refugees

Kim N, Park I, Lee YJ, Jeon S, Kim S, Lee KH, Park J, Kim H-K, Gwaq AR, Jun JY, Yoo SY, Lee SH & Kim SJ 334

Integrating mental health and disaster preparedness in intervention: a randomized controlled trial with earthquake and flood-affected communities in Haiti

James LE, Welton-Mitchell C, Noel JR & James AS 342