CAMBRIDGE

JOURNALS

Irish Journal of Psychological Medicine

The official journal of College of Psychiatrists of Ireland

Editor-in-Chief

Brendan Kelly, University College Dublin, Ireland

The *Irish Journal of Psychological Medicine* is the official research journal of the College of Psychiatry of Ireland. The journal's central objectives are: to disseminate the results of original scientific research to a national and international readership, to express the unique identity of Irish psychiatry, and to underscore the importance of cross-cultural differences in psychiatry.

The *Irish Journal of Psychological Medicine* publishes national and international research papers, editorials, review papers, case reports and book reviews.



Irish Journal of Psychological Medicine

is available online at: http://journals.cambridge.org/ipm

To subscribe contact Customer Services

Americas:

Phone +1 (845) 353 7500 Fax +1 (845) 353 4141 Email subscriptions_newyork@cambridge.org

Rest of world:

Phone +44 (0)1223 326070 Fax +44 (0)1223 325150 Email journals@cambridge.org

Free email alerts

Keep up-to-date with new material – sign up at journals.cambridge.org/ipm-alerts

For free online content visit: http://journals.cambridge.org/ipm



INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, http://www.editorialmanager.com/psm/. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

- 1. S.I. units should be used throughout in text, figures and tables.
- 2. Authors should spell out in full any abbreviations used in their manuscripts.
- 3. Foreign quotations and phrases should be followed by a translation.
- 4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* 286, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* 32, 173–179.

Cleckley HJ (1941). The Mask of Sanity, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank. org/INTPAH/ Resources/Publications/Quantitative-Techniques/health.eq tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. Line artwork: Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; Combination artwork (line/tone): Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; Black and white halftone artwork: Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; Colour halftone artwork: Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. Tables Tables should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

EDITORIAL

EDITORIAL		Aetiological overlap between obsessive—compulsive and depre	5551VE
Why do depressed individuals have difficulties in their		symptoms: a longitudinal twin study in adolescents and adults	i
parenting role? Psychogiou L & Parry E	1345	Bolhuis K, McAdams TA, Monzani B, Gregory AM, Mataix-Cols D, Stringaris A & Eley TC	1439
REVIEW ARTICLE	.0.0	Cost-effectiveness of combining systematic identification	
The dynamic nature of depression: a new micro-level		and treatment of co-morbid major depression for people with	
perspective of mental disorder that meets current		chronic diseases: the example of cancer	
challenges		Walker S, Walker J, Richardson G, Palmer S, Wu Q, Gilbody S, Martin P, Holm Hansen C, Sawhney A, Murray G,	
Wichers M	1349	Sculpher M & Sharpe M	1451
ORIGINAL ARTICLES		Dynamics of psychotherapy-related cerebral haemodynamic	
Proposed DSM-5 mixed features are associated with greater		changes in obsessive compulsive disorder using a	
likelihood of remission in out-patients with major depressive disorder		personalized exposure task in functional magnetic	
Perlis RH, Cusin C & Fava M	1361	resonance imaging Morgiève M, N'Diaye K, Haynes WIA, Granger B, Clair A-H,	
Five year autooms of major depressive disorder in		Pelissolo A & Mallet L	1461
Five-year outcome of major depressive disorder in primary health care		Default network connectivity as a vulnerability marker for	
Riihimäki KA, Vuorilehto MS, Melartin TK & Isometsä ET	1369	obsessive compulsive disorder	
Modelling the cost-effectiveness of preventing major		Peng ZW, Xu T, He QH, Shi CZ, Wei Z, Miao GD, Jing J, Lim KO,	4 475
depression in general practice patients		Zuo XN & Chan RCK	1475
Hunter RM, Nazareth I, Morris S & King M	1381	The association between common mental disorders and violence: to what extent is it influenced by prior victimization,	
The structure of the symptoms of major depression:		negative life events and low levels of social support	1405
exploratory and confirmatory factor analysis in depressed Han Chinese women		ten Have M, de Graaf R, van Weeghel J & van Dorsselaer S	1485
Li Y, Aggen S, Shi S, Gao J, Li Y, Tao M, Zhang K, Wang X,		Combat exposure severity as a moderator of genetic and environmental liability to post-traumatic stress disorder	
Gao C, Yang L, Liu Y, Li K, Shi J, Wang G, Liu L, Zhang J,		Wolf EJ, Mitchell KS, Koenen KC & Miller MW	1499
Du B, Jiang G, Shen J, Zhang Z, Liang W, Sun J, Hu J, Liu T, Wang X, Miao G, Meng H, Li Y, Hu C, Li Y, Huang G, Li G,		Sleep enhances exposure therapy	
Ha B, Deng H, Mei Q, Zhong H, Gao S, Sang H, Zhang Y, Fang X,		Kleim B, Wilhelm FH, Temp L, Margraf J,	
Yu F, Yang D, Liu T, Chen Y, Hong X, Wu W, Chen G, Cai M,		Weiderhold BK & Rasch B	1511
Song Y, Pan J, Dong J, Pan R, Zhang W, Shen Z, Liu Z, Gu D, Wang X, Liu X, Zhang Q, Flint J & Kendler KS	1391	Guided Internet-delivered cognitive behavioural treatment for	
•		insomnia: a randomized trial	
Endothelial dysfunction is associated with a greater depressive symptom score in a general elderly population:		van Straten A, Emmelkamp J, de Wit J, Lancee J, Andersson G,	1501
the Hoorn Study		van Someren EJW & Cuijpers P	1521
van Sloten TT, Schram MT, Adriaanse MC, Dekker JM, Nijpels G,		Extremely preterm birth and adolescent mental health in a geographical cohort born in the 1990s	
Teerlink T, Scheffer PG, Pouwer F, Schalkwijk CG, Stehouwer CDA & Henry RMA	1403	Burnett A, Davey CG, Wood SJ, Wilson-Ching M, Molloy C,	
•	1400	Cheong JLY, Doyle LW & Anderson PJ	1533
Short-term effects of escitalopram on regional brain function in first-episode drug-naive patients with major depressive		Pain in chronic fatigue syndrome: response to rehabilitative	
disorder assessed by resting-state functional magnetic		treatments in the PACE trial	
resonance imaging		Bourke JH, Johnson AL, Sharpe M, Chalder T & White PD	1545
Wang L, Li K, Zhang Q, Zeng Y, Dai W, Su Y, Wang G, Tan Y,	1/17	Cognitive performance in irritable bowel syndrome: evidence	
Jin Z, Yu X & Si T	1417	of a stress-related impairment in visuospatial memory	
White-matter tract integrity in late-life depression:		Kennedy PJ, Clarke G, O'Neill A, Groeger JA, Quigley EMM, Shanahan F, Cryan JF & Dinan TG	1553
associations with severity and cognition Charlton RA Lamar M. Zhang A. Yang S. Aiilore O. & Kumar A.	1427	Correspondence	1567



