

References

The references for a given first-mentioned author are in date order.

- Abramovsky, V. A., Gribov, V. N., and Kancheli, O. V. (1973), Character of inclusive spectra and fluctuations produced in inelastic processes by multi-Pomeron exchange, *Sov. J. Nucl. Phys.* **18**, 308 [*Yad. Fiz.* **18** (1973) 595].
- Abramowicz, H., and Dainton, J. B. (1996), On the energy dependence of the deep inelastic diffractive cross-section, *J. Phys.* **G22**, 911.
- Abramowicz, H., and Caldwell, A. (1999), HERA collider physics, *Rev. Mod. Phys.* **71**, 1275.
- Albacete, J. L., Armesto, N., Kovner, A., Salgado, C. A., and Wiedemann, U. A. (2004), Energy dependence of the Cronin effect from nonlinear QCD evolution, *Phys. Rev. Lett.* **92**, 082 001.
- Albacete, J. L., Armesto, N., Milhano, J. G., Salgado, C. A., and Wiedemann, U. A. (2005), Numerical analysis of the Balitsky–Kovchegov equation with running coupling: dependence of the saturation scale on nuclear size and rapidity, *Phys. Rev.* **D71**, 014 003.
- Albacete, J. L., and Kovchegov, Y. V. (2007a), Baryon stopping in proton–nucleus collisions, *Nucl. Phys.* **A781**, 122.
- Albacete, J. L., and Kovchegov, Y. V. (2007b), Solving high energy evolution equation including running coupling corrections, *Phys. Rev.* **D75**, 125 021.
- Albacete, J. L., Armesto, N., Milhano, J. G., and Salgado, C. A. (2009), Non-linear QCD meets data: a global analysis of lepton–proton scattering with running coupling BK evolution, *Phys. Rev.* **D80**, 034 031.
- Albacete, J. L., Armesto, N., Milhano, J. G., Quiroga Arias, C., and Salgado, C. A. (2011), AAMQS: a non-linear QCD analysis of new HERA data at small- x including heavy quarks, *Eur. Phys. J.* **C71**, 1705.
- Albacete, J. L., and Dumitru, A. (2011). A model for gluon production in heavy-ion collisions at the LHC with rcBK unintegrated gluon densities, arXiv:1011.5161 [hep-ph].
- ALICE collaboration Aamodt, K. *et al.* (2011), *Phys. Rev. Lett.* **106**, 032 301.
- Altarelli, G., and Parisi, G. (1977), Asymptotic freedom in parton language, *Nucl. Phys.* **B126**, 298.
- Altarelli, G., Ball, R. D., and Forte, S. (2006), Perturbatively stable resummed small x evolution kernels, *Nucl. Phys.* **B742**, 1.
- Altinoluk, T., Kovner, A., Lublinsky, M., and Peressutti, J. (2009), QCD reggeon field theory for every day: Pomeron loops included, *JHEP* **0903**, 109.
- Amsler, C., *et al.* (Particle Data Group) (2008), *Phys. Lett.* **B667**, 1, and 2009 partial update for the 2010 edition.

- Armesto, N., Salgado, C. A., and Wiedemann, U. A. (2005), Relating high-energy hepton–hadron, proton–nucleus and nucleus–nucleus collisions through geometric scaling, *Phys. Rev. Lett.* **94**, 022 002 [arXiv/0407018[hep-ph]].
- ATLAS collaboration, Aad, G., *et al.* (2011). *New J. Phys.* **13**, 053 033.
- Avsar, E., Stasto, A. M., Triantafyllopoulos, D. N., and Zaslavsky, D. (2011), Next-to-leading and resummed BFKL evolution with saturation boundary, arXiv:1107.1252 [hep-ph].
- Ayala, A. L., Gay Ducati, M. B., and Levin, E. M. (1996), Unitarity boundary for deep inelastic structure functions, *Phys. Lett.* **B388**, 188.
- Ayala, A. L., Gay Ducati, M. B., and Levin, E. M. (1997), QCD evolution of the gluon density in a nucleus, *Nucl. Phys.* **B493**, 305.
- Ayala, A. L., Gay Ducati, M. B., and Levin, E. M. (1998), Parton densities in a nucleon, *Nucl. Phys.* **B511**, 355.
- Baier, R., Dokshitzer, Y. L., Mueller, A. H., Peigne, S., and Schiff, D. (1997), Radiative energy loss and $p(T)$ broadening of high-energy partons in nuclei, *Nucl. Phys.* **B484**, 265.
- Baier, R., Kovner, A., and Wiedemann, U. A. (2003), Saturation and parton level Cronin effect: enhancement versus suppression of gluon production in pA and AA collisions, *Phys. Rev.* **B68**, 054 009.
- Baier, R., Mueller, A. H., and Schiff, D. (2004), Saturation and shadowing in high-energy proton nucleus dilepton production, *Nucl. Phys.* **A741**, 358.
- Balitsky, I. I., and Lipatov, L. N. (1978), The Pomeranchuk singularity in quantum chromodynamics, *Sov. J. Nucl. Phys.* **28**, 822 [*Yad. Fiz.* **28** 1597].
- Balitsky, I. I. (1996), Operator expansion for high-energy scattering, *Nucl. Phys.* **B463**, 99.
- Balitsky, I. I. (1998), Scattering of shock waves in QCD, *Phys. Rev.* **D70**, 114 030 [arXiv:hep-ph/0409314].
- Balitsky, I. I. (1999a), Factorization for high-energy scattering, *Phys. Rev. Lett.* **81**, 2024.
- Balitsky, I. I. (1999b), Factorization and high-energy effective action, *Phys. Rev.* **D60**, 014 020.
- Balitsky, I. I., and Belitsky, A. V. (2002), Nonlinear evolution in high density QCD, *Nucl. Phys.* **B629**, 290.
- Balitsky, I. I. (2004), Scattering of shock waves in QCD, *Phys. Rev.* **D70**, 114 030 [hep-ph/0409314].
- Balitsky, I. I. (2007), Quark contribution to the small- x evolution of color dipole, *Phys. Rev.* **D75**, 014 001.
- Balitsky, I. I., and Chirilli, G. A. (2008), Next-to-leading order evolution of color dipoles, *Phys. Rev.* **D77**, 014 019 [arXiv:0710.4330 [hep-ph]].
- Barone, V. and Predazzi, E. (2002), *High Energy Particle Diffraction*, Springer.
- Bartels, J. (1980), High-energy behavior in a nonabelian gauge theory. 2. First corrections to $T(n \rightarrow m)$ beyond the leading LNS approximation, *Nucl. Phys.* **B175**, 365.
- Bartels, J., Schuler, G. A., and J. Blumlein, J. (1991), A numerical study of the small x behavior of deep inelastic structure functions in QCD, *Z. Phys.* **C50**, 91; *Nucl. Phys. Proc. Suppl.* **18C**, 147.
- Bartels, J., and Levin, E. (1992), Solutions to the Gribov–Levin–Ryskin equation in the nonperturbative region, *Nucl. Phys.* **B387**, 617.
- Bartels, J. (1993a), Unitarity corrections to the Lipatov pomeron and the small x region in deep inelastic scattering in QCD, *Phys. Lett.* **B298**, 204.
- Bartels, J. (1993b), A note on the infrared cutoff dependence of the BFKL pomeron, *J. Phys. G* **19**, 1611.
- Bartels, J., and Wusthoff, M. (1995), The triple Regge limit of diffractive dissociation in deep inelastic scattering, *Z. Phys.* **C66**, 157.
- Bartels, J., Lotter, H., and Vogt, M. (1996), A numerical estimate of the small- k_T region in the BFKL pomeron, *Phys. Lett.* **B373**, 215.

- Bartels, J., and Ryskin, M. G. (1997), The space–time picture of the Wee partons and the AGK cutting rules in perturbative QCD, *Z. Phys.* **C76**, 241.
- Bartels, J., Lipatov, L. N., and Vacca, G. P. (2000). A new odderon solution in perturbative QCD, *Phys. Lett.* **B477**, 178.
- Bartels, J., and Kowalski, H. (2001), Diffraction at HERA and the confinement problem, *Eur. Phys. J.* **C19**, 693.
- Bartels, J., Braun, M., and Vacca, G. P. (2005), Pomeron vertices in perturbative QCD in diffractive scattering, *Eur. Phys. J.* **C40**, 419.
- Bartels, J., Lipatov, L. N., and Vacca, G. P. (2005), Interactions of Reggeized gluons in the Moebius representation, *Nucl. Phys.* **B706**, 391.
- Bartels, J., and Kutak, K. (2008), A momentum space analysis of the triple pomeron vertex in pQCD, *Eur. Phys. J.* **C53**, 533.
- Bartels, J., Salvadore, M., and Vacca, G. P. (2008), Inclusive 1-jet production cross section at small x in QCD: multiple interactions, *JHEP* **0806**, 032.
- Bertsch, G., Brodsky, S. J., Goldhaber, A. S., and Gunion, J. F. (1981), Diffraction excitation in QCD, *Phys. Rev. Lett.* **47**, 297.
- Beuf, G., and Peschanski, R. (2007), Universality of QCD traveling-wave with running coupling, *Phys. Rev.* **D75**, 114 001.
- Beuf, G. (2010), Universal behavior of the gluon saturation scale at high energy including full NLL BFKL effects, arXiv:1008.0498 [hep-ph].
- Bialas, A., Navelet, H., and Peschanski, R. B. (1998), High-mass diffraction in the QCD dipole picture, *Phys. Lett.* **B427**, 147.
- Bialas, A., Navelet, H., and Peschanski, R. B. (1999), Diffraction at small M^2/Q^2 in the QCD dipole picture, *Eur. Phys. J.* **C8**, 643.
- Bjorken, J. D. (1969), Asymptotic sum rules at infinite momentum, *Phys. Rev.* **179**, 1547.
- Bjorken, J. D., and Paschos, E. A. (1969), Inelastic electron–proton and gamma–proton scattering, and the structure of the nucleon, *Phys. Rev.* **185**, 1975.
- Bjorken, J. D., Kogut, J. B., and Soper, D. E. (1971), Quantum electrodynamics at infinite momentum: scattering from an external field, *Phys. Rev.* **D3**, 1382.
- Bjorken, J. D., and Kogut, J. B. (1973), Correspondence arguments for high-energy collisions, *Phys. Rev.* **D8**, 1341.
- Blaettel, B., Baym, G., Frankfurt, L. L., and Strikman, M. (1993), How transparent are hadrons to pions?, *Phys. Rev. Lett.* **70**, 896.
- Blaizot, J. P., Gelis, F., and Venugopalan, R. (2004). High-energy pA collisions in the color glass condensate approach. 2. Quark production, *Nucl. Phys.* **A743**, 57.
- Blaizot, J. P., and Mehtar-Tani, Y. (2009), The classical field created in early stages of high energy nucleus–nucleus collisions, *Nucl. Phys.* **A818**, 97.
- Blaizot, J. P., Lappi, T., and Mehtar-Tani, Y. (2010), On the gluon spectrum in the plasma, *Nucl. Phys.* **A846**, 62.
- Bondarenko, S., Kozlov, M., and Levin, E. (2003), QCD saturation in the semiclassical approach, *Nucl. Phys.* **A727**, 139.
- Bopp, F. W., Engel, R., Ranft, J., and Roesler, S. (2007), Inclusive distributions at the LHC as predicted from the DPMJET-III model with chain fusion, arXiv:0706.3875 [hep-ph].
- Boreskov, K. G., Kaidalov, A. B., and Kancheli, O. V. (2006), Strong interactions at high energies in the Reggeon approach, *Phys. Atom. Nucl.* **69**, 1765.
- BRAHMS collaboration, Bearden, I. G., *et al.* (2002), Pseudorapidity distributions of charged particles from Au+Au collisions at the maximum RHIC energy, *Phys. Rev. Lett.* **88**, 202 301.
- BRAHMS collaboration, Arsene, I., *et al.* (2004), *Phys. Rev. Lett.* **93**, 242 303.
- Bramson, M. (1983), Convergence of solutions of the Kolmogorov equation to travelling waves, *Mem. Am. Math. Soc.* **44**, 285.

- Braun, M. A. (1995), Reggeized gluons with a running coupling constant, *Phys. Lett.* **B348**, 190.
- Braun, M. A., and Vacca, G. P. V. (1997), Triple pomeron vertex in the limit $N_c \rightarrow \infty$, *Eur. Phys. J.* **C6**, 147.
- Braun, M. (2000a), Structure function of the nucleus in the perturbative QCD with $N_c \rightarrow \infty$ (BFKL pomeron fan diagrams), *Eur. Phys. J.* **C16**, 337.
- Braun, M. (2000b), Nucleus nucleus scattering in perturbative QCD with $N_c \rightarrow \infty$, *Phys. Lett.* **B483**, 115.
- Braun, M. A. (2000c), Inclusive jet production on the nucleus in the parturbative QCD with $N_c \rightarrow \infty$, *Phys. Lett.* **B483**, 105 [arXiv:hep-ph/00030037].
- Braun, M. (2004), Nucleus nucleus interaction in the perturbative QCD, *Eur. Phys. J.* **C33**, 113.
- Braun, M. (2006), Conformal invariant pomeron interaction in the perturbative QCD with large N_c , *Phys. Lett.* **B632**, 297.
- Braun, M. A. (2008), Single and double inclusive cross-sections for nucleus–nucleus collisions in the perturbative QCD, *Eur. Phys. J.* **C55**, 377.
- Brodsky, S. J., and Farrar, G. R. (1973), Scaling laws at large transverse momentum, *Phys. Rev. Lett.* **31**, 1153.
- Brodsky, S. J., Lepage, G. P., and Mackenzie, P. B. (1983), On the elimination of scale ambiguities in perturbative quantum chromodynamics, *Phys. Rev.* **D28**, 228.
- Brodsky, S. J., and Lepage, G. P. (1989), Exclusive processes in quantum chromodynamics, *Adv. Ser. Direct. High Energy Phys.* **5**, 93.
- Brodsky, S. J., Frankfurt, L., Gunion, J. F., Mueller, A. H., and Strikman, M. (1994), Diffractive leptoproduction of vector mesons in QCD, *Phys. Rev.* **D50**, 3134.
- Brodsky, S. J., Pauli, H. C., and Pinsky, S. S. (1998), Quantum chromodynamics and other field theories on the light cone, *Phys. Rept.* **301**, 299.
- Brodsky, S. J., Fadin, V. S., Kim, V. T., Lipatov, L. N., and Pivovarov, G. B. (1999), The QCD pomeron with optimal renormalization, *JETP Lett.* **70**, 155.
- Buchmuller, W., Gehrmann, T., and Hebecker, A. (1997), Inclusive and diffractive structure functions at small x , *Nucl. Phys.* **B537**, 477.
- Buchmuller, W., McDermott, M. F., and Hebecker, A. (1999), High- p_T jets in diffractive electroproduction, *Phys. Lett.* **B410**, 304.
- Callan, C. G., and Gross, D. J. (1969), High energy electroproduction and the constitution of the electric current, *Phys. Rev. Lett.* **22**, 156.
- Capua, M., Grothe, M., Ivanov, D. Y., and Kapishin, M. N. (2008), Summary from the working group on “Diffraction and vector mesons” at DIS 2008, arXiv:0901.2409 [hep-ph].
- Catani, S., Ciafaloni, M., and Hautmann, F. (1990), Gluon contributions to small x heavy flavor production, *Phys. Lett.* **B242**, 97.
- Catani, S., Fiorani, F., and Marchesini, G. (1990a), QCD coherence in initial state radiation, *Phys. Lett.* **B234**, 339.
- Catani, S., Fiorani, F., and Marchesini, G. (1990b), Small x behavior of initial state radiation in perturbative QCD, *Nucl. Phys.* **B336**, 18.
- Catani, S., Ciafaloni, M., and Hautmann, F. (1991), High-energy factorization and small x heavy flavor production, *Nucl. Phys.* **B366**, 135.
- Chen, Z., and Mueller, A. H. (1995), The dipole picture of high-energy scattering, the BFKL equation and many gluon compound states, *Nucl. Phys.* **B451**, 579.
- Chew, G. (1961), *S-Matrix Theory of Strong Interactions*, W. A. Benjamin.
- Chew, G. (1966), *The Analytic S-Matrix*, W. A. Benjamin.
- Christ, N. H., Hasslacher, B., and Mueller, A. H. (1972), Light cone behavior of perturbation theory, *Phys. Rev.* **D6**, 3543.
- Ciafaloni, M. (1988), Coherence effects in initial jets at small q^2/s , *Nucl. Phys.* **B96**, 49.

- Ciafaloni, M. and Camici, G. (1998), Energy scale(s) and next-to-leading BFKL equation, *Phys. Lett.* **B430**, 349.
- Ciafaloni, M., Colferai, D., and Salam, G. P. (1999a), Renormalization group improved small- x equation, *Phys. Rev.* **D60**, 114 036.
- Ciafaloni, M., Colferai, D., and Salam, G. P. (1999b) A collinear model for small- x physics, *JHEP* **9910**, 017.
- Ciafaloni, M., Colferai, D., Salam, G. P., and Stasto, A. M. (2003a), Renormalisation group improved small- x Green's function, *Phys. Rev.* **D68**, 114 003.
- Ciafaloni, M., Colferai, D., Salam, G. P., and Stasto, A. M. (2003b), Tunneling transition to the pomeron regime, *Phys. Lett.* **B541**, 314.
- Ciafaloni, M. (2005), Small- x QCD: the (improved) perturbative picture, *Nucl. Phys. Proc. Suppl.* **146**, 129.
- CMS collaboration, Khachatryan, V., et al. (2010a), *JHEP* **1009**, 091 [arXiv:1009.4122 [hep-ex]].
- CMS collaboration, Khachatryan, V., et al. (2010b), *Phys. Rev. Lett.* **105**, 022 002.
- Collins, J. C., Soper, D. E., and Sterman, G. (1985a), Factorization for short distance hadron–hadron scattering, *Nucl. Phys.* **B261**, 104.
- Collins, J. C., Soper, D. E., and Sterman, G. (1985b), Transverse momentum distribution in Drell–Yan pair and W and Z boson production, *Nucl. Phys.* **B250**, 199.
- Collins, J. C., Soper, D. E., and Sterman, G. (1988a), Factorization of hard processes in QCD, *Adv. Ser. Direct. High Energy Phys.* **5**, 1.
- Collins, J. C., Soper, D. E., and Sterman, G. (1988b), Soft gluons and factorization, *Nucl. Phys.* **B308**, 833.
- Collins, J. C., and Kwiecinski, J. (1990), Shadowing in gluon distributions in the small x region, *Nucl. Phys.* **B335**, 89.
- Collins, J. C., and Ellis, R. K. (1991), Heavy quark production in very high-energy hadron collisions, *Nucl. Phys.* **B360**, 3.
- Collins, J. C. (2011), *Foundations of Perturbative QCD*, Cambridge University Press.
- Collins, P. D. B. (1977), *An Introduction to Regge Theory and High-Energy Physics*, Cambridge University Press.
- Courant, R. and Hilbert, D. (1953), *Methods of Mathematical Physics*, Interscience.
- Cronin, J. W., Frisch, H. J., Shochet, M. J., et al. (1975), Production of hadrons with large transverse momentum at 200 GeV, 300 GeV, and 400 GeV, *Phys. Rev.* **D11**, 3105.
- CTEQ collaboration, Brock, R., et al. (1995), Handbook of perturbative QCD, *Rev. Mod. Phys.* **67**, 157.
- Del Duca, V. (1995), An introduction to the perturbative QCD pomeron and to jet physics at large rapidities, *Scientifica Acta* **10** (2), 91–139 [arXiv:hep-ph/9503226].
- Deng, W. T., Wang, X. N., and Xu, R. (2011), Gluon shadowing and hadron production in heavy-ion collisions at LHC, *Phys. Lett.* **B701**, 133 [arXiv:1011.5907 [nucl-th]].
- Devenish, R., and Cooper-Sarkar, A. (2004), *Deep Inelastic Scattering*, Oxford University Press.
- DeWitt, B. S. (1967), Quantum theory of gravity. II. The manifestly covariant theory, *Phys. Rev.* **162**, 1195.
- Diaz Saez, B., and Levin, E. (2011), Violation of the geometric scaling behaviour of the amplitude for running QCD coupling in the saturation region, arXiv:1106.6257 [hep-ph].
- Dokshitzer, Y. L. (1977), Calculation of the structure functions for deep inelastic scattering and $e^+ e^-$ annihilation by perturbation theory in quantum chromodynamics, *Sov. Phys. JETP* **46**, 641 [*Zh. Eksp. Teor. Fiz.* **73**, 1216 (1977)].
- Dokshitzer, Y. L., Diakonov, D., and Troian, S. I. (1980), Hard processes in quantum chromodynamics, *Phys. Rept.* **58**, 269.
- Dokshitzer, Y. L., Khoze, V. A., Mueller, A. H., and Troian, S. I. (1991), *Basics of Perturbative QCD*, Éditions Frontières.

- Dokshitzer, Y. L., and Shirkov, D. V. (1995). On exact account of heavy quark thresholds in hard processes, *Z. Phys.* **C67**, 449.
- Dokshitzer, Y. L., and Kharzeev, D. E. (2004). The Gribov conception of quantum chromodynamics, *Ann. Rev. Nucl. Part. Sci.* **54**, 487 [arXiv:hep-ph/0404216].
- Dominguez, F., Marquet, C., Xiao, B. W., and Yuan, F. (2011). Universality of unintegrated gluon distributions at small x , *Phys. Rev.* **D83**, 105 005.
- Donnachie, A., and Landshoff, P. V. (1992). Total cross-sections, *Phys. Lett.* **B296**, 227.
- Donnachie, S., Dosch, G., and Landshoff, P. (2005), *Pomeron Physics and QCD*, Cambridge University Press.
- Dumitru, A., and Jalilian-Marian, J. (2002). Forward quark jets from protons shattering the colored glass, *Phys. Rev. Lett.* **89**, 022 301.
- Dumitru, A., and McLerran, L. D. (2002). How protons shatter colored glass, *Nucl. Phys.* **A700**, 492.
- Dumitru, A., Gelis, F., McLerran, L., and Venugopalan, R. (2008), Glasma flux tubes and the near side ridge phenomenon at RHIC, *Nucl. Phys.* **A810**, 91.
- Dumitru, A., Dusling, K., Gelis, F., Jalilian-Marian, J., Lappi, T., and Venugopalan, R. (2011a), The ridge in proton–proton collisions at the LHC, *Phys. Lett.* **B697**, 21.
- Dumitru, A., Jalilian-Marian, J., Lappi, T., Schenke, B., and Venugopalan, R. (2011b), Renormalization group evolution of multi-gluon correlators in high energy QCD [arXiv:1108.4764 [hep-ph]].
- Ellis, J., Kowalski, H., and Ross, D. A. (2008), Evidence for the discrete asymptotically-free BFKL pomeron from HERA data, *Phys. Lett.* **B668**, 51.
- Ellis, R. K., Kunszt, Z., and Levin, E. (1994), The evolution of parton distributions at small x , *Nucl. Phys.* **B420**, 517.
- Ellis, R. K., Stirling, W. J., and Webber, B. R. (1996), *QCD and Collider Physics*, Cambridge University Press.
- Ewerz, C. (2003), The odderon in quantum chromodynamics, arXiv:hep-ph/0306137.
- Faddeev, L. D., and Popov, V. N. (1967), Feynman diagrams for the Yang–Mills field, *Phys. Lett.* **B25**, 29.
- Fadin, V. S., Kuraev, E. A., and Lipatov, L. N. (1975), On the Pomeranchuk singularity in asymptotically free theories, *Phys. Lett.* **B60**, 50.
- Fadin, V. S., Kuraev, E. A., and Lipatov, L. N. (1976), Multi-Reggeon processes in the Yang–Mills theory, *Sov. Phys. JETP* **44**, 443 [*Zh. Eksp. Teor. Fiz.* **71**, 840].
- Fadin, V. S., Kuraev, E. A., and Lipatov, L. N. (1977), The Pomeranchuk singularity in nonabelian gauge theories, *Sov. Phys. JETP* **45**, 199 [*Zh. Eksp. Teor. Fiz.* **72**, 377].
- Fadin, V. S., and Lipatov, L. N. (1989), High-energy production of gluons in a quasi-multi-Regge kinematics, *Sov. J. Nucl. Phys.* **50**, 712 [*Yad. Fiz.* **50**, 1144.]
- Fadin, V. S., Kotovsky, M. I., and Fiore, R. (1995), Gluon reggeization in QCD in the next-to-leading order, *Phys. Lett.* **B359**, 181.
- Fadin, V. S., Fiore, R., and Kotovsky, M. I. (1996), Gluon Regge trajectory in the two-loop approximation, *Phys. Lett.* **B387**, 593 [hep-ph/9605357].
- Fadin, V. S., and Fiore, R. (1998), The generalized nonforward BFKL equation and the bootstrap condition for the gluon Reggeization in the NLLA, *Phys. Lett.* **B440**, 359.
- Fadin, V. S., and Lipatov, L. N. (1998), BFKL pomeron in the next-to-leading approximation, *Phys. Lett.* **B429**, 127.
- Feinberg, E. L., and Pomeranchuk, I. (1956), High energy inelastic diffraction phenomena, *Nuovo Cimento Suppl.* **3**, 652.
- Ferreiro, E., Iancu, E., Leonidov, A., and McLerran, L. (2002), Nonlinear gluon evolution in the color glass condensate. II, *Nucl. Phys.* **A703**, 489.
- Feynman, R. P. (1963), Quantum theory of gravitation, *Acta Phys. Polon.* **24**, 697.
- Feynman, R. P. (1969), Very high-energy collisions of hadrons, *Phys. Rev. Lett.* **23**, 1415.

- Feynman, R. P. (1972), *Photon–Hadron Interactions*, Reading.
- Fisher, R. A. (1937), The wave of advance of advantageous genes, *Ann. Eugen.* **7**, 355.
- Forshaw, J. R., and Ross, D. A. (1997), *Quantum Chromodynamics and the Pomeron*, Cambridge University Press.
- Franco, V., and Glauber, R. J. (1966), High-energy deuteron cross-sections, *Phys. Rev.* **142**, 1195.
- Frankfurt, L. L., and Strikman, M. I. (1988), Hard nuclear processes and microscopic nuclear structure, *Phys. Rept.* **160**, 235.
- Frankfurt, L. L., Miller, G. A., and Strikman, M. (1993), Coherent nuclear diffractive production of mini-jets: illuminating color transparency, *Phys. Lett.* **B304**, 1.
- Froissart, M. (1961), Asymptotic behavior and subtractions in the Mandelstam representation, *Phys. Rev.* **123**, 1053.
- Fritzsch, H., Gell-Mann, M., and Leutwyler, H. (1973), Advantages of the color octet gluon picture, *Phys. Lett.* **B47**, 365.
- Gavin, S., McLerran, L., and Moschelli, G. (2009), Long range correlations and the soft ridge in relativistic nuclear collisions, *Phys. Rev.* **C79**, 051 902.
- Gardi, E., Kuokkanen, J., Rummukainen, K., and Weigert, H. (2007), Running coupling and power corrections in nonlinear evolution at the high-energy limit, *Nucl. Phys.* **A784**, 282.
- Gelis, F., and Jalilian-Marian, J. (2002a), Photon production in high-energy proton nucleus collisions, *Phys. Rev.* **D66**, 014 021.
- Gelis, F., and Jalilian-Marian, J. (2002b), Dilepton production from the color glass condensate, *Phys. Rev.* **D66**, 094 014.
- Gelis, F., Lappi, T., and Venugopalan, R. (2007), High energy scattering in quantum chromodynamics, *Int. J. Mod. Phys.* **E16**, 2595.
- Gelis, F., Lappi, T., and Venugopalan, R. (2008a), High energy factorization in nucleus–nucleus collisions, *Phys. Rev.* **D78**, 054 019.
- Gelis, F., Lappi, T., and Venugopalan, R. (2008b), High energy factorization in nucleus–nucleus collisions. II. Multigluon correlations, *Phys. Rev.* **D78**, 054 020.
- Gelis, F., Lappi, T., and Venugopalan R. (2009), High energy factorization in nucleus–nucleus collisions. 3. Long range rapidity correlations, *Phys. Rev.* **D79**, 094 017.
- Gelis, F., Iancu, E., Jalilian-Marian, J., and Venugopalan, R. (2010), The color glass condensate, arXiv:1002.0333 [hep-ph].
- Georgi, H., and Politzer, H. D. (1974), Electroproduction scaling in an asymptotically free theory of strong interactions, *Phys. Rev.* **D9**, 416.
- Glauber, R. J. (1955), Cross-sections in deuterium at high-energies, *Phys. Rev.* **100**, 242.
- Glauber, R. J., and Matthiae, G. (1970), High-energy scattering of protons by nuclei, *Nucl. Phys.* **B21**, 135.
- Golec-Biernat, K. J., and Wusthoff, M. (1999a), Saturation in diffractive deep inelastic scattering, *Phys. Rev.* **D60**, 114 023.
- Golec-Biernat, K. J., and Wusthoff, M. (1999b), Saturation effects in deep inelastic scattering at low Q^2 and its implications on diffraction, *Phys. Rev.* **D59**, 014 017.
- Golec-Biernat, K. J., and Wusthoff, M. (2001), Diffractive parton distributions from the saturation model, *Eur. Phys. J.* **C20**, 313.
- Golec-Biernat, K. J., Motyka, L., and Stasto, A. M. (2002), Diffusion into infrared and unitarization of the BFKL pomerons, *Phys. Rev.* **D65**, 074 037.
- Golec-Biernat, K. J., and Stasto, A. M. (2003), On solutions of the Balitsky–Kovchegov equation with impact parameter, *Nucl. Phys.* **B668**, 345 [arXiv:hep-ph/0306279].
- Golec-Biernat, K. J., and Marquet, C. (2005), Testing saturation with diffractive jet production in deep inelastic scattering, *Phys. Rev.* **D71**, 114 005.
- Golec-Biernat, K. J., and Luszczak, A. (2009), Dipole model analysis of the newest diffractive deep inelastic scattering data, *Phys. Rev.* **D79**, 114 010.

- Good, M. L., and Walker, W. D. (1960), Diffraction dissociation of beam particles, *Phys. Rev.* **120**, 1857.
- Gorshkov, V. G., Gribov, V. N., Lipatov, L. N., and Frolov, G. V. (1968), Doubly logarithmic asymptotic behavior in quantum electrodynamics, *Sov. J. Nucl. Phys.* **6**, 95 [*Yad. Fiz.* **6**, 129 (1967)].
- Gotsman, E., Kozlov, M., Levin, E., Maor, U., and Naftali, E. (2004), Towards a new global QCD analysis: solution to the nonlinear equation at arbitrary impact parameter, *Nucl. Phys.* **A742**, 55 [arXiv:hep-ph/0401021].
- Gotsman, E., Levin, E., Maor, U., and Naftali, E. (2005), A modified Balitsky–Kovchegov equation, *Nucl. Phys.* **A750**, 391 [arXiv:hep-ph/0411242].
- Gradshteyn, I. S., and Ryzhik, I. M. (1994). *Table of Integrals, Series, and Products*, fifth edition, Academic Press.
- Green, M. B., Schwarz, J. H., and Witten, E. (1987), *Superstring theory*, Vol. 1, *Introduction*, Cambridge University Press.
- Gribov, V. N., Ioffe, B. L., and Pomeranchuk, I. Y. (1966), What is the range of interactions at high-energies?, *Sov. J. Nucl. Phys.* **2**, 549 [*Yad. Fiz.* **2**, 768 (1965)].
- Gribov, V. N. (1968), A Reggeon diagram technique, *Sov. Phys. JETP* **26**, 414 [*Zh. Eksp. Teor. Fiz.* **53**, 654 (1967)].
- Gribov, V. N. (1969a), Inelastic processes at super high-energies and the problem of nuclear cross-sections, *Sov. J. Nucl. Phys.* **9**, 369 [*Yad. Fiz.* **9**, 640].
- Gribov, V. N. (1969b), Glauber corrections and the interaction between high-energy hadrons and nuclei, *Sov. Phys. JETP* **29**, 483 [*Zh. Eksp. Teor. Fiz.* **56**, 892].
- Gribov, V. N. (1970), Interaction of gamma quanta and electrons with nuclei at high-energies, *Sov. Phys. JETP* **30**, 709 [*Zh. Eksp. Teor. Fiz.* **57**, 1306 (1969)].
- Gribov, V. N., and Lipatov, L. N. (1972), Deep inelastic Ep scattering in perturbation theory, *Sov. J. Nucl. Phys.* **15**, 438 [*Yad. Fiz.* **15**, 781].
- Gribov, V. N. (1973), Space–time description of hadron interactions at high energies, in *Proc. Moscow 1 ITEP School*, Vol. 1 “Elementary particles”, 65 [arXiv:hep-ph/0006158].
- Gribov, V. N. (1978), Quantization of non-Abelian gauge theories, *Nucl. Phys.* **B139**, 1.
- Gribov, L. V., Levin, E. M., and Ryskin, M. G. (1983), Semihard processes in QCD, *Phys. Rept.* **100**, 1.
- Gross, D. J., and Wilczek, F. (1973), Ultraviolet behavior of non-abelian theories. *Phys. Rev. Lett.* **30**, 1343.
- Gross, D. J. and Wilczek, F. (1974), Asymptotically free gauge theories. 2, *Phys. Rev.* **D9**, 980.
- Gubser, S. S. (2011), Conformal symmetry and the Balitsky–Kovchegov equation, arXiv:1102.4040 [hep-th].
- Gunion, J. F., and Bertsch, G. (1982), Hadronization by color bremsstrahlung, *Phys. Rev.* **D25**, 746.
- H1 collaboration, Adloff, C., et al. (1997), Inclusive measurement of diffractive deep inelastic ep scattering, *Z. Phys.* **C76**, 613.
- H1 and ZEUS collaboration, Glasman, C., et al. (2008), Precision measurements of alpha(s) at HERA, *J. Phys. Conf. Ser.* **110**, 022013 [arXiv:0709.4426 [hep-ex]].
- H1 and ZEUS collaborations, Kapishin, M., et al. (2008), Diffraction and vector meson production at HERA, *Fizika* **B17**, 131.
- H1 and ZEUS collaboration, Aaron, F. D., et al. (2010), Combined measurement and QCD analysis of the inclusive e⁺– p scattering cross sections at HERA, *JHEP* **1001**, 109.
- Halzen, F., and Martin, A. D. (1984), *Quarks and Leptons: An Introductory Course in Modern Particle Physics*, Wiley.
- Hatta, Y., Iancu, E., Itakura, K., and McLerran, L. (2005a), Odderon in the color glass condensate, *Nucl. Phys.* **A760**, 172.

- Hatta, Y., Iancu, E., McLerran, L., and Stasto, A. (2005b), Color dipoles from bremsstrahlung in QCD evolution at high energy, *Nucl. Phys.* **A762**, 272.
- Hatta, Y., Iancu, E., Marquet, C., Soyez, G., and Triantafyllopoulos, D. N. (2006), Diffusive scaling and the high-energy limit of deep inelastic scattering in QCD at large N_c , *Nucl. Phys.* **A773**, 95.
- Hatta, Y., Iancu, E., McLerran, L., Stasto, A., and Triantafyllopoulos, D. N. (2006), Effective Hamiltonian for QCD evolution at high energy, *Nucl. Phys.* **A764**, 423.
- Hebecker, A. (2000), Diffraction in deep inelastic scattering, *Phys. Rept.* **331**, 1.
- Heiselberg, H., Baym, G., Blaettel, B., Frankfurt, L. L., and Strikman, M. (1991), Color transparency, color opacity, and fluctuations in nuclear collisions, *Phys. Rev. Lett.* **67**, 2946.
- Heisenberg, W. (1939), *Z. Phys.* **113**, 61.
- Heisenberg, W. (1952), Production of mesons as a shock wave problem, *Z. Phys.* **133**, 65.
- Hentschinski, M., Weigert, H., and Schafer, A. (2006), Extension of the color glass condensate approach to diffractive reactions, *Phys. Rev.* **D73**, 051 501.
- Iancu, E., Leonidov, A., and McLerran, L. D. (2001a), The renormalization group equation for the color glass condensate, *Phys. Lett.* **B510**, 133.
- Iancu, E., Leonidov, A., and McLerran, L. D. (2001b), Nonlinear gluon evolution in the color glass condensate. I, *Nucl. Phys.* **A692**, 583.
- Iancu, E., and McLerran, L. D. (2001), Saturation and universality in QCD at small x , *Phys. Lett.* **B510**, 145.
- Iancu, E., Itakura, K., and McLerran, L. (2002), Geometric scaling above the saturation scale, *Nucl. Phys.* **A708**, 327.
- Iancu, E., and Venugopalan, R. (2003), The color glass condensate and high energy scattering in QCD, in *Quark Gluon Plasma*, eds. Hwa, R. C., and Wang, X. N. World Scientific.
- Iancu, E., and Triantafyllopoulos, D. N. (2005), A Langevin equation for high energy evolution with pomeron loops, *Nucl. Phys.* **A756**, 419.
- Ioffe, B. L. (1969), Space-time picture of photon and neutrino scattering and electroproduction cross-section asymptotics, *Phys. Lett.* **B30**, 123.
- Ioffe, B. L., Fadin, V. S., and Lipatov, L. N. (2010), *Quantum Chromodynamics: Perturbative and Nonperturbative Aspects*, Cambridge University Press.
- Jackson, J. D. (1998), *Classical Electrodynamics*, John Wiley & Sons.
- Jalilian-Marian, J., Kovner, A., McLerran, L. D., and Weigert, H. (1997a), The intrinsic glue distribution at very small x , *Phys. Rev.* **D55**, 5414.
- Jalilian-Marian, J., Kovner, A., McLerran, L. D., and Weigert, H. (1997b), The BFKL equation from the Wilson renormalization group, *Nucl. Phys.* **B504**, 415.
- Jalilian-Marian, J., Kovner, A., Leonidov, A., and Weigert, H. (1999a), The Wilson renormalization group for low x physics: towards the high density regime, *Phys. Rev.* **D59**, 014 014.
- Jalilian-Marian, J., Kovner, A., and Weigert, H. (1999b), The Wilson renormalization group for low x physics: gluon evolution at finite parton density, *Phys. Rev.* **D59**, 014 015.
- Jalilian-Marian, J., and Kovchegov, Y. V. (2004), Inclusive two-gluon and valence quark–gluon production in DIS and pA , *Phys. Rev.* **D70**, 114 017 [Erratum: *ibid* **D71**, 079 901].
- Jalilian-Marian, J., and Kovchegov, Y. V. (2006), Saturation physics and deuteron gold collisions at RHIC, *Prog. Part. Nucl. Phys.* **56**, 104.
- Jaroszewicz, T. (1980), Infrared divergences and Regge behavior in QCD, *Acta Phys. Polon.* **B11**, 965.
- Katz, U. F. (2000), Deep inelastic positron proton scattering in the high-momentum-transfer regime of HERA, in *Springer Tracts Mod. Phys.* Vol. 168, pp. 1.
- Kharzeev, D., and Levin, E. (2001), Manifestations of high density QCD in the first RHIC data, *Phys. Lett.* **B523**, 79.

- Kharzeev, D., and Nardi, M. (2001), Hadron production in nuclear collisions at RHIC and high density QCD, *Phys. Lett.* **B507**, 121.
- Kharzeev, D., Kovchegov, Y. V., and Levin, E. (2002), Instantons in the saturation environment, *Nucl. Phys.* **A699**, 745.
- Kharzeev, D., Kovchegov, Y. V., and Tuchin, K. (2003), Cronin effect and high p_T suppression in pA collisions, *Phys. Rev.* **D68**, 094013.
- Kharzeev, D., Levin, E., and McLerran, L. (2003), Parton saturation and N_{part} scaling of semi-hard processes in QCD, *Phys. Lett.* **B561**, 93.
- Kharzeev, D., Kovchegov, Y. V., and Tuchin, K. (2004). *Phys. Lett.* **B599**, 23.
- Kharzeev, D., Levin, E., and Nardi, M. (2004), QCD saturation and deuteron nucleus collisions, *Nucl. Phys.* **A730**, 448 [Erratum: *ibid.* **A743**, 329].
- Kharzeev, D., Levin, E., and McLerran, L. (2005), Jet azimuthal correlations and parton saturation in the color glass condensate, *Nucl. Phys.* **A748**, 627.
- Kharzeev, D., Levin, E., and Nardi, M. (2005a), Color glass condensate at the LHC: hadron multiplicities in pp , pA and AA collisions, *Nucl. Phys.* **A747**, 609.
- Kharzeev, D., Levin, E., and Nardi, M. (2005b), The onset of classical QCD dynamics in relativistic heavy ion collisions, *Phys. Rev.* **C71**, 054903.
- Khoze, V. A., Martin, A. D., Ryskin, M. G., and Stirling, W. J. (2004), The spread of the gluon k_t -distribution and the determination of the saturation scale at hadron colliders in resummed NLL BFKL, *Phys. Rev.* **D70**, 074013.
- Khriplovich, I. B. (1969), Green's functions in theories with non-abelian gauge group, *Yad. Fiz.* **10**, 409.
- Kolb, P. F., and Heinz, U. W. (2003), Hydrodynamic description of ultrarelativistic heavy ion collisions, invited review, in *Quark Gluon Plasma*, Vol. 3, pp. 634–714, eds. Hwa, R. C., and Wang, X. N. World Scientific [arXiv:nucl-th/0305084].
- Kolmogorov, A., Petrovsky, I., and Piskunov, N. (1937), Study of the diffusion equation with growth of the quantity of matter and its application to a biology problem, *Moscow Univ. Bull. Math.* **A1**, 1.
- Kopeliovich, B. Z., Lapidus, L., and Zamolodchikov, A. (1981), Dynamics of color in hadron diffraction on nuclei, *JETP Lett.* **33**, 595 [*Pisma Zh. Eksp. Teor. Fiz.* **33**, 612].
- Kopeliovich, B. Z., Tarasov, A. V., and Schafer, A. (1999), Bremsstrahlung of a quark propagating through a nucleus, *Phys. Rev.* **C59**, 1609.
- Kopeliovich, B. Z., Raufiesen, J., Tarasov, A. V., and Johnson, M. B. (2003), Nuclear effects in the Drell–Yan process at very high-energies, *Phys. Rev.* **C67**, 014903.
- Kopeliovich, B. Z., Potashnikova, I. K., and Schmidt, I. (2007), Diffraction in QCD, *Braz. J. Phys.* **37**, 473.
- Korchemsky, G. P. (1999), Conformal bootstrap for the BFKL pomeron, *Nucl. Phys.* **B550**, 397.
- Korchemsky, G. P., Kotanski, J., and Manashov, A. N. (2002), Solution of the multi-Reggeon compound state problem in multicolor QCD, *Phys. Rev. Lett.* **88**, 122002.
- Korchemsky, G. P., Kotanski, J., and Manashov, A. N. (2004), Multi-reggeon compound states and resummed anomalous dimensions in QCD, *Phys. Lett.* **B583**, 121.
- Kotikov, A. V., and Lipatov, L. N. (2000), NLO corrections to the BFKL equation in QCD and in supersymmetric gauge theories, *Nucl. Phys.* **B582**, 19.
- Kovchegov, Y. V. (1996), Non-Abelian Weizsaecker–Williams field and a two-dimensional effective color charge density for a very large nucleus, *Phys. Rev.* **D54**, 5463.
- Kovchegov, Y. V. (1997), Quantum structure of the non-Abelian Weizsaecker–Williams field for a very large nucleus, *Phys. Rev.* **D55**, 5445.
- Kovchegov, Y. V., and Rischke, D. H. (1997), Classical gluon radiation in ultrarelativistic nucleus nucleus collisions, *Phys. Rev.* **C56**, 1084.

- Kovchegov, Y. V., and Mueller, A. H. (1998a), Gluon production in current nucleus and nucleon–nucleus collisions in a quasi-classical approximation, *Nucl. Phys.* **B529**, 451.
- Kovchegov, Y. V., and Mueller, A. H. (1998b), Running coupling effects in BFKL evolution, *Phys. Lett.* **B439**, 428.
- Kovchegov, Y. V. (1999), Small- x F_2 structure function of a nucleus including multiple pomeron exchanges, *Phys. Rev.* **60**, 034 008.
- Kovchegov, Y. V., and McLerran, L. D. (1999), Diffractive structure function in a quasi-classical approximation, *Phys. Rev.* **D60**, 054 025.
- Kovchegov, Y. V. (2000), Unitarization of the BFKL pomeron on a nucleus, *Phys. Rev.* **61**, 074 018.
- Kovchegov, Y. V., and Levin, E. (2000), Diffractive dissociation including multiple pomeron exchanges in high parton density QCD, *Nucl. Phys.* **B577**, 221.
- Kovchegov, Y. V. (2001), Diffractive gluon production in proton–nucleus collisions and in DIS, *Phys. Rev.* **D64**, 114 016. [Erratum: *ibid.* **D68**, 039 901 (2003)].
- Kovchegov, Y. V., and Tuchin, K. (2002), Inclusive gluon production in DIS at high parton density, *Phys. Rev.* **D65**, 074 026.
- Kovchegov, Y. V., Szymanowski, L., and Wallon, S. (2004), Perturbative odderon in the dipole model, *Phys. Lett.* **B586**, 267.
- Kovchegov, Y. V., and Tuchin, K. (2006), Production of $\bar{q}q$ pairs in proton–nucleus collisions at high energies, *Phys. Rev.* **D74**, 054 014 [arXiv:hep-ph/0603055].
- Kovchegov, Y. V., and Weigert, H. (2007a), Triumvirate of running couplings in small- x evolution, *Nucl. Phys.* **A784**, 188.
- Kovchegov, Y. V., and Weigert, H. (2007b), Quark loop contribution to BFKL evolution: running coupling and leading- N_f NLO intercept, *Nucl. Phys.* **A789**, 260.
- Kovchegov, Y. V., Kuokkanen, J., Rummukainen, K., and Weigert, H. (2009), Subleading- N_c corrections in non-linear small- x evolution, *Nucl. Phys.* **A823**, 47.
- Kovner, A., McLerran, L. D., and Weigert, H. (1995a), Gluon production from non-Abelian Weizsäcker–Williams fields in nucleus–nucleus collisions, *Phys. Rev.* **D52**, 6231.
- Kovner, A., McLerran, L. D., and Weigert, H. (1995b), Gluon production at high transverse momentum in the McLerran–Venugopalan model of nuclear structure functions, *Phys. Rev.* **D52**, 3809.
- Kovner, A., and Milhano, J. G. (2000), Vector potential versus color charge density in low x evolution, *Phys. Rev.* **D61**, 014 012.
- Kovner, A., Milhano, J. G., and Weigert, H. (2000), Relating different approaches to nonlinear QCD evolution at finite gluon density, *Phys. Rev.* **D62**, 114 005.
- Kovner, A., and Wiedemann, U. A. (2001), Eikonal evolution and gluon radiation, *Phys. Rev.* **D64**, 114 002.
- Kovner, A., and Wiedemann, U. A. (2002a), Nonlinear QCD evolution: saturation without unitarization, *Phys. Rev.* **D66**, 051 502.
- Kovner, A., and Wiedemann, U. A. (2002b), Perturbative saturation and the soft pomeron, *Phys. Rev.* **D66**, 034 031.
- Kovner, A., and Wiedemann, U. A. (2003), No Froissart bound from gluon saturation, *Phys. Lett.* **B551**, 311.
- Kovner, A., and Lublinsky, M. (2005a), In pursuit of Pomeron loops: the JIMWLK equation and the Wess–Zumino term, *Phys. Rev.* **D71**, 085 004.
- Kovner, A., and Lublinsky, M. (2005b), From target to projectile and back again: selfduality of high energy evolution, *Phys. Rev. Lett.* **94**, 181 603.
- Kovner, A., and Lublinsky, M. (2005c), Dense–dilute duality at work: dipoles of the target, *Phys. Rev.* **72**, 074 023.
- Kovner, A., and Lublinsky, M. (2005d), Remarks on high energy evolution, *JHEP* **0503**, 001.

- Kovner, A., and Lublinsky, M. (2005e), In pursuit of pomeron loops: the JIMWLK equation and the Wess-Zumino term, *Phys. Rev.* **D71**, 085 004.
- Kovner, A., and Lublinsky, M. (2006), One gluon, two gluon: multigluon production via high energy evolution, *JHEP* **0611**, 083.
- Kovner, A., Lublinsky, M., and Weigert, H. (2006), Treading on the cut: semi inclusive observables at high energy, *Phys. Rev.* **D74**, 114 023.
- Kovner, A., and Lublinsky, M. (2007), Odderon and seven Pomerons: QCD Reggeon field theory from JIMWLK evolution, *JHEP* **0702**, 058 [arXiv:hep-ph/0512316].
- Krasnitz, A., and Venugopalan, R. (2000), The initial energy density of gluons produced in very high-energy nuclear collisions, *Phys. Rev. Lett.* **84**, 4309.
- Krasnitz, A., Nara, Y., and Venugopalan, R. (2001), Coherent gluon production in very high-energy heavy ion collisions, *Phys. Rev. Lett.* **87**, 192 302.
- Krasnitz, A., and Venugopalan, R. (2001), The initial gluon multiplicity in heavy ion collisions, *Phys. Rev. Lett.* **86**, 1717.
- Krasnitz, A., Nara, Y., and Venugopalan, R. (2003a), Gluon production in the color glass condensate model of collisions of ultrarelativistic finite nuclei, *Nucl. Phys.* **A717**, 268.
- Krasnitz, A., Nara, Y., and Venugopalan, R. (2003b), Classical gluodynamics of high-energy nuclear collisions: an erratum and an update, *Nucl. Phys.* **A727**, 427.
- Krasnitz, A., Nara, Y., and Venugopalan, R. (2003c), Gluon production in the color glass condensate model of collisions of ultrarelativistic finite nuclei, *Nucl. Phys.* **A717**, 268.
- Kwiecinski, J., and Praszalowicz, M. (1980), Three gluon integral equation and odd c -singlet Regge singularities in QCD, *Phys. Lett.* **B94**, 413.
- Kwiecinski, J., and Stasto, A. M. (2002), Geometric scaling and QCD evolution, *Phys. Rev.* **D66**, 014 013.
- Laenen, E., Levin, E., and Shuvaev, A. G. (1994), Anomalous dimensions of high twist operators in QCD at $N \rightarrow 1$ and large Q^2 , *Nucl. Phys.* **B419**, 39.
- Laenen, E., and Levin, E. (1995), A new evolution equation, *Nucl. Phys.* **B451**, 207.
- Landau, L. D., and Pomeranchuk, I. Y. (1955), On point interactions in quantum electrodynamics, *Dokl. Akad. Nauk Ser. Fiz.* **102**, 489.
- Landau, L. D., Abrikosov, A., and Halatnikov, L. (1956), On the quantum theory of fields, *Nuovo Cim. Suppl.* **3**, 80.
- Landau, L. D., and Lifshitz, E. M. (1958). *Quantum Mechanics, Non-Relativistic Theory*, Vols. 2 and 3, Pergamon Press.
- Landau, L. D. (1959), On analytic properties of vertex parts in quantum field theory, *Nucl. Phys.* **13**, 181.
- Landau, L. D. (1960), in *Theoretical Physics in the Twentieth Century: A Memorial Volume to Wolfgang Pauli*, pp. 245–247, eds. Fierz, M., and Weisskopf, V. F., Interscience.
- Lappi, T. (2003), Production of gluons in the classical field model for heavy ion collisions, *Phys. Rev.* **C67**, 054 903.
- Laycock, P. (2009), Diffraction at H1 and Zeus, arXiv:0906.1525 [hep-ex].
- Lepage, G. P., and Brodsky, S. J. (1980), Exclusive processes in perturbative quantum chromodynamics, *Phys. Rev.* **D22**, 2157.
- Levin, E., and Ryskin, M. G. (1981), Production of hadrons with large transverse momenta on nuclei in framework of QCD, *Sov. J. Nucl. Phys.* **33**, 901 [*Yad. Fiz.* **33**, 1673].
- Levin, E., and Ryskin, M. G. (1985), Deep inelastic scattering on nuclei at small x , *Sov. J. Nucl. Phys.* **41**, 300 [*Yad. Fiz.* **41**, 472].
- Levin, E., and Ryskin, M. G. (1987), Diffraction dissociation on nuclei in the QCD leading logarithmic approximation, *Sov. J. Nucl. Phys.* **45**, 150 [*Yad. Fiz.* **45** 234].
- Levin, E., and Ryskin, M. G. (1990), High-energy hadron collisions in QCD, *Phys. Rept.* **189**, 267.

- Levin, E., Ryskin, M. G., Shabelski, Yu. M., and Shuvaev, A. G. (1991), Heavy quark production in semihard nucleon interactions, *Sov. J. Nucl. Phys.* **53**, 657 [*Yad. Fiz.* **53**, 1059].
- Levin, E., Ryskin, M. G., and Shuvaev, A. G. (1992), Anomalous dimension of the twist four gluon operator and pomeron cuts in deep inelastic scattering, *Nucl. Phys.* **B387**, 589.
- Levin, E., and Wusthoff, M. (1994), Photon diffractive dissociation in deep inelastic scattering, *Phys. Rev.* **D50**, 4306.
- Levin, E. (1995), Renormalons at low x , *Nucl. Phys.* **B453**, 303.
- Levin, E. (1999), The BFKL high energy asymptotic in the next-to-leading approximation, *Nucl. Phys.* **B545**, 481.
- Levin, E., and Tuchin, K. (2000), Solution to the evolution equation for high parton density QCD, *Nucl. Phys.* **B573**, 833.
- Levin, E., and Lublinsky, M. (2001), Non-linear evolution and high energy diffractive production, *Phys. Lett.* **B521**, 233.
- Levin, E., and Tuchin, K. (2001), Nonlinear evolution and saturation for heavy nuclei in DIS, *Nucl. Phys.* **A693**, 787.
- Levin, E., and Lublinsky, M. (2002a), Diffractive dissociation from non-linear evolution in DIS on nuclei, *Nucl. Phys.* **A712**, 95.
- Levin, E., and Lublinsky, M. (2002b), Diffractive dissociation and saturation scale from non-linear evolution in high energy DIS, *Eur. Phys. J.* **C22**, 647.
- Levin, E., and Lublinsky, M. (2004), A linear evolution for nonlinear dynamics and correlations in realistic nuclei, *Nucl. Phys.* **A730**, 191.
- Levin, E., and Lublinsky, M. (2005a), Balitsky's hierarchy from Mueller's dipole model and more about target correlations, *Phys. Lett.* **B607**, 131.
- Levin, E., and Lublinsky, M. (2005b), Towards a symmetric approach to high energy evolution: generating functional with Pomeron loops, *Nucl. Phys.* **A763**, 172.
- Levin, E., Miller, J., and Prygarin, A. (2008), Summing Pomeron loops in the dipole approach, *Nucl. Phys.* **A806**, 245.
- Levin, E., and Prygarin, A. (2008), Inclusive gluon production in the dipole approach: AGK cutting rules, *Phys. Rev.* **C78**, 065 202.
- Levin, E., and Rezaeian, A. H. (2011), Gluon saturation and energy dependence of hadron multiplicity in pp and AA collisions at the LHC, *Phys. Rev.* **D83**, 114 001.
- Lipatov, L. N. (1974), The parton model and perturbation theory, *Sov. J. Nucl. Phys.* **20**, 94 [*Yad. Fiz.* **20**, 181].
- Lipatov, L. N. (1976), Reggeization of the vector meson and the vacuum singularity in nonabelian gauge theories, *Sov. J. Nucl. Phys.* **23**, 338 [*Yad. Fiz.* **23**, 642].
- Lipatov, L. N. (1986), The bare Pomeron in quantum chromodynamics, *Sov. Phys. JETP* **63**, 904 [*Zh. Eksp. Teor. Fiz.* **90**, 1536].
- Lipatov, L. N. (1989), in *Perturbative Quantum Chromodynamics*, ed. Mueller, A. H., World Scientific.
- Lipatov, L. N. (1997), Small- x physics in perturbative QCD, *Phys. Rept.* **286**, 131.
- Lipatov, L. N. (1999), Hamiltonian for Reggeon interactions in QCD, *Phys. Rept.* **320**, 249.
- Lipatov, L. N. (2009), Integrability of scattering amplitudes in $N = 4$ SUSY, arXiv:0902.1444 [hep-th].
- Low, F. E. (1975), A model of the bare Pomeron, *Phys. Rev.* **D12**, 163.
- Luo, M., Qiu, J. W., and Sterman, G. (1994a), Anomalous nuclear enhancement in deeply inelastic scattering and photoproduction, *Phys. Rev.* **50**, 1951.
- Luo, M., Qiu, J. W., and Sterman, G. (1994b), Twist four nuclear parton distributions from photoproduction, *Phys. Rev.* **D49**, 4493.
- Lukaszuk, L., and Martin, A. (1967), Absolute upper bounds for $\pi\pi$ scattering, *Nuovo Cim.* **A52**, 122.

- Lukaszuk, L., and Nicolescu, B. (1973), A possible interpretation of pp rising total cross-sections, *Lett. Nuovo Cim.* **8**, 405.
- Mandelstam, S. (1958), Determination of the pion – nucleon scattering amplitude from dispersion relations and unitarity: general theory, *Phys. Rev.* **112**, 1344.
- Marage, P. (2009), Vector meson production at HERA, *Int. J. Mod. Phys. A* **24**, 237.
- Marchesini, G. (1995), QCD coherence in the structure function and associated distributions at small x , *Nucl. Phys.* **B445**, 49.
- Marquet, C. (2005), A QCD dipole formalism for forward-gluon production, *Nucl. Phys.* **B705**, 319.
- Marquet, C., and Schoeffel, L. (2006), Geometric scaling in diffractive deep inelastic scattering, *Phys. Lett.* **B639**, 471.
- Marquet, C. (2007), Forward inclusive dijet production and azimuthal correlations in pA collisions, *Nucl. Phys.* **A796**, 41.
- Marquet, C., Peschanski, R. B., and Soyez, G. (2007), Exclusive vector meson production at HERA from QCD with saturation, *Phys. Rev.* **D76**, 034011.
- Martin, A. (1969), *Scattering Theory: Unitarity, Analyticity and Crossing*, Springer-Verlag.
- McLerran, L., and Venugopalan, R. (1994a), Computing quark and gluon distribution functions for very large nuclei, *Phys. Rev.* **D49**, 2233.
- McLerran, L., and Venugopalan, R. (1994b), Gluon distribution functions for very large nuclei at small transverse momentum, *Phys. Rev.* **D49**, 3352.
- McLerran, L., and Venugopalan, R. (1994c), Green's functions in the color field of a large nucleus, *Phys. Rev.* **D50**, 2225.
- McLerran, L. (2005), The color glass condensate and RHIC, *Nucl. Phys.* **A752**, 355.
- McLerran, L. (2008), From AGS-SPS and onwards to the LHC, *J. Phys.* **G35**, 104001.
- McLerran, L. (2009a), Theoretical concepts for ultra-relativistic heavy ion collisions, arXiv:0911.2987 [hep-ph].
- McLerran, L. (2009b), The phase diagram of QCD and some issues of large N_c , *Nucl. Phys. Proc. Suppl.* **95**, 275.
- McLerran, L., and Praszalowicz, M. (2010), Saturation and scaling of multiplicity, mean p_T and p_T distributions from $200 \text{ GeV} < \sqrt{s} < 7 \text{ TeV}$, *Acta Phys. Polon.* **B41**, 1917.
- McLerran, L., and Praszalowicz, M. (2011), Saturation and scaling of multiplicity, mean p_T and p_T distributions from $200 \text{ GeV} < \sqrt{s} < 7 \text{ TeV}$, Addendum, *Acta Phys. Polon.* **B42**, 99.
- Moschelli, G., Gavin, G., and McLerran, L. (2009), Long range untriggered two particle correlations, *Eur. Phys. J.* **C62**, 277.
- Mueller, A. H. (1970), O(2,1) analysis of single particle spectra at high energy, *Phys. Rev.* **D2**, 2963.
- Mueller, A. H. (1981), Perturbative QCD at high energies, *Phys. Rept.* **73**, 237.
- Mueller, A. H. (1985), On the structure of infrared renormalons in physical processes at high-energies, *Nucl. Phys.* **B250**, 327.
- Mueller, A. H., and Qiu, J. W. (1986), Gluon recombination and shadowing at small values of x , *Nucl. Phys.* **B268**, 427.
- Mueller, A. H. (1990), Small x behavior and parton saturation: a QCD model, *Nucl. Phys.* **B335**, 115.
- Mueller, A. H. (1992), The QCD perturbation series, talk given at the workshop “QCD: 20 years later”, Aachen, 9–13 June 1992.
- Mueller, A. H. (1994), Soft gluons in the infinite momentum wave function and the BFKL pomeron, *Nucl. Phys.* **B415**, 373.
- Mueller, A. H., and Patel, B. (1994), Single and double BFKL pomeron exchange and a dipole picture of high-energy hard processes, *Nucl. Phys.* **B425**, 471.

- Mueller, A. H. (1995), Unitarity and the BFKL pomeron, *Nucl. Phys.* **B437**, 107.
- Mueller, A. H. (2001), A simple derivation of the JIMWLK equation, *Phys. Lett.* **B523**, 243.
- Mueller, A. H., and Triantafyllopoulos, D. N. (2002), The energy dependence of the saturation momentum, *Nucl. Phys.* **B640**, 331.
- Mueller, A. H., (2002), Gluon distributions and color charge correlations in a saturated light cone wave function, *Nucl. Phys.* **B643**, 501.
- Mueller, A. H. (2003), Nuclear A -dependence near the saturation boundary, *Nucl. Phys.* **A724**, 223.
- Mueller, A. H., and Shoshi, A. I. (2004), Small- x physics beyond the Kovchegov equation, *Nucl. Phys.* **B692**, 175.
- Mueller, A. H., Shoshi, A. I., and Wong, S. M. H. (2005), Extension of the JIMWLK equation in the low gluon density region, *Nucl. Phys.* **B715**, 440.
- Munier, S., Stasto, A. M., and Mueller, A. H. (2001), Impact parameter dependent S-matrix for dipole proton scattering from diffractive meson electroproduction, *Nucl. Phys.* **B603**, 427.
- Munier, S., and Peschanski, R. B. (2003). Geometric scaling as traveling waves, *Phys. Rev. Lett.* **91**, 232 001.
- Munier, S., and Peschanski, R. B. (2004a), Traveling wave fronts and the transition to saturation, *Phys. Rev.* **D69**, 034 008.
- Munier, S., and Peschanski, R. B. (2004b), Universality and tree structure of high-energy QCD, *Phys. Rev.* **D70**, 077 503.
- Munier, S., and Shoshi, A. (2004), Diffractive photon dissociation in the saturation regime from the Good and Walker picture, *Phys. Rev.* **D69**, 074 022.
- Nardi, M. (2005), Hadronic multiplicity at RHIC (and LHC), *J. Phys. Conf. Ser.* **5**, 148.
- Narison, S. (2002), *QCD as a Theory of Hadrons (from Partons to Confinement)*, Cambridge University Press.
- Navelet, H., and Peschanski, R. B. (1997), Conformal invariance and the exact solution of BFKL equations, *Nucl. Phys.* **B507**, 353.
- Navelet, H., and Peschanski, R. B. (1999), The elastic QCD dipole amplitude at one loop, *Phys. Rev. Lett.* **82**, 1370.
- Navelet, H., and Peschanski, R. B. (2001), Unifying approach to hard diffraction, *Phys. Rev. Lett.* **87**, 252 002.
- Nikolaev, N. N., and Zakharov, V. I. (1975), Parton model and deep inelastic scattering on nuclei, *Phys. Lett.* **B55**, 397.
- Nikolaev, N. N., and Zakharov, B. G. (1991), Colour transparency and scaling properties of nuclear shadowing in deep inelastic scattering, *Z. Phys.* **C49**, 607.
- Nikolaev, N. N., and Zakharov, B. G. (1994), The triple pomeron regime and the structure function of the pomeron in the diffractive deep inelastic scattering at very small x , *Z. Phys.* **C64**, 631.
- Nikolaev, N. N., Zakharov, B. G., and Zoller, V. R. (1994), The s channel approach to Lipatov's pomeron and hadronic cross-sections, *JETP Lett.* **59**, 6.
- Nussinov, S. (1976), A perturbative recipe for quark gluon theories and some of its applications, *Phys. Rev.* **D14**, 246.
- Nussinov, S. (2008), Is the Froissart bound relevant for the total pp cross section at $s = (14 \text{ TeV})^2$?, arXiv:0805.1540 [hep-ph].
- Peschanski, R. B., Royon, C., and Schoeffel, L. (2005), Confronting next-leading BFKL kernels with proton structure function data, *Nucl. Phys.* **B716**, 401.
- Peskin, M. E., and Schroeder, D. V. (1995) *An Introduction to Quantum Field Theory*, Perseus Books.
- PHENIX collaboration, Adare, A., et al. (2011), *Phys. Rev. Lett.* **107**, 172 301 [arXiv:1105.5112 [nucl-ex]].

- PHOBOS collaboration, Back, B. B., *et al.* (2002), *Phys. Rev.* **C65**, 061901(R) [nucl-ex/0201005].
- PHOBOS collaboration, Back, B. B., *et al.* (2003), *Phys. Rev. Lett.* **91**, 052303 [nucl-ex/0210015].
- Politzer, H. D. (1973), Reliable perturbative results for strong interactions? *Phys. Rev. Lett.* **30**, 1346.
- Polyanin, A. D. (2002). *Handbook of Linear Partial Differential Equations for Engineers and Scientists*, Chapman & Hall/CRC.
- Polyanin, A. D., and Zaitsev, V. F. (2004), *Handbook of Nonlinear Partial Differential Equations*, Chapman & Hall/CRC.
- Pomeranchuk, I. Y. (1958). *Sov. Phys.* **7**, 499.
- Praszalowicz, M. (2011), Geometrical scaling in hadronic collisions, *Acta Phys. Polon.* **B42**, 1557.
- Pumplin, J. (1973), Eikonal models for diffraction dissociation on nuclei, *Phys. Rev.* **D8**, 2899.
- Regge, T. (1959), Introduction to complex orbital momenta, *Nuovo Cim.* **14**, 951.
- Regge, T. (1960), Bound states, shadow states and Mandelstam representation, *Nuovo Cim.* **18**, 947.
- Risken, H. (1989), *The Fokker–Planck Equation (Methods of Solution and Applications)*, Springer-Verlag.
- Roberts, R. G. (1993), *The Structure of the Proton: Deep Inelastic Scattering*, Cambridge University Press.
- Roman, P. (1969), *Introduction to Quantum Field Theory*, John Wiley & Sons.
- Ross, D. A. (1998), The effect of higher order corrections to the BFKL equation on the perturbative pomeron, *Phys. Lett.* **B431**, 161.
- Rummukainen, K., and Weigert, H. (2004), Universal features of JIMWLK and BK evolution at small- x , *Nucl. Phys.* **A739**, 183.
- Ryskin, M. G. (1993), Diffractive J/Ψ electroproduction in LLA QCD, *Z. Phys.* **C57**, 89.
- Salam, G. P. (1995), Multiplicity distribution of color dipoles at small x , *Nucl. Phys.* **B449**, 589.
- Salam, G. P. (1996), Studies of unitarity at small x using the dipole formulation, *Nucl. Phys.* **B461**, 512.
- Salam, G. P. (1998), A resummation of large sub-leading corrections at small x , *JHEP* **9807**, 019.
- Salam, G. P. (1999), An introduction to leading and next-to-leading BFKL, *Acta Phys. Polon.* **B30**, 3679.
- Schmidt, C. R. (1999), Rapidity-separation dependence and the large next-to-leading corrections to the BFKL equation, *Phys. Rev.* **D60**, 074003.
- Schweber, S. S. (1961). *An Introduction to Relativistic Quantum Field Theory*, Row, Peterson and Co.
- Schwimmer, A. (1975), Inelastic rescattering and high-energy reactions on nuclei, *Nucl. Phys.* **94**, 445.
- Stasto, A. M., Golec-Biernat, K., and Kwiecinski, J. (2001), *Phys. Rev. Lett.* **86**, 596.
- STAR collaboration, Adams, J., *et al.* (2003), *Phys. Rev. Lett.* **91**, 072304.
- STAR collaboration, Abelev, B. I., *et al.* (2009), Long range rapidity correlations and jet production in high energy nuclear collisions, *Phys. Rev.* **C80**, 064912.
- Sterman, G. (1993). *An Introduction to Quantum Field Theory*, Cambridge University Press.
- 't Hooft, G. (1972), Unpublished.
- 't Hooft, G. (1974), A two-dimensional model for mesons, *Nucl. Phys.* **B75**, 461.
- 't Hooft, G. (1979), Can we make sense out of quantum chromodynamics?, *Subnucl. Ser.* **15**, 943.
- van Saarloos, W. (2003), Front propagation into unstable states, *Phys. Rept.* **386**, 29.

- Wiedemann, U. A. (2008), Heavy-ion collisions: selected topics, in *Proc. European School of High-Energy Physics 2007, Trest*, pp. 277–306.
- Weigert, H. (2002), Unitarity at small Bjorken x , *Nucl. Phys.* **A703**, 823.
- Weigert, H. (2005), Evolution at small x_{Bj} : the color glass condensate, *Prog. Part. Nucl. Phys.* **55**, 461.
- Weigert, H. (2007), A compact introduction to evolution at small x and the color glass condensate, *Nucl. Phys.* **A783**, 165.
- Weinberg, S. (1973), Nonabelian gauge theories of the strong interactions, *Phys. Rev. Lett.* **31**, 494.
- Weinberg, S. (1996), *The Quantum Theory of Fields*, Vols. 1–3, Cambridge University Press.
- White, C. D., and Thorne, R. S. (2007), A global fit to scattering data with NLL BFKL resummations, *Phys. Rev.* **D75**, 034005.
- Wilson, K. G. (1974), Confinement of quarks, *Phys. Rev.* **D10**, 2445.
- Witten, E. (1979), Baryons in the $1/N$ expansion, *Nucl. Phys.* **B160**, 57.
- Woods, R. D., and Saxon, D. S. (1954), Diffuse surface optical model for nucleon-nuclei scattering, *Phys. Rev.* **95**, 577.
- Wusthoff, M., and Martin, A. D. (1999), The QCD description of diffractive processes, *J. Phys. G* **25**, R309.
- Yang, C. N., and Mills, R. L. (1954), Conservation of isotopic spin and isotopic gauge invariance, *Phys. Rev.* **96**, 191.
- Yndurain, F. J. (2006), *The Theory of Quark and Gluon Interactions*, fourth edition Springer.
- Zakharov, V. I. (1992), QCD perturbative expansions in large orders, *Nucl. Phys.* **B385**, 452.
- Zamolodchikov, A. B., Kopeliovich, B. Z., and Lapidus, L. I. (1981), Dynamics of colour in hadron diffraction by nuclei, *JETP Lett.* **33**, 595 [*Pisma Zh. Eksp. Teor. Fiz.* **33**, 612].
- ZEUS collaboration, Breitweg, J., et al. (1999), Measurement of the diffractive cross-section in deep inelastic scattering using ZEUS 1994 data, *Eur. Phys. J.*, **C6**, 43.
- ZEUS collaboration, Chekanov, S., et al. (2003), A ZEUS next-to-leading-order QCD analysis of data on deep inelastic scattering, *Phys. Rev.* **D67**, 012007 [arXiv:hep-ex/0208023].
- Zhang, W. M., and Harindranath, A. (1993), Light front QCD. 2: Two component theory, *Phys. Rev.* **D48**, 4881.