

References

- Abraham M. (1903). Prinzipien der Dynamik des Elektrons, *Ann. Physik* **10**, 105–79.
- (1904). Die Grundhypothesen der Elektronentheorie, *Physikalische Zeitschrift* **5**, 576–9.
- (1905). *Theorie der Elektrizität*, vol. II. *Elektromagnetische Theorie der Strahlung*. Leipzig, Teubner; 2nd edition (1908).
- Accardi L., Frigerio A. and Lewis J. T. (1982). Quantum stochastic processes, *Publ. RIMS Kyoto University* **18**, 97–133.
- Accardi L., Lu Y. G., Alicki R. and Frigerio A. (1991). An invitation to the weak coupling and the low density limit. In *Quantum Probability and Applications*, vol. VI, pp. 3–62. Singapore: World Scientific.
- Accardi L., Lu Y. G. and Volovich I. (2001). *Quantum Theory and its Stochastic Limit*. Berlin: Springer.
- Agarwal G. S. (1974). *Quantum Statistical Theories of Spontaneous Emission and their Relation to Other Approaches*. Springer Tracts in Modern Physics, vol. 70, Berlin: Springer.
- Agmon S. (1982). *Lectures on Exponential Decay of Solutions of Second Order Elliptic Equations: Bounds on Eigenfunctions of N-body Schrödinger Operators*. Mathematical Notes 29. Princeton N.J.: Princeton University Press.
- Aguilar J. and Combes J. M. (1971). A class of analytic perturbations for one-body Schrödinger Hamiltonians, *Comm. Math. Phys.* **22**, 269–79.
- Alastuey A. and Appel W. (2000). On the decoupling between classical Coulomb matter and radiation, *Physica A* **276**, 508–20.
- Alicki R. and Fannes M. (2001). *Quantum Dynamical Systems*. Oxford: Oxford University Press.
- Alicki R. and Lendi K. (1987). *Quantum Dynamical Semigroups and Applications*. Berlin: Springer.
- Amann A. (1991). Molecules coupled to their environment. In *Large-Scale Molecular Systems: Quantum and Stochastic Aspects*, edited by W. Gans, A. Blumen and A. Amann. London: Plenum.
- Ammari Z. (2000). Asymptotic completeness for a renormalized non-relativistic Hamiltonian in quantum field theory: the Nelson model, *Math. Phys. Anal. Geom.* **3**, 217–85.
- Appel W. and Kiessling M. (2001). Mass and spin renormalization in Lorentz electrodynamics, *Ann. Phys.* **289**, 24–83.

- (2002). Scattering and radiation damping in gyroscopic Lorentz electrodynamics, *Lett. Math. Phys.* **60**, 31–46.
- Arai A. (1981). Self-adjointness and spectrum of Hamiltonians in nonrelativistic quantum electrodynamics, *J. Math. Phys.* **22**, 534–7.
- (1983a). Rigorous theory of spectra and radiation for a model in quantum electrodynamics, *J. Math. Phys.* **24**, 1886–910.
- (1983b). A note on scattering theory in nonrelativistic quantum electrodynamics, *J. Phys. A* **16**, 49–69.
- (1990). An asymptotic analysis and its applications to the nonrelativistic limit of the Pauli–Fierz and a spin–boson model, *J. Math. Phys.* **31**, 2653–63.
- (1991). Long-time behavior of an electron interacting with a quantized radiation field, *J. Math. Phys.* **32**, 2224–42.
- (2001). Ground state of the massless Nelson model without cutoff in a non-Fock representation, *Rev. Math. Phys.* **13**, 1075–94.
- Araki H. and Woods E. (1963). Representations of the canonical commutation relations describing a non-relativistic infinite free Bose gas, *J. Math. Phys.* **4**, 637–62.
- Au C.-K. and Feinberg G. (1974). Effects of retardation on electromagnetic self-energy of atomic states, *Phys. Rev. A* **9**, 1794–800.
- Avron J. and Elgart A. (1999). Adiabatic theorem without a gap condition, *Comm. Math. Phys.* **203**, 445–63.
- Bach V., Chen T., Fröhlich J. and Sigal I. M. (2002). Smooth Feshbach map and operator-theoretic renormalization methods, *J. Funct. Anal.* **203**, 44–92.
- Bach V., Fröhlich J. and Sigal I. M. (1995). Mathematical theory of non-relativistic matter and radiation, *Lett. Math. Phys.* **34**, 183–201.
- (1998a). Quantum electrodynamics of confined non-relativistic particles, *Adv. Math.* **137**, 205–98.
- (1998b). Renormalization group analysis of spectral problems in quantum field theory, *Adv. Math.* **137**, 299–395.
- (1999). Spectral analysis for systems of atoms and molecules coupled to the quantized radiation field, *Comm. Math. Phys.* **207**, 249–90.
- (2000). Return to equilibrium, *J. Math. Phys.* **41**, 3985–4060.
- Bach V., Fröhlich J., Sigal I. M. and Soffer A. (1999). Positive commutators and the spectrum of Pauli–Fierz Hamiltonian of atoms and molecules, *Comm. Math. Phys.* **207**, 557–87.
- Bach V., Klopp F. and Zenk H. (2002). Mathematical analysis of the photoelectric effect, *Adv. Theor. Math. Phys.* **5**, 969–99.
- Bailey J. and Picasso E. (1970). The anomalous magnetic moment of the muon and related topics, *Progress in Nuclear Physics* **12**, 43–75.
- Balslev E. and Combes J. M. (1971). Spectral properties of many-body Schrödinger operators with dilation-analytic interactions, *Comm. Math. Phys.* **22**, 280–94.
- Bambusi D. (1994). A Nekhoroshev-type theorem for the Pauli–Fierz model of classical electrodynamics, *Ann. Inst. H. Poincaré, Phys. Théor.* **60**, 339–71.
- (1996). A proof of the Lorentz–Dirac equation for charged point particles, mp_arc 96–118.
- Bambusi D. and Galgani L. (1993). Some rigorous results on the Pauli–Fierz model of classical electrodynamics, *Ann. Inst. H. Poincaré, Phys. Théor.* **58**, 155–71.
- Bambusi D. and Noja D. (1996). On classical electrodynamics of point particles and mass renormalization, some preliminary results, *Lett. Math. Phys.* **37**, 449–60.
- Barbaroux J.-M., Chen T. and Vugalter S. (2003). Binding conditions for atomic N -electron systems in nonrelativistic QED, *Ann. H. Poincaré* **6**, 1101–36.

- Bargmann V., Michel L. and Telegdi V. L. (1959). Precession of the polarization of particles moving in a homogeneous electromagnetic field, *Phys. Rev. Lett.* **2**, 435–6.
- Barker B. M. and O'Connell R. F. (1980a). Removal of acceleration terms from the two-body Lagrangian to order c^{-4} in electromagnetic theory, *Canad. J. Phys.* **58**, 1659–66.
- (1980b). The post-Newtonian problem in classical electromagnetic theory, *Ann. Phys.* **129**, 358–77.
- Barut A. O. (1964). *Electrodynamics and Classical Theory of Fields and Particles*. New York: Dover.
- (ed.) (1980). *Foundations of Radiation Theory and Quantum Electrodynamics*. New York: Plenum.
- Batt J. (2001). N -particle approximation to the nonlinear Vlasov–Poisson system, *Nonlinear Anal.* **47**, 1445–56.
- Bauer G. (1997). Ein Existenzsatz für die Wheeler–Feynman Elektrodynamik. Dissertation, LMU München, unpublished.
- Bauer G. and Dürr D. (2001). The Maxwell–Lorentz system of a rigid charge, *Ann. H. Poincaré* **2**, 179–96.
- Bauer S. and Kunze M. (2003). The Darwin approximation of the relativistic Vlasov–Maxwell system, arXiv:math-ph/0401012.
- Baylis W. E. and Huschilt J. (1976). Nonuniqueness of physical solutions to the Lorentz–Dirac equation, *Phys. Rev. D* **13**, 3237–9.
- Baylis W.E. and Huschilt J. (2002). Energy balance with the Landau–Lifshitz equation, *Phys. Lett. A* **301**, 7–12.
- Berry M. (1990). Histories of adiabatic quantum transitions, *Proc. Roy. Soc. London A* **429**, 61–72.
- Bethe H. A. (1947). The electromagnetic shift of energy levels, *Phys. Rev.* **72**, 339–41.
- Betz V., Hiroshima F., Lőrinczi J., Minlos R.A. and Spohn H. (2002). Ground state properties of the Nelson Hamiltonian – a Gibbs measure-based approach, *Rev. Math. Phys.* **14**, 173–98.
- Bhabha H. J. (1939). Classical theory of electrons, *Proc. Indian Acad. Sci. A* **10**, 324–32.
- Bhabha H. J. and Corben H. C. (1941). General classical theory of spinning particles in a Maxwell field, *Proc. Roy. Soc. Lond. A* **178**, 273–314.
- Blanco R. (1995). Nonuniqueness of the Lorentz–Dirac equation with the free-particle asymptotic condition, *Phys. Rev. E* **51**, 680–9.
- Bloch F. (1928). Zur Strahlungsdämpfung in der Quantenmechanik. *Physikalische Zeitschrift* **29**, 58–66.
- Bloch F. and Nordsieck A. (1937). Notes on the radiation field of the electron, *Phys. Rev.* **52**, 54–9.
- Blount E. I. (1962a). Formalism of band theory. In *Solid State Physics, Advances in Research and Applications*, edited by F. Seitz and D. Turnbull, Vol. 13. New York: Academic Press, pp. 305–73.
- (1962b). Bloch electrons in a magnetic field, *Phys. Rev.* **126**, 1636–53.
- (1962c). Extension of the Foldy–Wouthuysen transformation, *Phys. Rev.* **128**, 2454–8.
- Bohm D. and Weinstein M. (1948). The self-oscillations of a charged particle, *Phys. Rev.* **74**, 1789–98.
- Bolte J. and Keppeler S. (1999). A semiclassical approach to the Dirac equation, *Ann. Phys.* **274**, 125–62.
- Bonnor W. B. (1974). A new equation of motion for a radiating charged particle, *Proc. Roy. Soc. Lond. A* **337**, 591–8.
- Bordag M., Geyer B., Klimchitskaya G.L. and Mostepanenko V.M. (2000). Casimir force at both nonzero temperature and finite conductivity, *Phys. Rev. Lett.* **85**, 503–6.

- Born M. (1909). Die Theorie des starren Elektrons in der Kinematik des Relativitätsprinzips, *Ann. Physik* **30**, 1–56.
- (1926). Das Adiabatenprinzip der Quantenmechanik, *Z. Physik* **40**, 167–92.
- (1933). Modified field equations with a finite radius of the electron, *Nature* **132**, 282.
- Born M. and Fock V. (1928). Beweis des Adiabatensatzes, *Z. Physik* **51**, 165–80.
- Born M., Heisenberg, W. and Jordan P. (1926). Zur Quantenmechanik, *Z. Physik* **35**, 557–615 (translated in van der Waerden (1968)).
- Born M. and Infeld L. (1933). Electromagnetic mass, *Nature* **132**, 970.
- Bornemann F. A. (1998). *Homogenization in Time of Singularly Perturbed Mechanical Systems*. Lecture Notes in Mathematics, vol. 1687, Berlin: Springer.
- Brascamp H. J., Lieb E. H. and Lebowitz J. L. (1976). The statistical mechanics of anharmonic lattices. *Bulletin of the International Statistical Institute, Proceedings of the Fortieth Session* **1**, 393–404. ISI, the Netherlands.
- Bratteli O. and Robinson D. (1987). *Operator Algebras and Quantum Statistical Mechanics*, vol. 1. Berlin: Springer.
- (1997). *Operator Algebras and Quantum Statistical Mechanics*, vol. 2, 2nd edition, Berlin: Springer.
- Braun W. and Hepp K. (1977). The Vlasov dynamics and its fluctuations in the $1/N$ limit of interacting classical particles, *Comm. Math. Phys.* **56**, 101–13.
- Breit G. (1932). Quantum theory of dispersion, *Rev. Mod. Phys.* **4**, 504–76.
- Breuer H.-P. and Petruccione F. (2001). Destruction of quantum coherence through emission of bremsstrahlung, *Phys. Rev. A* **36**, 032102 (18 pages).
- (2002). *The Theory of Open Quantum Systems*. Oxford: Oxford University Press.
- Brown L. S. and Gabrielse G. (1986). Geonium theory: physics of a single electron or ion in a Penning trap, *Rev. Mod. Phys.* **58**, 233–78.
- Brummelhuis R. and Nourrigat J. (1999). Scattering amplitude for Dirac operators, *Commun. Part. Diff. Eqs.* **24**, 377–94.
- Brydges D. and Martin Ph. (1999). Coulomb systems at low density: a review, *J. Stat. Phys.* **96**, 1163–330.
- Bucherer A. H. (1904). *Mathematische Einführung in die Elektronentheorie*. Berlin: Teubner.
- (1905). Das deformierte Elektron und die Theorie des Elektromagnetismus, *Physikalische Zeitschrift* **6**, 833–4.
- (1908). Messungen an Becquerelstrahlen. Die experimentelle Bestätigung der Lorentz–Einstinschen Theorie, *Physikalische Zeitschrift* **9**, 755–62.
- (1909). Die experimentelle Bestätigung des Relativitätsprinzips, *Ann. Physik* **28**, 513–36.
- Bugliaro L., Fröhlich J. and Graf G.-M. (1996). Stability of quantum electrodynamics with nonrelativistic matter, *Phys. Rev. Lett.* **77**, 3494–7.
- Burke W. (1970). Runaway solutions: Remarks on the asymptotic theory of radiation damping, *Phys. Rev. A* **2**, 1501–5.
- Burko L. (2000). Self-force approach to synchroton radiation, *Am. J. Phys.* **68**, 456–68.
- Caldirola P. (1956). A new model of classical electron, *Nuov. Cim.* **3**, Supplemento 2, 297–343.
- Carati A., Delzanno P., Galgani L. and Sassarini J. (1995). Nonuniqueness properties of the physical solutions of the Lorentz–Dirac equation, *Nonlinearity* **8**, 65–79.
- Carati A. and Galgani L. (1993). Asymptotic character of the series of classical electrodynamics and an application to Bremsstrahlung, *Nonlinearity* **6**, 905–14.

- Carmichael H. J. (1999). *Statistical Methods in Quantum Optics*, vol. 1: *Master Equations and Fokker–Planck Equations*. Berlin: Springer.
- Carmona R. (1978). Pointwise bounds for Schrödinger operators, *Comm. Math. Phys.* **62**, 97–106.
- Casimir H. B. G. (1948). On the attraction between two perfectly conducting plates, *Proc. K. Ned. Akad. Wet.* **51**, 793–6.
- Casimir H. B. G. and Polder D. (1948). The influence of retardation on the London–van der Waals forces, *Phys. Rev.* **73**, 360–72.
- Catto I. and Hainzl C. (2004). Self-energy of one electron in non-relativistic QED, *J. Funct. Anal.* **207**, 68–110.
- Chen T. (1996). Aspects of the theory of non-relativistic matter coupled to the quantized radiation field. Diplomarbeit, ETH Zürich, unpublished.
- (2001). Operator-theoretic infrared renormalization and construction of dressed one-particle states in non-relativistic QED. Ph.D. thesis, ETH Zürich, mp_arc 01–310.
- Chen T., Vougalter V. and Vugalter S. (2003). The increase of binding energy and enhanced binding in nonrelativistic QED, *J. Math. Phys.* **44**, 1961–70.
- Cohen-Tannoudji C., Dupont-Roc J. and Grynberg G. (1989). *Photons and Atoms. Introduction to Quantum Electrodynamics*. New York: John Wiley.
- (1992). *Atom–Photon Interactions. Basic Processes and Applications*. New York: John Wiley.
- Coleman S. (1982). Classical electron theory from a modern standpoint, chapter 6 in *Electromagnetism: Paths to Research*, edited by D. Teplitz. New York: Plenum.
- Conlon J. (1984). The ground state energy of a classical gas, *Comm. Math. Phys.* **94**, 439–58.
- Conlon J., Lieb E. H. and Yau H.-T. (1988). The $N^{7/5}$ law for charged bosons, *Comm. Math. Phys.* **116**, 417–88.
- Corben H. C. (1961). Spin in classical and quantum theory, *Phys. Rev.* **121**, 1833–9.
- Craig D. P. and Thirunamachandran T. (1984). *Molecular Quantum Electrodynamics*. New York: Dover.
- Cushing J. T. (1981). Electromagnetic mass, relativity, and the Kaufmann experiments, *Am. J. Phys.* **49**, 1133–49.
- Cycon H. L., Froese R. G., Kirsch W. and Simon B. (1987). *Schrödinger Operators*. Berlin: Springer.
- Damour T. and Schäfer G. (1991). Redefinition of position variables and the reduction of higher order Lagrangians, *J. Math. Phys.* **22**, 127–34.
- Davies E. B. (1974). Markovian master equations, *Comm. Math. Phys.* **39**, 91–110.
- (1975). Markovian master equations III, *Ann. Inst. H. Poincaré, Phys. Théor.* **11**, 265–73.
- (1976a). Markovian master equations II, *Math. Ann.* **219**, 147–58.
- (1976b). *Quantum Theory of Open Systems*. London: Academic Press.
- (1979). Particle-boson interactions and the weak coupling limit, *J. Math. Phys.* **20**, 345–51.
- Dehmelt H. (1990). Experiments with an isolated subatomic particle at rest, *Rev. Mod. Phys.* **62**, 525–30.
- Dereziński J. and Gérard C. (1999). Asymptotic completeness in quantum field theory. Massive Pauli–Fierz Hamiltonians, *Rev. Math. Phys.* **11**, 383–450.
- (2003). Scattering theory of infrared divergent Pauli–Fierz Hamiltonians, mp-arc 03–363.
- Dereziński J. and Jakšić V. (2001). Spectral theory of Pauli–Fierz operators, *J. Funct. Anal.* **180**, 243–327.

- (2003a). Return to equilibrium for Pauli–Fierz systems, *Ann. H. Poincaré* **4**, 739–94.
- (2003b). On the nature of the Fermi golden rule for open quantum systems, mp-arc 03–354, *J. Stat. Phys.*, to appear.
- Dereziński J., Jakšić V. and Pillet C.-A. (2003). Perturbation theory of W^* -dynamics, Liouvillians and KMS-states, *Rev. Math. Phys.* **15**, 447–89.
- Devreese J. T. and Peeters F. M. (1984). *Polarons and Excitons in Polar Semiconductors and Ionic Crystals*. New York: Plenum.
- Dimassi M. and Sjöstrand J. (1999). *Spectral Asymptotics in the Semi-Classical Limit*. Lond. Math. Soc. Lecture Note Series 268, Cambridge: Cambridge University Press.
- Dirac P. A. M. (1927). The quantum theory of emission and dispersion, *Proc. Roy. Soc. Lond. A* **114**, 243–65. Reprinted in *Schwinger (1958)*.
- (1938). Classical theory of radiating electrons, *Proc. Roy. Soc. Lond. A* **167**, 148–69.
- Donsker M. D. and Varadhan S. R. S. (1983). Asymptotic for the polaron, *Comm. Pure Appl. Math.* **36**, 505–28.
- Dresden M. (1987). *H. A. Kramers. Between Tradition and Revolution*. New York: Springer.
- Dubin D. A. (1974). *Solvable Models in Algebraic Statistical Mechanics*. Oxford: Clarendon Press.
- Dümcke R. (1983). Convergence of multitime correlation functions in the weak and singular couplings limits, *J. Math. Phys.* **24**, 311–15.
- Dümcke R. and Spohn H. (1979). The proper form of the generator in the weak coupling limit, *Z. Physik B* **34**, 419–22.
- Dürr D. and Spohn H. (2000). Decoherence through coupling to the radiation field. In *Decoherence: Theoretical, Experimental, and Conceptual Problems*, edited by Ph. Blanchard, D. Giulini, E. Joos, C. Kiefer and I.-O. Stamatescu, Lecture Notes in Physics vol. 538, pp. 77–86. Heidelberg: Springer.
- van Dyck R. S., Schwinberg P. B. and Dehmelt H. G. (1986). Electron magnetic moment from geonium spectra: early experiments and background concepts, *Phys. Rev. D* **34**, 722–86.
- Dyson F. J. (1967). Ground state energy for a finite system of charged particles, *J. Math. Phys.* **8**, 1538–45.
- Dyson F. J. and Lenard A. (1968). Stability of matter, I and II, *J. Math. Phys.* **8**, 423–34, *ibid.* **9**, 119–215.
- Ehrenfest P. (1916). On adiabatic changes of a system in connection with the quantum theory, *Proc. Amsterdam Acad.* **19**, 576–97.
- Einstein A. (1905a). Zur Elektrodynamik bewegter Körper, *Ann. Physik* **17**, 891–921, translation in: *The Principle of Relativity*. New York: Dover, 1952.
- (1905b). Ist die Trägheit eines Körpers von seinem Energiegehalt abhängig?, *Ann. Physik* **17**, 639–41, translation in: *The Principle of Relativity*. New York: Dover, 1952.
- Eliezer C. J. (1950). A note on electron theory, *Proc. Camb. Phil. Soc.* **46**, 199–201.
- Emch G. G. (1972). *Algebraic Methods in Statistical Mechanics and Quantum Field Theory*. New York: Wiley Interscience.
- Endres D. J. (1993). The physical solution to the Lorentz–Dirac equation for planar motion in a constant magnetic field, *Nonlinearity* **6**, 953–71.
- Erber T. (1961). The classical theories of radiation reaction, *Fortschritte der Physik* **9**, 343–92.
- (1971). Some external field problems in quantum electrodynamics, *Acta Physica Austriaca*, Suppl. VIII, 323–57. Proceedings X. Internationale Universitätswochen für Kernphysik, Schladming, ed. P. Urban.

- Erdős L. (2002). Linear Boltzmann equation as the long time dynamics of an electron weakly coupled to a phonon field, *J. Stat. Phys.* **107**, 1043–127.
- Erdős L. and Yau H. T. (1998). Linear Boltzmann equation as scaling limit of quantum Lorentz gas, *Advances in Differential Equations and Mathematical Physics, Contemp. Math.* **217**, 137–55.
- (2000). Linear Boltzmann equation as the weak coupling limit of the random Schrödinger equation, *Comm. Pure Appl. Math.* **53**, 667–735.
- Fefferman C. (1996). On electrons and nuclei in a magnetic field, *Adv. Math.* **124**, 100–53.
- Fefferman C., Fröhlich J. and Graf G. M. (1997). Stability of ultraviolet-cutoff quantum electrodynamics with non-relativistic matter, *Comm. Math. Phys.* **190**, 309–30.
- Fefferman C. and de la Llave R. (1986). Relativistic stability of matter. I, *Rev. Math. Iberoamericana* **2**, 119–215.
- Feinberg J., Mann A. and Revzen M. (2000). Casimir effect: the classical limit, *Ann. Phys.* **288**, 103–36.
- Fermi E. (1922). Über einen Widerspruch zwischen der elektrodynamischen und der relativistischen Theorie der elektromagnetischen Masse, *Physikalische Zeitschrift* **23**, 340–4.
- (1930). Sopra l’ellettrodinamica quantistica, *Atti della Reale Accademia Nazionale dei Lincei* **12**, 431–5.
- (1932). Quantum theory of radiation, *Rev. Mod. Phys.* **4**, 87–132.
- Feynman R. P. (1948). Space-time approach to nonrelativistic quantum mechanics, *Rev. Mod. Phys.* **20**, 367–87.
- (1955). Slow electrons in a polar crystal, *Phys. Rev.* **97**, 660–5.
- Feynman R. P. and Hibbs A. (1965). *Quantum Mechanics and Path Integrals*. New York: McGraw-Hill.
- Feynman R. P., Leighton R. B. and Sands M. (1963). *The Feynman Lectures in Physics*. Reading, MA: Addison-Wesley.
- Fidaleo F. and Liverani C. (1999). Ergodic properties for quantum nonlinear dynamics, *J. Stat. Phys.* **97**, 957–1009.
- Fokker A. D. (1929). Ein invariante Variationssatz für die Bewegung mehrerer elektrischer Massenteilchen, *Z. Physik* **58**, 386–93.
- Ford G. W., Kac M. and Mazur P. (1965). Statistical mechanics of assemblies of coupled oscillators, *J. Math. Phys.* **6**, 504–15.
- Ford G. W., Lewis J. T. and O’Connell R. F. (1988a). Quantum Langevin equation, *Phys. Rev. A* **37**, 4419–28.
- (1988b). Independent oscillator model of a heat bath: exact diagonalization of the Hamiltonian, *J. Stat. Phys.* **53**, 439–55.
- Ford G. W. and O’Connell R. F. (1991). Radiation reaction in electrodynamics and the elimination of runaway solutions, *Phys. Lett. A* **157**, 217–20.
- (1993). Relativistic form of radiation reaction, *Phys. Lett. A* **174**, 182–4.
- Frenkel J. (1925). Zur Elektrodynamik punktförmiger Elektronen, *Z. Physik* **32**, 518–34.
- (1926). Die Elektrodynamik des rotierenden Elektrons, *Z. Physik* **37**, 243–62.
- Frigerio A. (1978). Stationary states of quantum dynamical semigroups, *Comm. Math. Phys.* **63**, 269–76.
- Frigerio A. and Verri M. (1982). Long time asymptotic properties of dynamical semigroups on W^* -algebras, *Math. Z.* **180**, 257–86.
- Fröhlich H. (1954). Electrons in lattice fields, *Advances in Physics* **3**, 325–62.
- Fröhlich J. (1973). On the infrared problem in a model of scalar electrons and massless, scalar bosons, *Ann. Inst. H. Poincaré, Phys. Théor.* **19**, 1–103.

- (1974). Existence of dressed one electron states in a class of persistent models, *Fortschritte der Physik* **22**, 159–89.
- Fröhlich J., Griesemer M. and Schlein B. (2001). Asymptotic electromagnetic fields in models of quantum-mechanical matter interacting with the quantized radiation field, *Adv. Math.* **164**, 349–98.
- (2002). Asymptotic completeness for Rayleigh scattering, *Ann. H. Poincaré* **3**, 107–70.
- (2003). Asymptotic completeness for the Compton scattering, arXiv:math-ph/0111032 v3, *Comm. Math. Phys.*, to appear.
- Fröhlich J. and Park Y. M. (1978). Correlation inequalities and the thermodynamic limit for classical and quantum continuous systems, *Comm. Math. Phys.* **59**, 235–66.
- Fujita S. (1966). *Introduction to Non-Equilibrium Statistical Mechanics*. Philadelphia: Saunders.
- Fulton T. and Rohrlich F. (1960). Classical radiation from a uniformly accelerated charge, *Ann. Phys.* **9**, 499–517.
- Galgani L., Angaroni C., Forti L., Giorgilli A. and Guerra F. (1989). Classical electrodynamics as a nonlinear dynamical system, *Phys. Lett. A* **139**, 221–30.
- Gallavotti G., Ginibre J. and Velo G. (1970). Statistical mechanics of the electron-phonon system, *Lett. Nuovo Cimento* **4**, 1293–7.
- Garrido L. M. (1965). Generalized adiabatic invariance, *J. Math. Phys.* **5**, 355–62.
- Georgescu V., Gérard C. and Møller J.S. (2004). Spectral theory of massless Pauli–Fierz models, *Comm. Math. Phys.*, to appear.
- Gérard C. (1996). Asymptotic completeness for the spin-boson model with a particle number cut-off, *Rev. Math. Phys.* **8**, 549–89.
- (2000). On the existence of ground states for massless Pauli–Fierz Hamiltonians, *Ann. H. Poincaré* **1**, 443–59.
- (2002). On the scattering theory of massless Nelson models, *Rev. Math. Phys.* **14**, 1165–280.
- Gérard P., Markowich P., Mauser N. and Poupaud F. (1997). Homogenization limits and Wigner transforms, *Comm. Pure Appl. Math.* **50**, 323–79.
- Gerlach B. and Löwen H. (1991). Analytical properties of polaron systems or: do polaronic phase transitions exist or not?, *Rev. Mod. Phys.* **63**, 63–90.
- Giacomin G., Olla S. and Spohn H. (2001). Equilibrium fluctuations for $\nabla\varphi$ interface model, *Ann. Probab.* **29**, 1138–72.
- Glassey R. T. and Schaeffer J. (1991). Convergence of a particle method for the relativistic Vlasov–Maxwell system, *SIAM J. Num. Anal.* **28**, 1–25.
- (1997). The ‘two and one-half’ relativistic Vlasov–Maxwell system, *Comm. Math. Phys.* **185**, 257–84.
- (2000). The relativistic Vlasov–Maxwell system in 2D and 2.5D, *Contemp. Math.* **263**, 61–9.
- Glauber R. J. (1969). Coherence and quantum detection. In *Quantum Optics. Proceedings of the International School of Physics Enrico Fermi*, Course XLVII, p. 15, edited by R.J. Glauber. New York: Academic Press.
- Glimm J. and Jaffe A. (1987). *Quantum Physics: A Functional Integral Point of View*, 2nd edition. Berlin: Springer.
- Gorini V., Frigerio A. and Accardi L. (1984). *Quantum Probability and Applications to the Quantum Theory of Irreversible Processes*. New York: Springer.
- Grabert H., Schramm P. and Ingold G.-L. (1988). Quantum Brownian motion: the functional integral approach, *Phys. Rep.* **168**, 115–207.

- Grandy W. T. and Aghazadeh A. (1982). Radiative corrections for extended charged particles in classical electrodynamics, *Ann. Phys.* **142**, 284–98.
- Griesemer M. (2004). Exponential decay and ionization thresholds in non-relativistic quantum electrodynamics, *J. Funct. Anal.* **210**, 321–40.
- Griesemer M., Lieb E. and Loss M. (2001). Ground states in non-relativistic quantum electrodynamics, *Inv. Math.* **145**, 557–95.
- Gross E. P. (1962). Particle-like solutions in field theory, *Ann. Phys.* **19**, 219–33.
- (1976). Strong coupling polaron theory and translational invariance, *Ann. Phys.* **99**, 1–29.
- Grotch H. (1981). Lamb shift in nonrelativistic quantum electrodynamics, *Am. J. Phys.* **49**, 48–51.
- Grotch H. and Kazes E. (1977). Nonrelativistic quantum mechanics and the anomalous part of the electron g factor, *Am. J. Phys.* **45**, 618–23.
- Grotch H., Kazes E., Rohrlich F. and Sharp D. H. (1982). Internal retardation, *Acta Phys. Austriaca* **54**, 31–8.
- Gutzwiller M. C. (1990). *Chaos in Classical and Quantum Mechanics*. New York: Springer.
- Haag R. (1955). Die Selbstwechselwirkung des Elektrons, *Z. Naturforsch.* **10a**, 752–61.
- Haake F. (1973). *Statistical Treatment of Open Systems by Generalized Master Equations*. Springer Tracts in Modern Physics **66**, Berlin: Springer.
- Hainzl C. (2002). Enhanced binding through coupling to the photon field. In *Mathematical Results in Quantum Mechanics*, pp. 149–54, edited by R. Weder, P. Exner and B. Grebert, AMS Contemporary Mathematics Vol. 307.
- (2003). One non-relativistic particle coupled to a photon field, *Ann. H. Poincaré* **4**, 217–37.
- Hainzl C., Hirokawa M. and Spohn H. (2003). Binding energy for hydrogen-like atoms in the Nelson model without cutoffs, arXiv:math-ph/0312025.
- Hainzl C. and Seiringer R. (2002). Mass renormalization and energy level shift in non-relativistic QED, *Adv. Theor. Math. Phys.* **6**, 847–69.
- Hainzl C., Vugalter V. and Vugalter S. (2003). Enhanced binding in non-relativistic QED, *Comm. Math. Phys.* **233**, 13–26.
- Haken H. (1983). *Advanced Synergetics. Instability Hierarchies of Self-Organizing Systems and Devices*. Berlin: Springer.
- Healy W. P. (1982). *Non-Relativistic Quantum Electrodynamics*. London: Academic Press.
- Heinemann K. and Barber D. P. (1999). The semiclassical Foldy–Wouthuysen transformation and the derivation of the Bloch equation for spin-1/2 polarised beams using Wigner functions, arXiv:phys/9901044.
- Heitler W. (1936). *The Quantum Theory of Radiation*. Oxford: Clarendon Press; 3rd edition 1958.
- Herglotz G. (1903). Zur Elektronentheorie, *Nachr. K. Ges. Wiss. Göttingen* (6), 357–82.
- Hirokawa M., Hiroshima F. and Spohn H. (2002). The two-particle massless Nelson model without cutoffs, arXiv:math-ph/0211050. *Adv. Math.*, to appear.
- Hiroshima F. (1996). Diamagnetic inequalities for systems of nonrelativistic particles with a quantized field, *Rev. Math. Phys.* **8**, 185–203.
- (1997a). Scaling limit of a model of quantum electrodynamics with many nonrelativistic particles, *Rev. Math. Phys.* **9**, 201–25.
- (1997b). Functional integral representation of a model in quantum electrodynamics, *Rev. Math. Phys.* **9**, 489–530.

- (1999). Ground states of a model in nonrelativistic quantum electrodynamics I, *J. Math. Phys.* **40**, 6209–22.
- (2000a). Ground states of a model in nonrelativistic quantum electrodynamics II, *J. Math. Phys.* **41**, 661–74.
- (2000b). Essential self-adjointness of translation-invariant quantum field models for arbitrary coupling constants, *Comm. Math. Phys.* **211**, 585–613.
- (2001). Spectral analysis of atoms interacting with a quantized radiation field, mp_arc 01–97.
- (2002). Self-adjointness of the Pauli–Fierz Hamiltonian for arbitrary values of coupling constants, *Ann. H. Poincaré* **3**, 171–201.
- Hiroshima F. and Spohn H. (2001). Enhanced binding through coupling to a quantum field, *Ann. H. Poincaré* **2**, 1159–87.
- (2002). Two-fold degeneracy of the ground state band for the Pauli–Fierz model with spin, *Adv. Theor. Math. Phys.* **5**, 1091–104.
- (2003). Mass renormalization in nonrelativistic QED, arXiv:math-ph/0310043.
- Høegh-Krohn R. (1970). On the scattering theory for quantum fields, *Comm. Math. Phys.* **18**, 109–26.
- Holley R. and Stroock D. W. (1978). Generalized Ornstein–Uhlenbeck processes and infinite branching Brownian motions, *RIMS Kyoto Publications A* **14**, 741–814.
- Hönl H. (1952). Feldmechanik des Elektrons und der Elementarteilchen, *Ergeb. Exakt. Naturwiss.* **26**, 291–382.
- van Hove L. (1955). Quantum-mechanical perturbations giving rise to a statistical transport equation, *Physica* **21**, 517–40.
- (1957). The approach to equilibrium in quantum statistics, *Physica* **23**, 441–80.
- Huang K. (1987). *Statistical Mechanics*, 2nd edition. New York: Wiley.
- (1998). *Quantum Field Theory: From Operators to Path Integrals*. New York: Wiley.
- Hübner M. and Spohn H. (1995a). Radiative decay: nonperturbative approaches, *Rev. Math. Phys.* **7**, 363–87.
- (1995b). Spectral properties of the spin-boson Hamiltonian, *Ann. Inst. H. Poincaré, Phys. Théor.* **62**, 289–323.
- Hudson R. L. and Parthasarathy K. R. (1984). Quantum Ito’s formula and stochastic evolutions, *Comm. Math. Phys.* **93**, 301–23.
- Hulse R. A. (1994). The discovery of the binary pulsar, *Rev. Mod. Phys.* **66**, 699–710.
- Hunziker W. (1990). Resonances, metastable states and exponential decay laws in perturbation theory, *Comm. Math. Phys.* **132**, 177–88.
- Huschilt J. and Baylis W. E. (1976). Numerical solutions to two-body problems in classical electrodynamics: head on collisions with retarded fields and radiation reaction, *Phys. Rev. D* **13**, 3256–61 and *D* **13**, 3262–8.
- Imai V., Komech A. and Mauser N. (2003). Soliton type asymptotics for the coupled Maxwell–Lorentz equations, preprint.
- Imai V., Komech A. and Spohn H. (2002). Soliton-type asymptotics and scattering for a charge coupled to the Maxwell field, *Russian J. Math. Phys.* **9**, 428–36.
- (2004). Rotating charge coupled to the Maxwell field: scattering theory and adiabatic limit, *Monatsheft für Mathematik*, to appear.
- Jackson J. D. (1999). *Classical Electrodynamics*, 3rd edition. New York: Wiley.
- Jakšić V. and Pillet C. A. (1995). On a model of quantum friction, I: Fermi’s golden rule and dynamics at zero temperature, *Ann. Inst. H. Poincaré, Phys. Théor.* **62**, 47–68.
- (1996a). On a model of quantum friction, II: Fermi’s golden rule and dynamics at positive temperature, *Comm. Math. Phys.* **176**, 619–44.

- (1996b). On a model of quantum friction, III: Ergodic properties of the spin-boson system, *Comm. Math. Phys.* **178**, 627–51.
- (1997). From resonances to master equations, *Ann. Inst. H. Poincaré, Phys. Théor.* **67**, 425–45.
- (2002). Nonequilibrium steady states of finite quantum systems coupled to thermal reservoirs, *Comm. Math. Phys.* **226**, 131–62.
- Jaranowski P. and Schäfer G. (1998). Third post-Newtonian order ADM Hamilton dynamics for two-body point mass systems, *Phys. Rev. D* **57**, 7274–90.
- Jones C. (1995). Geometric singular perturbation theory. In *Dynamical Systems, Proceedings, Montecatini Terme 1994*, edited by R. Johnson, Lecture Notes in Mathematics 1609, pp. 44–118. New York: Springer.
- Jordan P. and Pauli W. (1928). Zur Quantenelektrodynamik ladungsfreier Felder, *Z. Phys.* **47**, 151–73.
- Joye A., Kunz H. and Pfister C.-E. (1991). Exponential decay and geometric aspect of transition probabilities in the adiabatic limit, *Ann. Phys.* **208**, 299–332.
- Joye A. and Pfister C.-E. (1993). Superadiabatic evolution and adiabatic transition probability between two nondegenerate levels in the spectrum, *J. Math. Phys.* **34**, 454–73.
- (1994). Quantum adiabatic evolution. In *On Three Levels*, ed. M. Fannes, C. Maes and A. Verbeure, pp. 139–48. New York: Plenum.
- Kac M. (1950). On some connections between probability theory and differential equations, *Proc. 2nd Berk. Symp. Math. Statist. Probability*, pp. 189–215.
- Kampen van N. (1951). Contribution to the quantum theory of light scattering, *Det Kongelige Danske Videns. Selskab, Mat. Fys. Medd.* **26**, 1–77.
- Kato T. (1958). On the adiabatic theorem of quantum mechanics, *Phys. Soc. Jap.* **5**, 435–9.
- Kaufmann W. (1901). Series of papers in *Nachr. K. Ges. Wiss. Göttingen*, (2), 143–55 (1901); (5), 291–96 (1902); (3), 90–103 (1903). *Physikalische Zeitschrift* **4**, 54–7 (1902). *Sitzungsber. K. Preuss. Akad. Wiss.* **2**, 949–56 (1905). *Ann. Phys.* **19**, 487–553 (1906).
- Keitel C. H., Szymanowski C., Knight P. L. and Maquet A. (1998). Radiative reaction in ultraintense laser-atom interaction, *J. Phys. B: At. Mol. Opt. Phys.* **31**, L75–L83.
- Kibble T. W. B. (1968). Coherent soft-photon states and infrared divergencies I. Classical currents, *J. Math. Phys.* **9**, 315–24.
- Kiessling M. (1999). Classical electron theory and conservation laws, *Phys. Lett. A* **258**, 197–204.
- (2003). Electromagnetic field theory without divergence problems: 1. The Born legacy, arXiv:math-ph 0306076, 2. A least invasively quantized theory, arXiv:math-ph 0311034. *J. Stat. Phys.*, to appear.
- Kinoshita T. and Sapirstein J. (1984). New developments in QED. In *Atom Physics*, vol. 9, pp. 38–52, edited by R. S. van Dyck and E. N. Forston. Singapore: World Scientific.
- Klauder J. R., McKenna J. and Woods E. J. (1966). Direct-product representation of the canonical commutation relations, *J. Math. Phys.* **7**, 822–8.
- Kleinert H. (1995). *Path Integrals in Quantum Mechanics, Statistics and Polymer Physics*, 2nd edition. Singapore: World Scientific.
- Komech A., Kunze M. and Spohn H. (1999). Effective dynamics of a mechanical particle coupled to a wave field, *Comm. Math. Phys.* **203**, 1–19.
- Komech A. and Spohn H. (1998). Soliton-like asymptotics for a classical particle interacting with a scalar wave field, *Nonlin. Analysis* **33**, 13–24.

- (2000). Long-time asymptotics for coupled Maxwell–Lorentz equations, *Comm. PDE* **25**, 559–84.
- Komech A., Spohn H. and Kunze M. (1997). Long-time asymptotics for a classical particle interacting with a scalar wave field, *Comm. PDE* **22**, 307–35.
- Kossakowski A. (1972). On quantum statistical mechanics of non-hamiltonian systems, *Rep. Math. Phys.* **3**, 247–74.
- Kramers H. A. (1948). Nonrelativistic quantum electrodynamics and correspondence principle. *Collected Scientific Papers*, pp. 845–69. North-Holland, Amsterdam, 1956.
- Kroll N. M. (1965). *Quantum Optics and Electronics*, pp. 51–3. New York: Gordon and Breach.
- Kroll N. M. and Lamb E. (1949). On the self-energy of a bound electron, *Phys. Rev.* **75**, 388–98.
- Kunze M. (1998). Instability of the periodic motion of a particle interacting with a scalar wave field, *Comm. Math. Phys.* **195**, 509–23.
- Kunze M. and Rendall A. (2001). The Vlasov–Poisson system with radiation damping, *Ann. H. Poincaré* **2**, 857–86.
- Kunze M. and Spohn H. (2000a). Radiation reaction and center manifolds, *SIAM J. Math. Analysis* **32**, 30–53.
- (2000b). Adiabatic limit for the Maxwell–Lorentz equation, *Ann. H. Poincaré* **1**, 625–55.
- (2000c). Slow motion of charges interacting through the Maxwell field, *Comm. Math. Phys.* **212**, 437–67.
- (2001). Post-Coulombian dynamics at order c^{-3} , *J. Nonlinear Science* **11**, 321–96.
- Lamoreaux S. K. (1997). Demonstration of the Casimir force in the $0.6\mu\text{m}$ to $6\mu\text{m}$ range, *Phys. Rev. Lett.* **78**, 5–8, Erratum, *ibid.* **81**, 5475–6.
- Landau L. (1927). Das Dämpfungsproblem in der Wellenmechanik, *Z. Phys.* **45**, 430–41.
- (1933). Electron motion in crystal lattices, *Phys. Z. Sowjet.* **3**, 664–665. In *Collected Papers*, pp. 67–8, New York: Gordon and Breach, 1965.
- Landau L. D. and Lifshitz E. M. (1959). *The Classical Theory of Fields*. Reading, MA: Addison-Wesley, London: Pergamon Press.
- Landau L. and Peierls R. (1930). Quantenelektrodynamik im Konfigurationsraum, *Z. Phys.* **62**, 188–200.
- Langevin, P. (1905). La physique des électrons. Lecture delivered on 22 September 1904 at the International Congress of Arts and Science at St. Louis, Missouri, and published in *Rev. Générale Scis. Pures Appl.* **16**, 257–76.
- Laue M. von (1909). Die Wellenstrahlung einer bewegten Punktladung nach dem Relativitätsprinzip, *Ann. Physik* **28**, 436–42.
- (1911a). *Das Relativitätsprinzip*. Vieweg: Braunschweig.
- (1911b). Zur Diskussion über den starren Körper in der Relativitätstheorie, *Physikalische Zeitschrift* **12**, 85–7.
- Lax M. (1968). Fluctuations and coherence phenomena in classical and quantum physics. In *Brandeis Summer Institute Lectures, 1966*, vol. 2, p. 269, edited by M. Chrétien, E. P. Gross, and S. Dreser. New York: Gordon and Breach.
- Lebowitz J. L. and Lieb E. H. (1969). Existence of thermodynamics for real matter with Coulomb forces, *Phys. Rev. Lett.* **22**, 631–4.
- Lee T. D., Low F. E. and Pines D. (1953). The motion of slow electrons in a polar crystal, *Phys. Rev.* **90**, 297–302.
- Leggett A. J., Chakravarty S., Dorsey A. T., Fisher M. P. A., Garg A. and Zwerger W. (1987). Dynamics of the dissipative two-state system, *Rev. Mod. Phys.* **59**, 1–85.
- Lenard A. (1959). Adiabatic invariance to all orders, *Ann. Phys.* **6**, 261–76.

- Levine H., Moniz E. J. and Sharp D. H. (1977). Motion of extended charges in classical electrodynamics, *Am. J. Phys.* **45**, 75–8.
- Lieb E. H. (1976). The stability of matter, *Rev. Mod. Phys.* **48**, 553–69.
- (1979). The $N^{5/3}$ law for bosons, *Phys. Lett. A* **70**, 71–3.
- (1990). The stability of matter: from atoms to stars, *Bull. Amer. Math. Soc.* **22**, 1–49.
- (2001). *The Stability of Matter: From Atoms to Stars*, edited by W. Thirring, 3rd edition. Berlin: Springer.
- Lieb E. H. and Lebowitz J. L. (1972). The constitution of matter: existence of thermodynamics for systems composed of electrons and nuclei, *Adv. Math.* **9**, 316–98.
- (1973). Lectures on the thermodynamic limit for Coulomb systems. In *Statistical Mechanics and Mathematical Problems*, Batelle 1971 Rencontres, Lecture Notes in Physics, vol. 20, pp. 136–61, Berlin: Springer.
- Lieb E. H. and Loss M. (2000). Self-energy of electrons in non-perturbative QED. In *Differential Equations and Mathematical Physics*, edited by R. Weikard and G. Weinstein, pp. 279–93. Cambridge, MA: Amer. Math. Soc.
- (2002). A bound on binding energies and mass renormalization in models of quantum electrodynamics, *J. Stat. Phys.* **108**, 1057–69.
- (2003). Existence of atoms and molecules in non-relativistic quantum electrodynamics, *Adv. Theor. Math. Phys.* 7667–710.
- (2004). A note on polarization vectors in quantum electrodynamics, arXiv:math-ph/0401016.
- Lieb E. H., Loss M. and Siedentop H. (1996). Stability of relativistic matter via Thomas–Fermi theory, *Helv. Phys. Acta* **69**, 978–84.
- Lieb E. H., Loss M. and Solovej J. P. (1995). Stability of matter in magnetic fields, *Phys. Rev. Lett.* **75**, 985–8.
- Lieb E. H. and Thirring W. (1975). Bound for the kinetic energy of fermions which proves the stability of matter, *Phys. Rev. Lett.* **35**, 687–9, Erratum, *ibid.* **35**, 1116.
- Lieb E. H. and Thomas L. E. (1997). Exact ground state energy of the strong-coupling polaron, *Comm. Math. Phys.* **183**, 511–19.
- Lieb E. H. and Yamazaki K. (1958). Ground-state energy and effective mass of the polaron, *Phys. Rev.* **111**, 728–33.
- Lieb E. H. and Yau H. T. (1988a). Many-body stability implies a bound on the fine structure constant, *Phys. Rev. Lett.* **61**, 1995–7.
- (1988b). The stability and instability of relativistic matter, *Comm. Math. Phys.* **118**, 177–213.
- Lindblad G. (1975). Completely positive maps and entropy inequalities, *Comm. Math. Phys.* **40**, 147–51.
- (1976). On the generators of quantum dynamical semigroups, *Comm. Math. Phys.* **48**, 119–30.
- (1983). *Non-Equilibrium Entropy and Irreversibility*. Dordrecht: D. Reidel.
- Littlejohn R. G. and Flynn W. G. (1991). Geometric phases in the asymptotic theory of coupled wave equations, *Phys. Rev. A* **44**, 5239–55.
- Littlejohn R. G. and Weigert S. (1993). Diagonalization of multicomponent wave equations with a Born–Oppenheimer example, *Phys. Rev. A* **47**, 3506–12.
- Lorentz H. A. (1892). La théorie électromagnétique de Maxwell et son application aux corps mouvants, *Arch. Néerl. Sci. Exactes Nat.* **25**, 363–552.
- (1904a). Electromagnetic phenomena in system moving with any velocity less than that of light, *Proceedings of the Academy of Sciences of Amsterdam* **6**, 809–31; contained in: Perret W. and Jeffery G. B., *The Principle of Relativity*. New York: Dover, 1952.
- (1904b). Weiterbildung der Maxwell’schen Theorie: Elektronentheorie. *Enzyklopädie der Mathematischen Wissenschaften*, Band 14, 145–288.

- (1915). *The Theory of Electrons and its Applications to the Phenomena of Light and Radiant Heat*, 2nd edition. Reprinted by New York: Dover, 1952.
- Lörinczi J. and Minlos R. (2001). Gibbs measures for Brownian paths under the effect of an external and a small pair potential, *J. Stat. Phys.* **105**, 607–49.
- Lörinczi J., Minlos R. and Spohn H. (2002a). The infrared behavior in Nelson's model of a quantum particle coupled to a massless scalar field, *Ann. H. Poincaré* **3**, 269–95.
- (2002b). Infrared regular representation of the three-dimensional massless Nelson model, *Lett. Math. Phys.* **108**, 189–98.
- Louisell W. H. (1973). *Quantum Statistical Properties of Radiation*. New York: Wiley-Interscience.
- Maassen H. (1984). Return to thermal equilibrium by a solution of a quantum Langevin equation, *J. Stat. Phys.* **34**, 239–62.
- Maassen H., Gută M. and Botvich D. (1999). Stability of Bose dynamical systems and branching theory, mp-arc 99–130.
- McManus H. (1948). Classical electrodynamics without singularities, *Proc. Roy. Soc. Lond.* **195**, 323–36.
- Mandel L. (1981). Comment on “photon counting probabilities in quantum optics”, *Optica Acta* **28**, 1447–50.
- Marino M. (2002). Classical electrodynamics of point charges, *Ann. Phys.* **301**, 85–127.
- (2003). The unexpected flight of the electron in a classical hydrogen-like atom, *J. Phys. A* **36**, 11247–56.
- Martinez A. (2002). *An Introduction to Semiclassical Analysis*. Berlin: Springer.
- Martinez A. and Sordoni V. (2002). On the time-dependent Born–Oppenheimer approximation with smooth potential, *Comptes Rendus Acad. Sci. Paris* **334**, 51–85.
- Maslov V. P. and Fedoriuk M. V. (1981). *Semi-classical Approximation in Quantum Mechanics*. Dordrecht: D. Reidel.
- Mehra J. and Rechenberg H. (2000). *The Historical Development of Quantum Theory, vol. 6: The Completion of Quantum Mechanics, 1926–1941, Part 1: The Probabilistic Interpretation and the Empirical and Mathematical Foundation of Quantum Mechanics, 1926–1936*. New York: Springer.
- Merkli M. (2001). Positive commutators in non-equilibrium quantum statistical mechanics, *Lett. Math. Phys.* **57**, 225–37.
- Metcalf H. J. and van der Straten P. (1999). *Laser Cooling and Trapping*. New York: Springer.
- Miller A. I. (1994). *Early Quantum Electrodynamics. A Source Book*. Cambridge: Cambridge University Press.
- (1997). *Albert Einstein's Special Theory of Relativity*. New York: Springer.
- Milonni P. W. (1994). *The Quantum Vacuum: An Introduction to Quantum Electrodynamics*. San Diego: Academic Press.
- Misner C. W., Thorne K. S. and Wheeler J. A. (1973). *Gravitation*. New York: W. H. Freeman.
- Mo T. C. and Papas C. H. (1971). New equation of motion for classical charged particles, *Phys. Rev. D* **4**, 3566–71.
- Møller C. (1952). *The Theory of Relativity*. Oxford: Oxford University Press.
- Moniz E. J. and Sharp D. H. (1974). Absence of runaways and divergent self-mass in nonrelativistic quantum electrodynamics, *Phys. Rev. D* **10**, 1113–6.
- (1977). Radiation reaction in nonrelativistic quantum electrodynamics, *Phys. Rev. D* **15**, 2850–65.
- Morse P. M. and Feshbach H. (1953). *Methods of Theoretical Physics, Part I*. New York: McGraw-Hill.

- Moyal J. E. (1949). Quantum mechanics as a statistical theory, *Proc. Cambridge Phil. Soc.* **45**, 99–124.
- Nelson E. (1964a). Schrödinger particles interacting with a quantized scalar field. In *Proceedings of a Conference on Analysis in Function Space*, edited by W. T. Martin and I. Segal. Cambridge, MA: MIT Press.
- (1964b). Interaction of nonrelativistic particles with a quantized scalar field, *J. Math. Phys.* **5**, 1190–7.
- (1966). A quartic interaction in two dimensions. In *Mathematical Theory of Elementary Particles*, edited by R. Goodman and I. Segal, pp. 69–73. Cambridge, MA: MIT Press.
- (1973). Construction of quantum fields from Markoff fields, *J. Funct. Anal.* **12**, 97–112.
- Nenciu G. (1993). Linear adiabatic theory. Exponential estimates, *Comm. Math. Phys.* **152**, 479–96.
- Nenciu G. and Sordoni V. (2001). Semiclassical limit for multistate Klein–Gordon systems: almost invariant subspaces and scattering theory, mp_arc 01–36.
- Neumann G. (1914). Die träge Masse schnell bewegter Elektronen, *Ann. Phys.* **45**, 529–79.
- Neunzert H. (1975). Neuere qualitative und numerische Methoden in der Plasmaphysik, Gastvorlesung im Rahmen des Paderborner Ferienkurses in Angewandter Mathematik.
- Nodvik J. S. (1964). A covariant formulation of classical electrodynamics for charges of finite extension, *Ann. Phys.* **28**, 225–319.
- Noja D. and Posilicano A. (1998). The wave equation with one point interaction and the (linearized) classical electrodynamics of a point particle, *Ann. Inst. H. Poincaré, Phys. Théor.* **68**, 351–77.
- (1999). On the point limit of the Pauli–Fierz model, *Ann. Inst. H. Poincaré, Phys. Théor.* **71**, 425–58.
- Nordsieck A. (1937). The low frequency radiation of a scattered electron, *Phys. Rev.* **52**, 59–62.
- Nyborg P. (1962). On classical theories of spinning particles, *Nuovo Cim.* **23**, 47–62.
- Okamoto T. and Yajima K. (1985). Complex scaling technique in non-relativistic massive QED, *Ann. Inst. H. Poincaré, Phys. Théor.* **42**, 311–27.
- Page L. (1918). Is a moving mass retarded by the reaction of its own radiation?, *Phys. Rev.* **11**, 377–400.
- Pais A. (1972). The early history of the theory of the electron: 1897–1947. In *Aspects of Quantum Theory*, edited by A. Salam and E. P. Wigner. Cambridge: Cambridge University Press.
- (1982). ‘*Subtle is the Lord’*. *The Science and Life of Albert Einstein*. Oxford: Oxford University Press.
- Panati G., Spohn H. and Teufel S. (2002). Space-adiabatic perturbation theory in quantum dynamics, *Phys. Rev. Lett.* **88**, 250–405.
- (2003a). Space-adiabatic perturbation theory, *Adv. Theor. Math. Phys.* **7**, 145–204.
- (2003b). Effective dynamics for Bloch electrons: Peierls substitution and beyond, *Comm. Math. Phys.* **242**, 547–78.
- Panofsky W. K. H. and Phillips M. (1962). *Classical Electricity and Magnetism*, 2nd edition. Reading, MA: Addison-Wesley.
- Parrot S. (1987). *Relativistic Electrodynamics and Differential Geometry*. Berlin: Springer.
- Partha Sarathy K. (1992). *An Introduction to Quantum Stochastic Calculus*. Basel: Birkhäuser.

- Pauli W. (1921). *Relativitätstheorie, Enzyklopädie der Mathematischen Wissenschaften*, vol. 19, pp. 543–775. Translated as: *Theory of Relativity*, New York: Pergamon, 1958.
- (1928). Über das H-Theorem vom Anwachsen der Entropie vom Standpunkt der neuen Quantenmechanik. In *Probleme der modernen Physik, Arnold Sommerfeld zum 60. Geburtstage, gewidmet von seinen Schülern*, pp. 30–45. Leipzig: S. Hirzel-Verlag.
- (1929). Theorie der schwarzen Strahlung. Chapter 27 in *Müller-Pouillet's Lehrbuch*, vol. 2, part 2, 11th edition, pp. 1483–1553. Braunschweig: Friedrich Vieweg.
- Pauli W. and Fierz M. (1938). Zur Theorie der Emission langwelliger Lichtquanten, *Il Nuovo Cimento* **15**, 167–88.
- Pearle P. (1977). Absence of radiationless motions of relativistically rigid classical electron, *Found. Phys.* **7**, 931–45.
- (1982). Classical electron models. Chapter 7 in *Electromagnetism: Paths to Research*, edited by D. Teplitz. New York: Plenum.
- Peierls R. (1991). *More Surprises in Theoretical Physics*. Princeton, NJ: Princeton University Press.
- Pekar S. I. (1954). *Untersuchungen zur Elektronentheorie der Kristalle*. Berlin: Akademie-Verlag.
- Perret W. and Jeffery G. B. (1952). *The Principle of Relativity: A Collection of Original Memoirs on the Special and General Theories of Relativity by H. A. Lorentz, A. Einstein, H. Minkowski, and H. Weyl*. London: Dover; originally London: Methuen, 1923.
- Pfaffelmoser K. (1992). Global classical solutions of the Vlasov–Poisson system in three dimensions for general initial data, *J. Diff. Eqn.* **95**, 281–303.
- Pizzo A. (2000). One particle (improper) states and scattering states in Nelson's massless model, arXiv:math-ph/0010043.
- Plass G. N. (1961). Classical electrodynamic equations of motion with radiative reaction, *Rev. Mod. Phys.* **33**, 37–62.
- Poincaré H. (1905). Sur la dynamique de l'électron, *C. R. Acad. Sci.* **140**, 1504–8.
- (1906). Sur la dynamique de l'électron, *Rendiconti del Circolo Matematico di Palermo* **21**, 129–76. Translated by H.M. Schwartz, *Am. J. Phys.* **39**, 1287–94, **40**, 862–72, and **40**, 1282–7.
- Power E. A. (1964). *Introductory Quantum Electrodynamics*. London: Longmans.
- Power E. A. and Zienau S. (1959). Coulomb gauge in non-relativistic quantum electrodynamics and the shape of spectral lines, *Phil. Trans. Roy. Soc. Lond.* **251**, 427–54.
- Reed M. and Simon B. (1980). *Methods of Modern Mathematical Physics*, vol. I. New York: Academic Press; first edition 1972.
- (1975). *Methods of Modern Mathematical Physics*, vol. II. New York: Academic Press.
- (1979). *Methods of Modern Mathematical Physics*, vol. III. New York: Academic Press.
- (1978). *Methods of Modern Mathematical Physics*, vol. IV. New York: Academic Press.
- Richardson O. W. (1916). *The Electron Theory of Matter*. Cambridge: Cambridge University Press, 2nd edition.
- Robert D. (1987). *Autour de l'approximation semi-classique*. Progress in Mathematics, vol. 68. Basel: Birkhäuser.
- (1998). Semi-classical approximation in quantum mechanics. A survey of old and recent mathematical results, *Helv. Phys. Acta* **71**, 44–116.
- Roepstorff G. (1994). *Path Integral Approach to Quantum Physics*. Berlin: Springer.
- Rohrlich F. (1960). Self-energy and stability of the classical electron, *Am. J. Phys.* **28**, 639–43.

- (1973). The electron: development of the first elementary particle theory. In *The Physicist's Conception of Nature*, edited by J. Mehra. Dordrecht: D. Reidel.
- (1990). *Classical Charged Particles*, 2nd edition. Redwood City, CA: Addison-Wesley.
- (1997). The dynamics of a charged sphere and the electron, *Am. J. Phys.* **65**, 1051–6.
- Rubinow S. I. and Keller J. B. (1963). Asymptotic solution of the Dirac equation, *Phys. Rev.* **131**, 2789–96.
- Rudin W. (1977). *Functional Analysis*. New York: McGraw-Hill.
- Ruf B. and Srikanth P. N. (2000). The Lorentz–Dirac equation, *Rev. Math. Phys.* **12**, 657–86, and **12**, 1137–57.
- Sakamoto K. (1990). Invariant manifolds in singular perturbation problems for ordinary differential equations, *Proc. Roy. Soc. Edinburgh, Sect. A* **116**, 45–78.
- Sakurai J. J. (1986). *Advanced Quantum Mechanics*. Reading, MA: Addison-Wesley.
- Schaeffer J. (1986). The classical limit of the relativistic Vlasov–Maxwell system, *Comm. Math. Phys.* **104**, 403–21.
- (1991). Global existence of smooth solutions to the Vlasov–Poisson system in three dimensions, *Comm. PDE* **16**, 1313–35.
- Scharf G. (1994). *From Electrostatics to Optics*. Heidelberg: Springer.
- Schild A. (1963). Electromagnetic two-body problem, *Phys. Rev.* **131**, 2762–6.
- Schott G. A. (1912). *Electromagnetic Radiation*. Cambridge: Cambridge University Press.
- (1915). On the motion of the Lorentz electron, *Phil. Mag.* **29**, 49–62.
- Schulman L. S. (1981). *Techniques and Applications of Path Integration*. New York: Wiley.
- Schwabl F. and Thirring W. (1964). Quantum theory of laser radiation. *Erg. Ex. Naturw.* **36**, 219–42.
- Schwarzschild K. (1903). Zur Elektrodynamik III. Über die Bewegung des Elektrons, *Göttinger Nachr.* 245–278.
- Schweber S. (1994). *QED and the Men Who Made It: Dyson, Feynman, Schwinger, and Tomonaga*. Princeton, NJ: Princeton University Press.
- Schwinger J. (1949). On the classical radiation of accelerated electrons, *Phys. Rev.* **75**, 1912–25.
- (1958). *Selected Papers on Quantum Electrodynamics*. New York: Dover.
- (1983). Electromagnetic mass revisited, *Found. Phys.* **13**, 373–83.
- Schwinger J., De Raad L. L. and Milton K. A. (1978). Casimir effect in dielectrics, *Ann. Phys.* **115**, 1–23.
- Senitzky I. R. (1960). Dissipation in quantum mechanics: the harmonic oscillator, *Phys. Rev.* **119**, 670–9.
- Sewell G. L. (1986). *Quantum Theory of Collective Phenomena*. Oxford: Clarendon Press.
- Shapere A. and Wilczek F. (eds.) (1989). *Geometric Phases in Physics*. Singapore: World Scientific.
- Shen C. S. (1970). Synchrotron emission at strong radiative damping, *Phys. Rev. Lett.* **24**, 410–15.
- (1972a). Magnetic Bremsstrahlung in an intense magnetic field, *Phys. Rev. D* **6**, 2736–54.
- (1972b). Comment on the new equation of motion for classical charged particles, *Phys. Rev. D* **6**, 3039–40.
- (1978). Radiation and acceleration of a relativistic charged particle in an electromagnetic field, *Phys. Rev. D* **17**, 434–45.
- Simon B. (1974). *The $P(\phi)_2$ Euclidean (Quantum) Field Theory*. Princeton, NJ: Princeton University Press.

- (1978). Resonances and complex scaling: a rigorous overview, *J. Quant. Chem.* **14**, 529–42.
- (1979). *Functional Integrals and Quantum Physics*. New York: Academic Press.
- Sjöstrand J. (1993). Projecteurs adiabatiques du point de vue pseudodifférentiel, *C. R. Acad. Sci. Paris Sér. I Math.* **317**, 217–20.
- Skibsted E. (1998). Spectral analysis of N -body system coupled to a bosonic field, *Rev. Math. Phys.* **10**, 989–1026.
- Sommerfeld A. (1904a). Zur Elektronentheorie: 1. Allgemeine Untersuchung des Feldes einer beliebig bewegten Ladung; 2. Grundlagen für eine allgemeine Dynamik des Elektrons, *Nachr. der Kgl. Ges. der Wiss. Göttingen, Math.-Phys. Klasse*, 99–130, 363–469.
- (1904b). Grundlagen für eine allgemeine Dynamik des Elektrons, *Göttinger Nachr.*, 363–439.
- (1904c). Simplified deduction of the field and the forces of an electron, moving in any given way, *Proc. R. Acad. Amsterdam* **7**, 346–67.
- (1905). Über Lichtgeschwindigkeits- und Überlichtgeschwindigkeits-Elektronen, *Göttinger Nachr.*, 201–35. Reprinted in *Gesammelte Schriften*, II, 148–82.
- (1968). *Gesammelte Schriften, Band I–IV*, edited by F. Sauter. Braunschweig: Vieweg.
- Sparnaay M. J. (1958). Measurement of attractive forces between flat plates, *Physica* **24**, 751–64.
- Spohn H. (1976). An algebraic condition for the approach to equilibrium of an open N -level system, *Lett. Math. Phys.* **2**, 33–8.
- (1978). Derivation of the transport equation for electrons moving through random impurities, *J. Stat. Phys.* **60**, 277–90.
- (1980). Kinetic equations from Hamiltonian dynamics: Markovian limits, *Rev. Mod. Phys.* **53**, 569–615.
- (1987). Effective mass of the polaron: a functional integral approach, *Ann. Phys.* **175**, 278–304.
- (1988). The polaron at large total momentum, *J. Phys. A* **21**, 1199–211.
- (1989). Ground state(s) of the spin-boson Hamiltonian, *Comm. Math. Phys.* **123**, 277–304.
- (1991). *Large Scale Dynamics of Interacting Particles*. Berlin: Springer.
- (1997). Asymptotic completeness for Rayleigh scattering, *J. Math. Phys.* **38**, 2281–96.
- (1998). Runaway charged particles and center manifolds, unpublished manuscript.
- (2000a). The critical manifold of the Lorentz–Dirac equation, *Europhys. Lett.* **50**, 287–92.
- (2000b). Semiclassical limit of the Dirac equation and spin precession, *Ann. Phys.* **282**, 420–31.
- Spohn H. and Teufel S. (2001). Adiabatic decoupling and time-dependent Born–Oppenheimer theory, *Comm. Math. Phys.* **224**, 113–32.
- Srinivas M. D. and Davies E. B. (1981). Photon counting probabilities in quantum optics, *Optica Acta* **28**, 981–96.
- Stephas P. (1992). Analytic solutions for Wheeler–Feynman interaction, *J. Math. Phys.* **33**, 612–24.
- Taylor J. H. (1994). Binary pulsars and relativistic gravity, *Rev. Mod. Phys.* **66**, 699–710.
- Teitelbom C., Villarroel D. and van Weert Ch. G. (1980). Classical electrodynamics of retarded fields and point particles. *Rev. Nuovo Cim.* **3**, 1–64.
- Templin, J. (1999). Radiation reaction and runaway solutions in acoustics, *Am. J. Phys.* **67**, 407–13.
- Teufel S. (2001). A note on the adiabatic theorem without gap condition, *Lett. Math. Phys.* **58**, 261–6.

- (2002). Effective N -body dynamics for the massless Nelson model and adiabatic decoupling without spectral gap, *Ann. H. Poincaré* **3**, 939–65.
- (2003). *Adiabatic Perturbation Theory in Quantum Dynamics*. Springer Lecture Notes in Mathematics, vol. 1821. Berlin: Springer.
- Teufel S. and Spohn H. (2002). Semiclassical motion of dressed electrons, *Rev. Math. Phys.* **14**, 1–28.
- Thirring W. (1958). *Principles of Quantum Electrodynamics*. New York: Academic Press.
- (1997). *Classical Mathematical Physics, Dynamical Systems and Field Theory*, 3rd edition. New York: Springer.
- (2002). *Quantum Mathematical Physics, Atoms, Molecules, and Large Systems*, 2nd edition. New York: Springer.
- Thomas L. H. (1926). The motion of the spinning electron, *Nature* **117**, 514–21.
- (1927). On the kinematics of an electron with an axis, *Phil. Mag.* **3**, 1–22.
- Thomson J. J. (1881). On the electric and magnetic effects produced by the motion of electrified bodies, *Phil. Mag.* **11**, 229–49.
- (1897). Cathode rays, *Phil. Mag.* **44**, 294–316.
- Ullersma P. (1966). An exactly solvable model for Brownian motion, *Physica* **32**, 27–55, 56–73, 74–89, 90–6.
- Unruh W. G. and Zurek W. H. (1989). Reduction of a wave packet in quantum Brownian motion, *Phys. Rev. D* **40**, 1071–94.
- Valentini A. (1988). Resolution of causality violation in the classical radiation reaction, *Phys. Rev. Lett.* **61**, 1903–5.
- Van der Waerden B. L. (1908). *Sources of Quantum Mechanics*. New York: Dover.
- Vlasov A. A. (1961). *Many-Particle Theory and its Applications to Plasma Physics*. New York: Gordon and Breach.
- Vollhardt D. and Wölfle P. (1980). Diagrammatic, self-consistent treatment of the Anderson localization in $d \leq 2$ dimensions, *Phys. Rev. B* **22**, 4666–79.
- Weiss U. (1999). *Quantum Dissipative Systems*. Singapore: World Scientific.
- Weisskopf V. and Wigner E. (1930). Berechnung der natürlichen Linienbreite auf Grund der Diracschen Lichttheorie, *Z. Physik* **63**, 64–73.
- Weitz M., Huber A., Schmidt-Kaler F., Leibhold D. and Hänsch T.W. (1994). Precision measurement of the hydrogen and deuterium 1S ground state Lamb shift, *Phys. Rev. Lett.* **72**, 328–31.
- Welton T. A. (1948). Some observable effects of the quantum-mechanical fluctuations of the electromagnetic field, *Phys. Rev.* **74**, 1157–67.
- Wheeler J. A. (1998). *Geons, Black Holes, and Quantum Foam* (with K. Ford). New York: W. W. Norton.
- Wheeler J. A. and Feynman R. P. (1945). Interaction with the absorber as the mechanism of radiation, *Rev. Mod. Phys.* **17**, 157–81.
- (1949). Classical electrodynamics in terms of direct interparticle action, *Rev. Mod. Phys.* **21**, 425–33.
- Wildermuth K. (1955). Zur physikalischen Interpretation der Elektronenselbstbeschleunigung, *Z. Naturf.* **10a**, 450–9.
- Will C. M. (1999). Gravitational radiation and the validity of general relativity, *Physics Today*, October, 38–43.
- Yaghjian A. D. (1992). *Relativistic Dynamics of a Charged Sphere*. Lecture Notes in Physics m11. Berlin: Springer.
- Yajima K. (1992). The quasi-classical approximation to the Dirac equation, *J. Fac. Sci. Univ. Tokyo Sect. IA Math.* **29**, 161–94.
- Zahn C. T. and Spees A. A. (1938). An improved method for the determination of the specific charge of beta-particles, *Phys. Rev.* **35**, 357–64.