October 1967

Vol. LXXXI No. 10

The Journal of Laryngology and Otology

EDITED BY G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

Contents

The Chronic Ear: Renewed Argument	R. Thomas	1071
Disease of the Ear, Nose and Throat in Tropical		
Africa: A Uganda Survey	J. A. M. MARTIN	1079
Chronic Ear Disease in the State of Orissa	G. N. DAS	1099
"Blow-Out" Fractures of the Orbit: An Investiga-		
tion into their Anatomical Basis	D. E. P. JONES	
	and J. N. G. EVANS	1109
Rehabilitation of Voice after Recurrent Laryngeal		
Nerve Paralysis using Teflon Suspension .	J. SIEGLER	II2I
A Neurological Disorder Preceding Hodgkin's		
Sarcoma	J. T. BUFFIN	1131
Intranasal Ionization in the Treatment of Vaso-		
motor Nasal Disorders	C. D. WEIR	II43
Clinical Records—		

Anaplastic Epidermoid Carcinoma of an Aberrant Salivary Gland

Balloon Technique for Treatment of Frontal Sinus Fractures

Laryngocele . . .

L. PODOSHIN and M. M. ALTMAN	1157
B. S. MEHTA	57
and M. K. BHARGAVA	1163
T. RAMADASS	1171
R R RRADSHAW	TTOO

L. H. HIRANANDANI and G. K. HIRANANDANI 1151

Headley Brothers Ltd Ashford, Kent

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthly, 12/6 net post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Editorial communications may be addressed to THE EDITOR, Journal of Laryngology, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

7. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.


8. Single copies will be on sale at 125. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 75. 6d. each.

9. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this Journal may be sent through local booksellers, or to STECHERT-HAPNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

O Journal of Laryngology and Otology, 1967



2 Shepherd St, Shepherd Market, London W1. HYD 9041 Branches throughout Great Britain

the longest beard

belonged to Jules Dumont who was born in France in 1856. It was said to be 11 ft $11\frac{1}{2}$ ins in length.

for the longest-lasting gentlest relief of nasal congestion




Basic NHS prices: 0.1% Spray and Drops. $\frac{1}{2}$ fl.oz. 3s 4d. Paediatric 0.05% drops 10 ml. 3s 0d. Full information available on request.



AMPLIVOX

FOR CLINICAL AUDIOMETRY



Audiometer Booths

prefabricated to ensure correct acoustic environment for threshold audiometry, research, etc. Available in standard and special sizes.

Manual Audiometers

with narrow band masking for highest accuracy and extended resolution. Battery-operated transistor models also available.



Automatic Audiometers

As exclusive U.K. distributors we are able to offer Rudmose Self-Recording Audiometers from the most simple to the most comprehensive Diagnostic Békésy Audiometer illustrated.

Calibration Service, Screening, Speech & Industrial Audiometers

Please write for technical literature to meet your needs





THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$18.00 per year Foreign \$19.00 per year

Established 1896

Theodore E. Walsh, M.D. Editor

517 SOUTH EUCLID AVENUE SAINT LOUIS MO. 63110.

WHEN A HEARING AID IS RECOMMENDED ONLY AMPLIVOX OFFERS THIS HEARING AID SERVICE

The design and manufacture of a complete range with individual fitting facilities.
Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox.
Highest degree of training of any hearing aid organisation. Master Hearing Aid evaluations.
Expert follow-up and rehabilitation advice.
14 branch offices with while-you-wait service.

FOR YOUR PATIENTS' GREATEST SATISFACTION SPECIFY AMPLIVOX



AMPLIVOX HEARING ADVISORY SERVICE 80 NEW BOND STREET LONDON, W.1 TEL: 01-493 9888

Specifically designed for you and your patients. Precision-engineered, functionally-built equipment for the Ear, Nose and Throat and other Specialists.

S.M.R. keeps you and your patients' comfort and satisfaction in mind. Whatever your needs . . . whether they be for one unit or a completely equipped treatment room, you are assured of the finest . . . a room that reflects professional good taste.




Picture shows what can be done with small treatment room areas. The rooms are complete from the compact treatment unit to the physician's stool. Yet, this equipment fits easily and functionally into a small area. This is just one of many room arrangements available from S.M.R.




Please mention The Journal of Laryngology and Otology when replying to advertisements


vi




Please mention The Journal of Laryngology and Otology when replying to advertisements



Please mention The Journal of Laryngology and Otology when replying to advertisements



Please mention The Journal of Laryngology and Otology when replying to advertisements



Please mention The Journal of Laryngology and Otology when replying to advertisements

all clear


in sinusitis, otitis media and coryza

'Triogesic' provides decongestion with analgesia.

	TABLETS	ELIXIR
Revised Formula	scored (per tablet) Phenylpropanolamine-HCl 12.5 mg. Paracetamol B.P. 500 mg.	cherry flavoured (per 5 ml.) Phenylpropanolamine-HCl 3 mg. Paracetamol B.P. 125 mg. Alcohol (S5%) 0.5 ml.
Packs	tubes of 30	bottles of 8 and 20 fl. oz.
Basic N.H.S. Price	3/6d. for 30 tablets	5/10d. for 8 fl. oz.

Literature and sample on request. A. Wander Ltd., 42 Upper Grosvenor Street, London W.1





The new Mackie post-aural hearing aid is made in several different circuit versions so that the gain and frequency response can be selected to match the patient's needs; and it is available where required with a unique form of automatic volume control which has proved highly successful in cases of recruitment. The forward pick-up microphone gives maximum intelligibility of speech without background interference.

It is exported to many countries including the United States of America–a tribute to its high quality and advanced design.

In Great Britain it is available for trial by your patients from *independent* hearing aid dealers in all parts of the country.

MANUFACTURED BY A. G. R. MACKIE LTD. A member of the Bonochord Group of Companies FOR FURTHER DETAILS WRITE TO 48 WELBECK STREET, LONDON WI

Why is **Penbritin** the safer antibiotic in Paediatrics? Upper Respiratory Tract Infections

As you may recall doctor, last time we discussed Penbritin in Skin and Soft Tissue Infections and Otitis Media.

Yes, I remember that. Could we talk today about Penbritin in, say, throat infections? Certainly doctor. Most doctors I visit, consider that these conditions are usually streptococcal. However, many of them find that mixed infections, involving coliforms or Haemophilus as well, do occur—and of course it's not easy to be sure of the cause without the help of a bacteriologist. This is where broadspectrum antibiotics come into their own. I realise this, but just how effective is Penbritin in simple streptococcal infections?

Exceedingly effective.

More effective clinically than other broad-spectrum antibiotics?

Well, a recent comparative trial of Penbritin and tetracycline syrups in children's infections, concluded that "The results in the ampicillin treated cases were generally more satisfactory than in the tetracycline treated group ..."¹

What is meant by 'more satisfactory'?

86% of the Penbritin patients responded within 7 days, whereas only 61% of the tetracycline patients responded in that time.

Were any reasons given for this?

It was thought that the results probably reflected the greater activity of Penbritin against the organisms associated with respiratory infections. Well, Penbritin certainly seems to have had the edge in that trial.

And, of course, Penbritin is the safer broad-spectrum antibiotic for children, particularly if high or prolonged dosage is necessary.

Yes, I remember you mentioning that during one of our earlier discussions. And by the way, children do seem to like the syrups.

Perhaps next time I call we could talk about Penbritin in the treatment of lower respiratory tract infections such as bronchitis and pneumonia.

Yes. That should be an interesting discussion.

Published trials[†] in this country and throughout the world endorse the effectiveness of Penbritin in a wide range of indications, including:

Acute Tonsillitis · Laryngitis · Bronchitis Otitis Media · Wound Infections · Impetigo Pneumonia · Carbuncles Cellulitis · Furunculosis · Erysipelas Recurrent Cystitis · Pyelonephritis

Children's Dosage:

Under 2 years: 62.5-125 mg. four times daily, before meals. 2-10 years: 125-250 mg. four times daily, before meals.

Availability: Penbritin (ampicillin B.P.) Paediatric Tablets containing 125 mg. Capsules 250 mg. and 500 mg. Syrup 125 mg./5 ml. teaspoonful Syrup Forte 250 mg./5 ml. teaspoonful I.M. injections 100 mg., 250 mg. and 500 mg.

Contra-Indication: Penicillin allergy. 1. Brit. J. clin. Pract., (1966), **20**, 361. †A full list of references is available on request.





Penbritin (Regd.) is a product of British research at Beecham Research Laboratories Brentford, England originators of the new penicillins



WHEN RECOMMENDING A HEARING AID WHY MULTITONE?

Because as well as a complete range of hearing aids, to suit all types of deafness, Multitone cater for the specialised needs of those patients who suffer from physical handicaps which preclude them from using normal hearing aids.

For spastic and thalidomide children, special fitting devices have been developed in conjunction with ENT Specialists.

For the very elderly, Electronic Ear Trumpets and Communicators considerably ease the problem of communication.

If you would like to know more about these devices or if you have any fitting problems — please write or telephone us.



A 5 year old boy wearing a Multitone spastic fitting device.

MULTITONE Underwood St., London, N.1. Tel. 01-253 8022

Members of the newly formed Hearing Aid Industry Association

ORBENIN and its success in Gram-Positive Infections

Otitis media Otitis externa

Boils Carbuncles Infected dermatoses

Pneumonia Lung abscess Acute bronchitis

Osteomyelitis Osteitis

Tonsillitis Pharyngitis

Post-operative wound infections Burns Skin graft protection

Septicaemia Acute endocarditis

Availability.

Staphylococcal enterocolitis Staphylococcal urinary tract infections Staphylococcal meningitis

CINER

Statistics.

BENIN (closed/lin sodium 8.P.) is Denicillin sotive against virtually all impositive organisms, including mohylococci, 3-haemolytic streptococci and oneumococci, intespective of their matance to other antibiotics.

The encouraging that the widespread are of Orbenin in hospitals has not exulted in the emergence of resistant trains.


Note than 300 references in the World Relative testify to the excellent clinical soulds obtained with Orbenin in a wide where of Gram-positive infections.

iled inerature is available on request

BRI DS://doi.org/10.10

Orbenin (cloxacillin sodium B.P.)(regd.) is a product of British research at Beecham Research Laboratories Brentford, England. Telephone : ISLeworth 4111

ZEISS Operation Microscope II with Zoom focusing and Zoom optical system



A revolutionary step in the design of surgical microscopes, giving complete foot-button control of—

- a Motorised height adjustment of the rollable stand.
- b Motorised fine focussing upwards and downwards
- c Motorised pancratic zoom system giving continuous magnification range 5x to 25x (with the zoom objective 200 mm and 12.5x oculars)

Accessories include Observation Tubes, Camera Attachments and Oculars for spectacle wearers.

Full details from Carl Zeiss at Degenhardt & Co. Ltd., 20/22 Mortimer Street, London, W.1 01-636 8050 (15 lines)





imed-release tablets, each containing incohorder, 25 mg. of mepyramine naleate B.P. and 25 mg. of pheniranine maleate, in packs of 50 at a vasic N.H.S. price of 5s. $9\frac{1}{2}d$.

For children, and for adults who prefer the liquid form, Triominic is available as an orange-flavoured Syrup at a basic N.H.S. price of 2s. 2d. for 4 fl. oz.

Detailed literature and sample available on request **I. WANDER LIMITED, 42 UPPER GROSVENOR STREET, LONDON W.1.**

M450

ADVERTISEMENTS

xviii



For advertisement space in this Journal apply to HEADLEY BROTHERS LTD. 109 Kingsway London WC2



HYDRAULIC FOOT OPERATING CHAIR STOOL



Hydraulic, Foot Operated

Adjustable Height 24 to 33 inch

Adjustable Back Rest

Foot Operated Brake

Foot Rail

Maximum Manœuverability

Can be elevated and locked by Surgeon whilst seated

This chair-stool is of special value in prolonged operations such as stapedectomy and ophthalmic surgery

BELMONT E.N.T. HYDRAULIC EXAMINATION CHAIR Model No. 105S

Small and elegant, this chair is heavily sprung and padded with foam rubber, fully revolving and locking by upward pressure on the foot-pedal. Raises and lowers by smooth foot-pedal action, easy finger-tip back reclining handles. Upholstered in Red or Black first-grade Vinyl.

Dimensions:

Height: 3 ft. Seat Height: 1 ft. 6 in. Outside width: 2 ft. 3 in. Raises: $6\frac{1}{2}$ in. Reclining depth: 4 ft. 1 in.



DOWN BROS. AND MAYER & PHELPS LTD CHURCH PATH, MITCHAM, SURREY, ENGLAND

In Canada

410 Dundas Street West, Toronto, 2B, Canada



'Otosporin' rapidly destroys virtually all bacteria commonly found in ear infections. reduces irritation, inflammation and pain. 'Otosporin' brand Drops contain polymyxin B sulphate, neomycin sulphate and hydrocortisone in a bland suspension designed to facilitate penetration. Issued in bottles of 5 ml.



Full information is available on request.



🛌 Burroughs Wellcome & Co. London (The Wellcome Foundation Ltd.)