#### **C**AMBRIDGE

### **JOURNALS**



# Chinese Journal of Agricultural Biotechnology

#### **Chinese Journal of Agricultural** Biotechnology

is available online at: http://journals.cambridge.org/cja

#### To subscribe contact **Customer Services**

#### in Cambridge:

Phone +44 (0)1223 326070 Fax +44 (0)1223 325150 Email journals@cambridge.org

#### in New York:

Phone +1 (845) 353 7500 Fax +1 (845) 353 4141

subscriptions\_newyork@cambridge.org

#### Editor-in-Chief

R. Hull, John Innes Centre, UK

Chinese Journal of Agricultural Biotechnology brings cutting-edge Chinese research to an international audience. The journal takes the very best papers published in Chinese in the Journal of Agricultural Biotechnology, translates them and makes them available to the international scientific community.

### Price information is available at: http://journals.cambridge.org/cja

#### Free email alerts

Keep up-to-date with new material - sign up at http://journals.cambridge.org/alerts

For free online content visit: htp://journals.cambridge.org/cja



## Instructions to contributors

Full Directions to Contributors, of which this is a summary, can be found at the following web site http://titles.cambridge.org/journals/journal\_catalogue.asp?mnemonic=dar

#### General

The Journal of Dairy Research publishes reports on all aspects of dairy science from any country. Material for publication should be sent to the Editor: DG Chamberlain, Hannah Research Park, Mauchline Road, Ayr KA6 5HL, UK. Receipt of all material will be acknowledged. Submission of a paper will be taken to imply that it reports original unpublished work, that it is not under consideration elsewhere, and that if accepted by the Journal it will not be published elsewhere in any language without the consent of the Editors. Authors of articles published in the journal assign copyright to Cambridge University Press (with certain rights reserved) and you will receive a copyright assignment form for signature on acceptance of your paper.

#### **Submission of Papers**

Papers should be written in English using the spelling of the Concise Oxford Dictionary and should as far as possible be comprehensible to the non-specialist reader. They should be concise, but without omitting necessary material, and contain sufficient detail to allow repetition of the work.

Papers may be submitted electronically. The summary should be included as a separate Word file suitable for distribution to potential referees. Electronic submissions may be sent by post on disc or as e-mail attachments (jdr@hannahresearch.org.uk) and may be as a Word document or an Adobe Acrobat file. Submitted manuscripts must be limited in length to a maximum of 5000 words allowing 250 words per fig or table. This is approximately the equivalent of a Word document of 18 A4 pages of doublespaced 12pt Times New Roman font.

#### **Layout of Papers**

Authors should consult the most recent issue of the Journal to familiarize themselves with Journal conventions and layout. Attention to these and other details will speed publication.

The paper should generally be divided as follows. (a) Cover sheet with the title of the article, names of authors each with one forename, together with their affiliations, a shortened version of the title suitable as a heading, and the name, postal address and e-mail address for correspondence. (b) A brief Summary should encapsulate the whole paper, showing clearly the new knowledge acquired. (c) The **introduction**, without heading, should not contain a full literature review, but should indicate why the subject of enquiry is interesting or important, and why the authors have chosen the approach described. (d) The Experimental or Materials and Methods section should contain adequate descriptions of procedures or appropriate references; sources of all materials (including address with post code) and sources or strains of animals, microorganisms and so on should be indicated. (e) Results should be as concise as possible, without repetition or inclusion of irrelevant material. Tables and illustrations should be used efficiently. (f) The Discussion should not repeat the results but discuss their significance. A combined Results and Discussion section is quite acceptable. Any acknowledgements are given in a separate paragraph without heading. It is the responsibility of the authors to ensure that individuals or organizations acknowledged as providing materials or otherwise are willing to be identified. (g) References. For some types of paper, other divisions may be preferable. Pages should be numbered; the addition of line numbers will aid refereeing.

#### References

References should be given in the text as Brown & Jones (1987) or (Schmidt, 1985; Nakamura et al. 1989); the first author with et al. is used for papers with three or more authors. Where necessary, papers are distinguished as Lenoir (1988a), (Litov et al. 1990a, b). When several references appear together in the text, cite them in chronological order, and alphabetically within years. The Reference list at the end of the paper, which should begin on a fresh page, is given in strict alphabetical order. Authors should refer to a recent issue for the format of references.

#### **Tables**

Tables should be numbered and carry headings enabling them to be understood without reference to the text. Each Table should be typed on a separate sheet. Symbols for footnotes should be in the order: +, +, +, +, +, etc. The use of +, +, etc, should be limited to indicating levels of significance.

#### Illustrations

Printed originals of figures and photographs should be provided as best possible quality. Figures such as graphs must be supplied in an editable file format, such as Excel. The use of bar graphs and histograms should be restricted, as the information can often be better presented in a table. In the presentation of results, experimental points should be indicated by symbols, used in order:  $\bigcirc$ ,  $\bigcirc$ ,  $\triangle$ ,  $\triangle$ ,  $\bigcirc$ ,  $\bigcirc$ ,  $\times$ , +. Scale marks should be on the inside of the axes. Each Figure should be provided with a legend such that with the Figure it is comprehensible without reference to the text. Figure legends should be typed on a separate sheet or sheets, beginning Fig. 1.

Photographs should be glossy black and white prints accompanied by a legend as above. Scale bars on the photograph should be used, not magnifications in the legend. Colour plates can be included but these will normally result in a charge to the authors. Uncompressed electronic copies (e.g. TIFF files) may also be supplied.

#### **Statistical Treatment**

Individual results should not normally be given. The methods of statistical analysis should be clearly described; a suitable reference is adequate. Authors should make it clear whether they are quoting (e.g.) SD or SE. Any statement that two groups of values are different should be supported by the level of significance involved, as a single or range of P value: (P = 0.008) or (P < 0.01). Differences should not be claimed or implied if P > 0.05.

#### **Ethics of Experiments**

Authors are expected to adhere to the relevant codes covering human subjects and the use of animals.

#### Proofs

Authors will be advised when to expect proofs, which should be returned without delay to the appropriate editor. Proofs are sent for the correction of any printer's or editorial errors, not for addition of new material or revision of the text. Excessive alteration may have to be disallowed or made at the authors' expense, and may delay publication. Order forms for offprints are sent with proofs and should be returned directly to The Cambridge University Press.

## journal of dairy research

Volume 76 Number 3 August 2009

#### **Original Articles**

| Milk concentration of the mammalian lignan enterolactone, milk production, milk fatty acid profile, and digestibility in dairy cows fed diets containing whole flaxseed or flaxseed meal   |         |
|--|---------|
| HV Petit, N Gagnon, PS Mir, R Cao and S Cui  | 257-264 |
| Evaluation of different primers for PCR-DGGE analysis of cheese-associated enterococci  PM Lorbeg, AC Majhenič and I Rogelj  Nill for the state of t | 265-271 |
| Milk flow-controlled changes of pulsation ratio and pulsation rate affect milking characteristics in dairy cows  |         |
| S Ambord and RM Bruckmaier   | 272-277 |
| Conjugated linoleic acid (CLA) and fatty acid composition of milk, curd and Grana Padano cheese in conventional and organic farming systems  A Prandini, S Sigolo and G Piva   | 278-282 |
| Influence of somatic cell counts and breed on physico-chemical and sensory characteristics of hard ewes'-milk cheeses  | 000 000 |
| I Revilla, MA Lurueña-Martínez and AM Vivar-Quintana  Comparison of the level of residual coagulant activity in different cheese varieties   | 283-289 |
| N Bansal, PF Fox and PLH McSweeney   | 290-293 |
| Effect of high-pressure homogenisation on rheological properties of rennet-induced skim milk and standardized milk gels  |         |
| K Lodaite, F Chevalier, E Armaforte and AL Kelly   | 294-300 |
| Seasonal changes in the technological and compositional quality of ewe's raw milks from commercial flocks under part-time grazing  |         |
| Al Nájera, LJR Barron, P Ribeiro, F Pělissier, E Abilleira, FJ Pérez-Elortondo, M Albisu,<br>J Salmerón, JC Ruiz de Gordoa, M Virto, L Oregi, R Ruiz and M de Renobales  | 301-307 |
| Comparison of the activity of human and bovine milk on two cell lines  C Pocoví, C Conesa, C Barbana, MD Pérez, M Calvo and L Sánchez  | 308-316 |
| Bifidogenic effect and stimulation of short chain fatty acid production in human faecal slurry cultures by oligosaccharides derived from lactose and lactulose  A Cardelle-Cobas, M Fernández, N Salazar, C Martínez-Villaluenga, M Villamiel,   |         |
| P Ruas-Madiedo and CG de los Reyes-Gavilán   | 317-325 |
| Prediction of total quarter milk somatic cell counts based on foremilk sampling  O Wellnitz, MG Doherr, M Woloszyn and RM Bruckmaier   | 326-330 |
| Long-term effects on heifer performance of an enhanced-growth feeding programme applied during the preweaning period   | 331-339 |
| M Terré, C Tejero and A Bach Administration of a live culture of <i>Lactococcus lactis</i> DPC 3147 into the bovine mammary gland  | 331-339 |
| stimulates the local host immune response, particularly $IL-1\beta$ and $IL-8$ gene expression<br>C Beecher, M Daly, DP Berry, K Klostermann, J Flynn, W Meaney, C Hill, TV McCarthy,  |         |
| RP Ross and L Giblin Influence of the emulsion droplet type on the rheological characteristics and microstructure of   | 340-348 |
| rennet gels from reconstituted milk  Z Gaygadzhiev, A Hill and M Corredig  | 349-355 |
| Cell population, viability, and some key immunomodulatory molecules in different milk somatic cell   |         |
| samples in dairy cows  A Baumert, RM Bruckmaier and O Wellnitz   | 356-364 |
| Electronic Nose analysis of milk from cows grazing on two different Alpine vegetation types L Falchero, G Sala, A Gorlier, G Lombardi, M Lonati and G Masoero  | 365-371 |
| Supplementing dairy steers and organically managed dairy cows with synthetic vitamin D <sub>3</sub> is unnecessary at pasture during exposure to summer sunlight   | 070 070 |
| L Hymøller, SK Jensen, H Lindquist, B Johansson, MO Nielsen and E Nadeau   | 372-378 |
| Goat whey fermentation by <i>Kluyveromyces marxianus</i> and <i>Lactobacillus rhamnosus</i> release tryptophan and tryptophan-lactokinin from a cryptic zone of alpha-lactalbumin  V Hamme, F Sannier, J-M Piot and S Bordenave-Juchereau  | 379-383 |
|  |         |

Cambridge Journals Online
For further information about this journal please go to the journal website at:
journals.cambridge.org/dar



