THE

JOURNAL OF HYGIENE

(Founded in 1901 by G. F. H. Nuttall, F.R.S.)

EDITED BY

E. T. C. SPOONER, M.D. PROFESSOR OF BACTERIOLOGY AND IMMUNOLOGY IN THE UNIVERSITY OF LONDON

ANI

R. I. N. GREAVES, M.D. READER IN BACTEBIOLOGY IN THE UNIVERSITY OF CAMBRIDGE

IN CONJUNCTION WITH

W. I. B. BEVERIDGE, D.V.Sc., M.A. Professor of Animal Pathology in the University of Cambridge

A. W. DOWNIE, M.D. Professor of Bacteriology in the University of Liverpool

J. O. IRWIN, M.A., D.Sc., Sc.D., F.S.S. Of the Medical Research Council's Statistical Research Unit, London School of Hygiene and Tropical Medicine

Sir WILSON JAMESON, G.B.E., K.C.B., M.D., F.R.C.P., D.P.H. Some time Chief Medical Officer, Ministries of Health and Education


G. S. WILSON, M.D., F.R.C.P., D.P.H. Director, Public Health Laboratory Service (Medical Research Council)

A. FELIX, D.Sc., F.R.S. Director, Central Enteric Reference Laboratory and Bureau, Public Health Laboratory Service (Medical Research Council), London



CAMBRIDGE UNIVERSITY PRESS LONDON: BENTLEY HOUSE, N.W. 1 NEW YORK: 32 EAST 57TH STREET, 22

Price Twenty-two Shillings and Sixpence net,



published for

*

4 parts

20s. each

*

Telephone: EUSton 4282. Telegrams: Publicavit: Westcent: London Business hours: 9 a.m. to 5 p.m. Saturdays to 1 p.m. Established 1844 MUANNEL

Nodial

https://doi.org/10.1017/S0022172400019367 Published online by Cambridge University Press

JOURNAL OF HYGIENE

Owing to the increased cost of production, the Cambridge University Press find it necessary to increase the price of the Journal of Hygiene, commencing with Volume 50, to $\pounds 4$ per volume (post free) payable in advance; or 22s. 6d. net for a single number plus postage. Orders should be placed with your Bookseller or Agent or alternately with the Cambridge University Press, 200 Euston Road, London, N.W. 1

Orders and enquiries from subscribers in the U.S.A. should be addressed to Cambridge University Press, American Branch, 32 East 57th Street, New York 22, N.Y.

Orders sent direct to the Publishers should be accompanied by a remittance.

If you have already placed your order for this volume, kindly confirm it at the increased price.

MICROSCOPICAL STAINS AND REAGENTS

Chosen on merit for exhibition at The Festival of Britain 1951 (Dome of Discovery)

Acridine Yellow Auramine, O Azo Carmine Azur 1, 2, A, B, C & L Azur, A, B & C Eosinates Brom Phenol Red Cedarwood Oil Cresyl Fast Violet

- Eosin Azur Evan's Blue Field's Stain Giemsa Stain Haematoxylin Isamine (Pyrrol) Blue Janus Green. B Lacmoid Stains and Reagents for Fluorescence Microscopy
 - Leishman Stain Mannitol May-Grunwald Stain Methyl Red Night Blue Nile Blue Purpurin Rosolic Acid
- Sudan Black B Sudan Blue Thioflavine, T Thionin **Toluidine Blue** Trypan Red Vital Red Wright's Blood Stain

Uniform high quality. Reliability. Immediate delivery

EDWARD GURR, LTD.


42 UPPER RICHMOND ROAD, EAST SHEEN, LONDON, S.W. 14 Telephones: Prospect 8051 & 7606 Cables: Micromlabs I ondon

Price lists on application

Now ready: "Microscopic Staining Techniques" No. 1 (24 pages) 1s. 6d.,

No. 2 (62 pages) 3s. 6d., No. 3 (64 pages) 3s. 6d.

See our exhibit British Industries Fair, Stand C.2, Olympia, London, May 5-16th.



Hygiene Vol. 50, No. 1



Items from the range of

LABORATORY PREPARATIONS



) Wilson & Blair (modified) Bismuth Sulphite Agar Medium. For the isolation and differentiation of intestinal bacilli.

OXOID Tetrathionate Broth Base. For the selective enrichment method of isolating typhoid and paratyphoid bacilli from faeces, sewage, etc. It inhibits coliform organisms and allows the S. typhosum and other members of the salmonella group to grow almost unrestrictedly.



MacConkey Agar. A differential solid medium for enteric and coliform organisms.



) Test Tube Caps. An improvement on cotton wool for closing Test Tubes. Can be used repeatedly and ensure sterility for long periods. Plain or in eight colours to fit $\frac{1}{2}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ " and 1" rimless test tubes.

ÓXOID

Laboratory Preparations are obtainable from any Laboratory Supplier or direct from

OXO Limited, Medical Dept, Thames House, London, E.C.4

Telephone : Central 9781