INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, http://www.editorialmanager.com/psm/. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

- 1. S.I. units should be used throughout in text, figures and tables.
- 2. Authors should spell out in full any abbreviations used in their manuscripts.
- 3. Foreign quotations and phrases should be followed by a translation.
- If necessary, guidelines for statistical presentation may be found in: Altman DG, Gore SM, Gardner MJ & Pocock SJ (1983). Statistical guidelines for contributors to medical journals. British Medical Journal 286, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* 32, 173–179.
Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In Olfaction and the Brain (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank. org/INTPAH/ Resources/Publications/Quantitative-Techniques/health.eq tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour mode:** CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

EDITORIAL		Movement disorders are asso
The place of implementation science in the translational medicine continuum		siblings of patients with non-a Koning JP, Tenback DE, Kahn F
Thornicroft G, Lempp H & Tansella M	2015	Cognitive distortions in an act an investigation of predictive
ORIGINAL ARTICLES		Daniels JK, Hegadoren K, Coup
Co-morbidity between major depressive disorder and anxiety disorders: shared etiology or direct causation?		& Lanius RA
Mathew AR, Pettit JW, Lewinsohn PM, Seeley JR & Roberts RE	2023	A randomized, double-blind, and tolerability of sertraline in stress disorder
A longitudinal etiologic model for symptoms of anxiety and depression in women		Panahi Y, Rezazadeh Moghadd
Kendler KS & Gardner CO	2035	Beiraghdar F, Karami G & Sadaa
Co-occurrence of anxiety and depression amongst older adults in low- and middle-income countries: findings from the 10/66 study		Noradrenergic-glucocorticoid encoding in the human hippo
Prina AM, Ferri CP, Guerra M, Brayne C & Prince M	2047	Kukolja J, Klingmüller D, Maier \
Factors associated with symptoms of anxiety and depression in five cohorts of community-based older people: the HALCyon (Healthy Ageing across the Life Course) Programme		Olanzapine versus placebo fo Attia E, Kaplan AS, Walsh BT, G & Wang Y
Gale CR, Aihie Sayer A, Cooper C, Dennison EM, Starr JM, Whalley LJ, Gallacher JE, Ben-Shlomo Y, Kuh D, Hardy R, Craig L, Deary IJ & the HALCyon Study Team	2057	Agouti-related protein in patie anorexia nervosa Merle JV, Haas V, Burghardt R,
Predicting the onset of major depression in primary care: international validation of a risk prediction algorithm from Spain		& Ehrlich S
Bellón JÁ, de Dios Luna J, King M, Moreno-Küstner B, Nazareth I,		In utero exposure to virus infe anorexia nervosa
Montón-Franco C, GildeGómez-Barragán MJ, Sánchez-Celaya M, Díaz-Barreiros MÁ, Vicens C, Cervilla JA, Švab I, Maaroos H-I, Xavier M,		Favaro A, Tenconi E, Ceschin L,
Geerlings MI, Saldivia S, Gutiérrez B, Motrico E, Martínez-Cañavate MT, Oliván-Blázquez B, Sánchez-Artiaga MS, March S, del Mor Muñaz Correir M. Vázzur Jaz Madrago A. Marchag, Parel P.		Latent class analysis of co-m Survey in England 2007: impli
del Mar Muñoz-García M, Vázquez-Medrano A, Moreno-Peral P & Torres-González F	2075	Weich S, McBride O, Hussey D
Citalopram plus low-dose pipamperone versus citalopram plus placebo in patients with major depressive disorder: an 8-week, double-blind, randomized study on magnitude and timing of		Do adult emotional and behave diverse childhood experience Dregan A, Brown J & Armstrong
clinical response Wade AG, Crawford GM, Nemeroff CB, Schatzberg AF, Schlaepfer T, McConnachie A, Haazen L & Buntinx E	2089	The influence of immigrant st disorder in Canada: a multi-le Menezes NM, Georgiades K & f
The nature, frequency and course of psychiatric disorders in the		
first year after traumatic brain injury: a prospective study Gould KR, Ponsford JL, Johnston L & Schönberger M	2099	BOOK REVIEWS
A neurocognitive comparison of cognitive flexibility and response		Migration and Mental Health Breslau J
inhibition in gamblers with varying degrees of clinical severity		
Odlaug BL, Chamberlain SR, Kim SW, Schreiber LRN & Grant JE	2111	The Brain and Behavior: An Ir 3rd edn
Do cannabis and urbanicity co-participate in causing psychosis? Evidence from a 10-year follow-up cohort study		Baliousis M
Kuepper R, van Os J, Lieb R, Wittchen H-U & Henquet C	2121	Correspondence
Symptomatic remission and neurocognitive functioning in patients with schizophrenia		Corrigendum
Hofer A, Bodner T, Kaufmann A, Kemmler G, Mattarei U, Pfaffenberger NM, Rettenbacher MA, Trebo E, Yalcin N & Fleischhacker WW	2131	

sociated with schizotypy in unaffected -affective psychosis RS, Vollema MG, Cahn W & van Harten PN 2141 cutely traumatized sample: e power and neural correlates upland NJ, Rowe BH, Neufeld RWJ 2149 placebo-controlled trial on the efficacy in Iranian veterans with post-traumatic ldam B, Sahebkar A, Abbasi Nazari M, laat AR 2159 id modulation of emotional memory ocampus W, Fink GR & Hurlemann R 2167 for out-patients with anorexia nervosa Gershkovich M, Yilmaz Z, Musante D 2177 ients with acute and weight-restored Döhler N, Schneider N, Lehmkuhl U 2183 fections and the risk of developing _, Zanetti T, Bosello R & Santonastaso P 2193 norbidity in the Adult Psychiatric Morbidity blications for DSM-5 and ICD-11 D, Exeter D, Brugha T & McManus S 2201 avioural outcomes vary as a function of ces of the public care system? ng D 2213 status and concentration on psychiatric level analysis Boyle MH 2221 2233 Introduction to Behavioral Neuroanatomy, 2233 2235 2238

Cambridge Journals Online please go to the journal web site at: journals.cambridge.org/psm



MIX Paper from responsible sources FSC[®] C018127



Published online by Cambridge University Press