VOL. XI.—1896.

THE

JOURNAL OF LARYNGOLOGY.

RHINOLOGY, AND OTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

PUBLISHED MONTHLY.

London:

THE REBMAN PUBLISHING COMPANY, LIMITED, Successors to F. J. REBMAN, 11, ADAM STREET, STRAND.

AMERICAN AGENTS:

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

ENTERED AT STATIONERS HALL.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by Morell Mackenzie and Norris Wolfenden.

EDITED BY

R. NORRIS WOLFENDEN, M.D. Cantab.,

JOHN MACINTYRE, M.B. Glasgow, F.R.S.E.,

DUNDAS GRANT, M.A., M.D., F.R.C.S. Eng.,

WITH THE ASSISTANCE OF

DR. SANDFORD (Cork), R. LAKE, F.R.C.S. (London),

AND WITH THE CO-OPERATION OF

Drs. Baron (Bristol), Bettman (Rome), Botey (Barcelona),

Cartaz (Paris), Bryson Delavan (New York), Dodd (Chicago),

Draisful (St. Petersburg), Grazzi (Florence), Guye (Amsterdam),

Hicquet (Brussels), Middlemass Hunt (Liverpool), Hutchison (Glasgow),

Valerius Idelson (Berne), Joal (Paris), Karwowski (Warsaw),

A. B. Kelly (Glasgow), Lacoarret (Toulouse),

Lichtwitz (Bordeaux), John N. Mackenzie (Bultimore),

Prof. Massei (Naples), Meyjes (Amsterdam), E. Meyer (Berlin),

Michael (Hamburg), Holger Mygind (Copenhagen),

Porter (St. Louis), StGeorge Reid (London), Sajous (Paris),

Sendziak (Warsaw), Sota (Seville), StClair Thomson (London),

Waggett (London), and Ziem (Dantzie).

CONTENTS.

And Approximate of the Control of th
Original Article-
Notes on the Anatomy and Pathology of the Periosteum of the Ear
AMERICAN LARNINGOLOGICAL Association.—Wright, Tubercular Infection of Lymphoid Tissue of Phayma.—Brown, Acute Diseases of Nose and Throat and Digestion.—Frenck, Chronic Diseases of the Nose and Throat—Rankin, Gunshot Wound of Pharynx.—Mackensie, Pathology of Ethmoid Disease.—Wagner, Sinusitis in Chronic Plumbism.—MacCoy, Teeth in Nose.—Colevidge, Control of Nasal Hæmorthage in Operations.—Knight, F. I., Intermittent Dysphonia Spastica.—Gleitsmann. Unusual Laryngeal Growth.—Rice, Catarrhal Laryngitis.—Roaldes, Fracture of Larynx.—Birkett. Crico. Arytenoid Arthritis.—Discussion.—The Sequelæ of Syphilis and their Treatment in Nose. Pharynx, and Larynx.—Roaldes, Branchial Fibro-Chrondroma.—Swain, Acute Lingual Tonsillitis.—Hubbard, Treatment of Acute Laryngitis and Bronchitis.—Hubbard, Epithelioma of Palate.—Bliss, Sarcoma of Nose.—Officers, &c. Pages 64 to 81
London Laryngological Society.—Morbid Growths Committee—Baron, Laryngeal Web- remon, Thyrotomy—Bond, Laryngeal Cry. Thyrotomy for Tuberculosis of Larynx. Sarcoma of Nose— lack, Laryngeal Tubercle and Frontal Sinusitis—Tilley, Frontal Sinusitis—Spicer, Pharyngo-Mycosis— Potter, Malignant Disease of Larynx—Itall, Obscure Case—Santi, New Tracheotomy Tube— Men.er, Abductor Paralysis—Semon, Retropharyngeal Abscess—Williams, Malignant Disease of Larynx Pages 81 to 92
Ambrican Laryngological, Rhinological, and Otological Society.—Pooley, The Ophthalmo cope in Ear Disease—Makuen, Defect of Speech—Curtis, Laryngo-Stroboscope and Auroscope—Holt. Unusual Mastoid Disease—Getchell, Laryngeal Vertigo—Phillips, Deviations of Septum—Operation—Richardson, Hæmorrhagic Otitis Externa—Sheppard, Hysterical Disease of Mastoid—Levy, Pharyngeal Tuberculosis—Myles, Sinusitis—Christy, Septal Ulceration—Dench, Mastoid and Intracranial Complications of Otitis Media Suppurativa—Root, Bilateral Hæmorrhage from Labyrinth
Annotations-
Von Troltsch Method of Gargling, Guye-Latent Empyema of Mastoid. Grant Pages 110 to 112
Abstracts-
Diphtheria.—Bazin, Nyulasy, Sörensen, Antitoxin
Nose.—/val, Laryngeal Congestions of Nasal Origin—Poulsson, Hydrorrhæa Nasalis—Woods Khinoplasty Pages 113. 113
Larynx.—Egidi, Laryngeal Stenoses——Lack, Operation for Malignant Disease of Larynx.— Marsh, Cicatricial Stenosis of Larynx.——Otto, Erysipelas of Larynx.——Peck, Gangrene of Ear.——Ward Laryngectomy
Ear.—Clark, Equilibrium Function of Ear.—Compaired, Acute Labyrinthidis.—Marsh, Cholestea toma of Mastoid.—Moure and Bordier, Electro-Telephonic Acoumeter.—Poulsen, Sinus Thrombosis. Temporal Abscess.—Rueda, Necrosis of Labyrinth
Reyiew— PRITCHARD—Diseases of the Ear
New Preparations— Autisyphilitic and Antityphoid Serum. Fet. Bovine Purif, Tabloids. Chloralamide and Bromide— Burroughs, Wellcome & Co. Apenta Water—Apollinaris Co
GUIDE TO ADVERTISEMENTS.
PAGE
Bullock & Co. vii.
VI.
Ingram & Royle vii., x.
nambert Pharmacal Co
Meltzer XI.
Slow Publishing Company
biater Bros. iv.

SYR. HYPOPHOS. CO., FELLOWS

CONTAINS THE ESSENTIAL ELEMENTS of the Animal Organization-Potash and Lime;

THE OXIDISING AGENTS-Iron and Manganese;

THE TONICS-Quinine and Strychnine;

AND THE VITALISING CONSTITUENT—Phosphorus: the whole combined in the form of a Syrup, with a SLIGHTI
ALKALINE REACTION.

- IT DIFFERS IN ITS EFFECTS FROM ALL ANALOGOUS PREPARATIONS; and it possesses the important preperties of being pleasant to the taste, easily borne by the stomach, and harmless under prolonged use.
- IT HAS GAINED A WIDE REPUTATION, particularly in the treatment of Pulmonary Tuberculosis, Chror Bronchitis, and other affections of the respiratory organs. It has also been employed with much success in varion nervous and debilitating diseases.
- ITS CURATIVE POWER is largely attributable to its Stimulant, Tonic, and Nutritive Properties, by means which the energy of the system is recruited.
- ITS ACTION IS PROMPT; it stimulates the appetite and the digestion; it promotes assimilation, and it enters direct into the circulation with the food products.

The prescribed dose produces a feeling of buoyancy, and removes depression and melancholy; hence TH PREPARATION IS OF GREAT VALUE IN THE TREATMENT OF MENTAL AND NERYOUS AFFECTION From the fact, also, that it exerts a double tonic influence, and induces a healthy flow of the secretions, its use indicated in a wide range of diseases.

tempted certain persons to offer imitations of it for sale. Mr. Fellows, who has examine samples of several of these, finds that no two of them are identical, and that all of the differ from the original in composition, in freedom from acid reaction, in susceptibility to the effect of oxygen when exposed to light or heat, in the property of retaining the strychnine in solution and in the medicinal effects.

As these cheap and inefficient substitutes are frequently dispensed instead of the genuin preparation, physicians are earnestly requested, when prescribing the Syrup, to write "Syr Hypophos. FELLOWS."

As a further precaution, it is advisable that the Syrup should be ordered in the original bottles (4s. or 7s.); the distinguishing marks which the bottles (and the wrappers surrounding them) bear can then be examined, and the genuineness—or otherwise—of the content thereby proved.

WHOLESALE AGENTS-

BURROUGHS, WELLCOME & CO., SNOW HILL BUILDINGS, LONDON, E.C.