



# THE BRITISH JOURNAL OF PSYCHIATRY

September 1996

Vol. 169

## Editorials

- Community psychiatry: central policy, local implementation. *J. C. O'Grady* 259  
An ethological approach to self-injury. *I. H. Jones and B. A. Daniels* 263

## Review Article

- Factitious illness by proxy (Munchausen syndrome by proxy). *C. Bools* 268

## Papers

- The benzodiazepine dependence questionnaire: development, reliability and validity. *A. J. Baillie and R. P. Mattick* 276  
Ten-year prognosis of conversion disorder. *C. J. Mace and M. R. Trimble* 282  
The TAPS project. 36: The most difficult to place long-stay psychiatric in-patients. Outcome one year after relocation. *N. Trieman and J. Leff* 289  
Manchester and Oxford universities scale for the psychopathological assessment of dementia (MOUSEPAD). *N. H. P. Allen, S. Gordon, T. Hope and A. Burns* 293  
An index of need for psychiatric services based on in-patient utilisation. *P. Smith, T. A. Sheldon and S. Martin* 308  
Commentaries on: An index of need for psychiatric services based on in-patient utilisation. *P. Lelliott, B. Jarman, M. Bajekal and G. R. Glover* 317

- Who responds to electroconvulsive therapy? A comparison of effective and ineffective forms of treatment. *C. Sobin, J. Prudic, D. P. Devanand, M. S. Nobler and H. A. Sackeim* 322  
Impulsivity in disordered eating, affective disorder and substance use disorder. *J. A. Bushnell, J. E. Wells and M. A. Oakley-Browne* 329  
Mental health, 'burnout' and job satisfaction among hospital and community-based mental health staff. *D. Prosser, S. Johnson, E. Kuipers, G. Szmukler, P. Bebbington and G. Thornicroft* 334  
Fragile states of mind: neuroticism, vulnerability and the long-term outcome of depression. *P. G. Surtees and N. W. J. Wainwright* 338  
Single photon emission computerised tomography in chronic alcoholism. Antisocial personality disorder may be associated with decreased frontal perfusion. *A. C. Kuruoglu, Z. Arikan, G. Vural, M. Karatas, M. Araç and E. Isik* 348  
Sexual abuse in people with alcohol problems. A study of the prevalence of sexual abuse and its relationship to drinking behaviour. *J. Moncrieff, D. C. Drummond, B. Candy, K. Checinski and R. Farmer* 355  
Long-term stability of diagnosis and symptom dimensions in a systematic sample of patients with onset of schizophrenia in childhood and early adolescence. I: Nosology, sex and age of onset. *M. Maziade, N. Gingras, C. Rodrigue, S. Bouchard, A. Cardinal, B. Gauthier, G. Tremblay,*


*continued p. ii*

Published by The Royal College of Psychiatrists

ISSN 0007-1250

# Now you can lift depression with the body in mind

Site-specific 'Cipramil' addresses four key dimensions of antidepressant therapy:



**Cipramil**<sup>▼</sup>

citalopram

Specifically treating depression

Lundbeck

Research for a better life

#### Abbreviated Prescribing Information

**Presentation:** 'Cipramil' tablets, PL 0458/0058, each containing 20mg of citalopram as the hydrobromide. 28 (OP) 20mg tablets £21.28.

**Indications:** Treatment of depressive illness in the initial phase and as maintenance against relapse/recurrence. **Dosage:** Adults: 20mg a day. Depending upon individual patient response, this may be increased in 20mg increments to a maximum of 60mg. Tablets should not be chewed, and should be taken as a single oral daily dose, in the morning or evening without regard for food. Elderly: 20mg a day increasing to a maximum of 40mg dependent upon individual patient response. Children: Not recommended. Restrict dosage to lower end of range in hepatic impairment. Dosage adjustment not necessary in cases of mild/moderate renal impairment. No information available in severe renal impairment (creatinine clearance <20ml/min). **Contra-indications:** Combined use of 5-HT agonists. Hypersensitivity to citalopram. **Pregnancy and Lactation:** Safety during human pregnancy and lactation has not been established. Use only if potential benefit outweighs possible risk. **Precautions:** Driving and operating machinery. History of mania. Caution in patients at risk of cardiac arrhythmias. Do not use with or within 14 days of MAO inhibitors: leave a seven day gap before starting MAO inhibitor treatment. **Drug Interactions:** MAO inhibitors (see Precautions). Use lithium and

tryptophan with caution. Routine monitoring of lithium levels need not be adjusted. Alcohol is not advised. **Adverse Events:** Most commonly nausea, sweating, tremor, somnolence and dry mouth. **Overdosage:** Symptoms have included somnolence, coma, sinus tachycardia, occasional nodal rhythm, episode of grand mal convulsion, nausea, vomiting, sweating and hyperventilation. No specific antidote. Treatment is symptomatic and supportive. Early gastric lavage suggested. **Legal Category:** POM 24.1.95. Further information available upon request. Product licence holder: Lundbeck Ltd, Sunningdale House, Caldecotte Lake Business Park, Caldecotte, Milton Keynes, MK7 8LF. 'Cipramil' is a trademark. © 1995 Lundbeck Ltd.

Date of preparation: May 1995

#### References

1. Hyttel J, XXII Nordiske Psykiater-Kongres, Reykjavik, 11 August, 1988: 11-21.
2. Eison AS et al, Psychopharmacology Bull 1990; 26 (3): 311-315.
3. Rosenberg C et al, Int Clin Psychopharmacol 1994; 9 (Suppl 1): 41-48.
4. Shaw DM et al, Br J Psychiatry 1986; 149: 515-517.
5. Bech P and Cialdella P, Int Clin Psychopharmacol 1992; 6 (Suppl 5): 45-54.
6. Sindrup SH et al, Ther Drug Monit 1993; 15: 11-17.
7. Van Harten J, Clin Pharmacokinet 1993; 24 (3): 203-220.

# The British Journal of Psychiatry

September 1996

Volume 169

No. 3

---

*Editor* Greg Wilkinson

---

## Senior Associate Editor

Alan Kerr *Newcastle upon Tyne*

## Associate Editors

Sidney Crown *London*

Julian Leff *London*

Sir Martin Roth *Cambridge*

Sir Michael Rutter *London*

Peter Tyrer *London*

## Editorial Advisers

Herschel Prins *Leicester*

Sir John Wood *Sheffield*

Kathleen Jones *York*

## Assistant Editors

Mohammed Abou-Saleh *Al-Ain*

Louis Appleby *Manchester*

German Berrios *Cambridge*

Alistair Burns *Manchester*

Patricia Casey *Dublin*

John Cookson *London*

David Cottrell *Leeds*

Nigel Eastman *London*

Tom Fahy *London*

Anne Farmer *Cardiff*

Michael Farrell *London*

Nicol Ferrier *Newcastle upon Tyne*

William Fraser *Cardiff*

Richard Harrington *Manchester*

Sheila Hollins *London*

Jeremy Holmes *Barnstaple*

Alexander Kellam *Cardiff*

Peter Kennedy *York*

Michael King *London*

Alan Lee *Nottingham*

Shôn Lewis *Manchester*

Robin McCreadie *Dumfries*

Ian McKeith *Newcastle upon Tyne*

Roy McClelland *Belfast*

Stuart Montgomery *London*

David Owens *Leeds*

Ian Pullen *Edinburgh*

Rosalind Ramsay *London*

Henry Rollin *London*

Jan Scott *Newcastle upon Tyne*

Mike Shooter *Cardiff*

Andrew Sims *Leeds*

Jeanette Smith *Bristol*

George Stein *London*

David Tait *Perth*

## Corresponding Editors

Sidney Bloch *Australia*

Patrice Boyer *France*

J.M. Caldas de Almeida *Portugal*

Andrew Cheng *Taiwan*

Andrei Cristian *Romania*

E. L. Edelstein *Israel*

Václav Filip *Czech Republic*

Heinz Katschnig *Austria*

Kenneth Kendler *USA*

## Past Editors

Eliot Slater 1961–72 Edward H. Hare 1973–77 John L. Crammer 1978–83 Hugh L. Freeman 1984–93

Founded by J. C. Bucknill in 1853 as the *Asylum Journal* and known as the *Journal of Mental Science* from 1858 to 1963



Arthur Kleinman *USA*

F. Lieh Mak *Hong Kong*

Jair Mari *Brazil*

Harold Merskey *Canada*

Paul Mullen *Australia*

Ahmed Okasha *Egypt*

Volodymer Poltavetz *Ukraine*

Michele Tansella *Italy*

Toma Tomov *Bulgaria*

John Tsiantis *Greece*

J. L. Vázquez-Barquero *Spain*

Richard Warner *USA*

## Statistical Adviser

Pak Sham *London*

## Staff

*Publications Manager*

Dave Jago

*Scientific Editor*

Lesley Bennun

*Assistant Scientific Editor*

Dinah Alam

*Editorial Assistants*

Zofia Ashmore

Julia Burnside

*Marketing Assistant*

Dominic Bentham

---

Published by the Royal College of Psychiatrists

SEP 11 REC'D

**Contents continued from front cover**

S. Côté, C. Fournier, P. Boutin, M. Hamel, M. A. Roy, M. Martinez and C. Mérette 361

Long-term stability of diagnosis and symptom dimensions in a systematic sample of patients with onset of schizophrenia in childhood and early adolescence. II: Positive/negative distinction and childhood predictors of adult outcome. M. Maziade, S. Bouchard, N. Gingras, L. Charron, A. Cardinal, M. A. Roy, B. Gauthier, G. Tremblay, S. Côté, C. Fournier, P. Boutin, M. Hamel, C. Mérette and M. Martinez 371

**Columns**

Correspondence 379

One hundred years ago 385

Reading about...psychiatric genetics. N. Craddock 386

Book reviews 393

*American Journal of Psychiatry* (contents) 400

**Next month in the BJP**

Psychiatry and the politics of the underclass. P. Thomas, M. Romme and J. Hamelijnck

Victims and perpetrators of child sexual abuse. M. R. Hilton and G. C. Mezey

Monitoring psychosis in general practice: a controlled trial. I. Nazareth, M. King and S. See Tai

The *British Journal of Psychiatry* is published monthly by the Royal College of Psychiatrists (a registered charity, registration number 228636). The *BJP* publishes original work in all fields of psychiatry. All communications, including manuscripts for publication, should be sent to the Editor, *British Journal of Psychiatry*, 17 Belgrave Square, London SW1X 8PG.

Full instructions to authors are given at the beginning of the January and July issues.

**Subscriptions**

Non-members of the College should contact the Publications Subscription Department, Royal Society of Medicine Press Limited, PO Box 9002, London W1A 0ZA (tel. 0171 290 2928; fax 0171 290 2929). Annual subscription rates for 1996 (12 issues post free) are as follows:

Europe (& UK): institutions £160, individuals £140  
US: institutions \$310, individuals \$230  
Elsewhere: institutions £190, individuals £150  
Full airmail is £36/US\$64 extra.  
Single copies of the Journal are £14, \$25 (post free).

Payment should be made out to the British Journal of Psychiatry.

Queries from non-members about missing or faulty copies should be addressed within six months to the same address; similar queries from College members should be addressed to the Registration Subscription Department, The Royal College of Psychiatrists, 17 Belgrave Square, London SW1X 8PG.

© 1996 The Royal College of Psychiatrists. Unless so stated, material in the *British Journal of Psychiatry* does not necessarily reflect the views of the Editor or the Royal College of Psychiatrists. The publishers are not responsible for any error of omission or fact.

**Back issues**

Back issues published before 1995 may be purchased from William Dawson & Sons Ltd, Cannon House, Folkestone, Kent (tel. 01303 850 101).

**Advertising**

Correspondence and copy should be addressed to Peter T. Mell, Advertising Manager, PTM Publishers Ltd, 282 High Street, Sutton, Surrey SM1 1PQ (tel. 0181 642 0162; fax 0181 643 2275).

**US Mailing Information**

The *British Journal of Psychiatry* is published monthly by the Royal College of Psychiatrists. Subscription price is \$295. Second class postage paid at Rahway, NJ. Postmaster send address corrections to the *British Journal of Psychiatry*, c/o Mercury Airfreight International Ltd Inc., 2323 Randolph Avenue, Avenel, New Jersey 07001.

©™ The paper used in this publication meets the minimum requirements of American National Standard for Information Sciences – Permanence of Paper for Printed Library Materials. ANSI Z39.48–1984.

Typeset by Dobbie Typesetting Ltd, Tavistock, and Henry Ling Ltd.

Printed by Henry Ling Ltd, The Dorset Press, 23 High East Street, Dorchester, Dorset DT1 1HD.



### PSYCHIATRY RESEARCH GRANTS Clinical Science

To continue support for psychiatric research in the United Kingdom Lilly CNS are pleased to announce that they will be awarding

3 clinical research grants in the areas of schizophrenia, depression and dementia.

All applications must be received by end September. The grants are not intended for salaries, or for part-funding of projects.

Individual awards each of up to £10,000 will be made in October 1996.

For further information or an application form please contact:

CNS Secretary, Lilly Industries Limited, Dextra Court,  
Chapel Hill, Basingstoke, Hampshire RG21 2SY  
Telephone: 01256 315448



Intensive weekend courses  
BPP training centre, London

### MRCPsychiatry Parts I & II Written and Clinical skills courses

Part I Written 7-8 September 1996  
Part II Written 21-22 September 1996  
Clinical 26-27 October 1996

BPP Courses are  
Stimulating, entertaining and successful.

Telephone or Fax 0181-959-7562  
33 Flower Lane, Mill Hill, London NW7



### LOCUM PSYCHIATRISTS

All grades urgently needed  
LONG / SHORT assignments  
to suit YOU

### PRIORITY RATES OF PAY

SHO : £16-00  
REG : £17-00  
SR : £19-00  
SG : £18-50

TEL: 0113 241 6940

FAX: 0113 241 6960

**COUNT ON US!**

LEDA HOUSE, 46/48 NEW YORK STREET, LEEDS LS2 7DY

## Management for Psychiatrists

Second Edition

Edited by Dinesh Bhugra  
and Alistair Burns



• £20.00 • 360pp. • 1995 • ISBN 0 902241 85 0

Available from bookshops and from the  
Publications Department, Royal College  
of Psychiatrists, 17 Belgrave Square,  
London SW1X 8PG  
(Tel. 0171-235 2351 extension 146)

# CONSULTANT PSYCHIATRIST

## Central England

Opening a new, purpose designed Psychiatric Hospital in 1997, benefiting from state-of-the-art facilities, this financially secure NHS Trust, serving a population of 295,000, seeks to achieve self-sufficiency in the provision of a comprehensive Mental Health Service through the discerning appointment of a Consultant in General Adult Psychiatry responsible for leading the delivery of high quality services to a community of 37,000 people.

With a proud record of innovation and achievement, that has included the commissioning of a new facility or commencement of a new service every twelve weeks since its inception in April 1995, this progressive Trust benefits from excellent acute, community and day hospitals as a result of its major capital investment programme, well-equipped locality-based mental health resource centres and a strong complement of committed professionals.

Actively encouraging the pursuit of a personal special interest, the Trust is willing to negotiate generous sessional allocations for such special interests and is particularly interested in candidates wishing to take responsibility for Substance Use related mental health problems. Applications are encouraged from both Doctors completing training and established Consultants.

## Top Level Salary + Benefits


This well rewarded appointment affords an opportunity to work in brand new accommodation only six miles away from Central England's major cultural and commercial centre with its complete spectrum of sporting, entertainment and educational facilities and its first-class communication links, and yet close to unspoilt open countryside and within twenty minutes' drive of the region's most prestigious residential area.

Male or female candidates should submit, in confidence, a comprehensive CV quoting reference number ZI/222 by 17th September 1996 to: ZIEGLER INTERNATIONAL, Consultants in Executive Search, The Jeffreys Building, Cowley Road, Cambridge CB4 4WS.

Tel: 01223 425030,  
Fax: 01223 421863.

Assignment Briefing specifications available upon request.

Arrangements for site visits to be made through: Janet Courtenay-Wilson/Laurence Irvine, Director/s, Ziegler International.



### 1st EUROPEAN CONFERENCE IMPROVING THE QUALITY OF MENTAL HEALTH SERVICES: A EUROPEAN INITIATIVE

8th and 9th November 1996

The strategies of improvement in the quality of health care services were developed in Europe at the end of the Seventies, and the methodology of that time has served to rationalise the care resources and adapt the availability of services to user demands. In the area of mental health, and in different countries of Europe, there are various professionals who have used the instruments for improvement of quality of health care. A group of them have decided to promote this first European conference which will gather professionals from all over Europe to debate the results of these strategies in depth, along with prospects for the future.

This is the first call to all mental health professionals who are developing strategies for quality improvement in the different countries of Europe. The conference will accept free papers on work developed or on consolidated experiences.

We are very interested in discovering experiences in the area of quality, in addition to the one-hundred-word summary, you may use an additional page (A4). The period for the presentation of summaries has been extended to 15th September.

Location of the Conference: Hotel Carlemany\*\*\*\*, Plaça Miquel Santalo 16, s/n, E-17002 Girona, Spain.

Registration fee: 25.000 pta.

The enrolment fee includes: Documentation, attendance, working dinner, coffee breaks, certificate of attendance.

Places limited: simultaneous.

Technical Secretary: Catalana de Congressos i Serveis, Sant Pere mitjà, 17, E-08000 Barcelona, Spain. Tel.: 34-3-319 09 55; Fax: 34-3-319 18 53.

### THE SOCIETY FOR THE STUDY OF ADDICTION TO ALCOHOL AND OTHER DRUGS

### ANNUAL SYMPOSIUM

### DRUGS, ALCOHOL & CRIME REDUCING COMMUNITY HARM

to be held at

The Royal Society of Medicine,  
1 Wimpole Street, London W1M 8AE

Wednesday November 13th and  
Thursday November 14th, 1996

### INVITATION FOR SUBMISSION OF ORIGINAL PAPERS

Afternoon sessions will be devoted to the presentation of short papers on any aspect of the Addictions.

Persons wishing to present a paper are invited to submit an abstract not exceeding 200 words by September 30, 1996.

### FOR FURTHER DETAILS AND SYMPOSIUM APPLICATION FORMS PLEASE CONTACT:

Dr Andrew Johns or Mrs Elaine McMahon  
Professorial Unit, Broadmoor Hospital, Crowthorne,  
Berkshire RG45 7GE

Telephone: 01344 754119

Fax: 01344 754334

*The Symposium is open to members and non-members of the Society*



# Gaskell

## Focus on World Mental Health Care

Available from good bookshops and from the Publications Department, Royal College of Psychiatrists, 17 Belgrave Square, London SW1X 8PG (Tel. +44(0)171-235 2351, extension 146). The latest information on Gaskell publications is on the INTERNET at: <http://www.demon.co.uk/rcpsych/>

### **Mental Disorders in China**

English Version Editors:

John E. Cooper & Norman Sartorius

This is the first available account in English of the results of the 1982 Chinese Epidemiological Survey of Mental Disorder. It is the only nationwide Chinese study to involve modern methods of case assessment and is uniquely large and interesting, involving 51 982 persons. The use of the Present State Examination in the survey allows the symptomatic basis of diagnoses, such as neurasthenia, to be examined. The results indicate that the prevalence of schizophrenia is similar to that found recently in other countries, but that the prevalence of other mental disorders may be lower.

£15.00 128pp. 1996 ISBN 0 902241931

### **Psychiatry for the Developing World**

Edited by Digby Tantam, Louis Appleby & Alice Duncan

Written by psychiatrists from the developing world, this is an up-to-date and comprehensive multi-author volume on psychiatry as it can be practiced in developing countries today. All aspects of psychiatry are covered, both administrative and practical, and advice is given on planning, training and conducting research. Recommendations on treatment of common psychiatric disorders are also provided, following ICD-10 classification standards.

£25.00 376pp. 1996 ISBN 0 90224186 9

### **Mental Health Care in China**

#### **State Policies, Professional Services and Family Responsibilities**

By Veronica Pearson

This book traces the development of psychiatric services in China. Historical, policy and legal frameworks are constructed to provide a context in which psychiatric services may be better understood. The experience of both staff and patients in one particular hospital is examined in detail. The book raises questions about the similarities in the experience of psychiatric illness across significantly different cultures.

£12.50 218pp. 1995 ISBN 0 902241 74 5

### **Mental Health Services in the Global Village**

Edited by Louis Appleby & Ricardo Araya

Throughout the world, cultural and economic circumstances are a powerful influence on mental illness - its frequency, recognition and treatment. *Mental Health Services in the Global Village* is a review of the care of the mentally ill around the world, its ideals, inequalities, progress and mistakes. The contributors' opinions on how mental health services will develop as the end of the century approaches reflect the prospects for the World Health Organization's goal of "Health for All".


£10.00 221pp. 1991 ISBN 0 90224140 0

# REASON TO BE CHEERFUL



**LUSTRAL™ 50mg**

sertraline



**Established in treating depression**



**Abbreviated Prescribing Information:** LUSTRAL™ (sertraline) **Presentation:** Tablets containing 50mg or 100mg sertraline. **Indications:** Treatment of symptoms of depressive illness and accompanying symptoms of anxiety. Prevention of relapse or recurrence of depressive episodes including accompanying symptoms of anxiety. **Dosage:** LUSTRAL should be given as a single daily dose. The initial dose is 50mg and the usual therapeutic dose is 50mg daily. Dosage can be further increased, if

appropriate, to 150mg or a maximum of 200mg daily. Patients should be maintained on the lowest effective dose and doses of 150mg or more should not be used for periods exceeding 8 weeks. Use in children: Not recommended. Use in the elderly: Usual adult dose. **Contra-Indications:**

Hypersensitivity to LUSTRAL. Hepatic insufficiency. Use during pregnancy: LUSTRAL should be used only if clearly needed. **Lactation:** Not recommended. **Precautions, warnings:** Renal insufficiency, unstable epilepsy, ECT, driving. LUSTRAL should be discontinued in a patient who develops seizures. LUSTRAL should not be administered to patients concurrently being treated with tranquilizers who drive or operate machinery. Do not use with, or within two weeks of ending treatment with, MAOIs. At least 14 days should elapse before starting any MAOI following discontinuation of LUSTRAL. Patients should be closely supervised for the possibility of suicide attempt or activation of mania/hypomania. **Drug interactions:** Administer with caution in combination with other centrally active medication. Serotonergic drugs including tryptophan, sumatriptan and fenfluramine should not be used with LUSTRAL. It is recommended that plasma lithium levels be monitored following initiation of LUSTRAL. Although LUSTRAL has been shown to have no adverse interaction with alcohol, concomitant use with alcohol is not recommended. The potential for LUSTRAL to interact with other highly protein bound drugs should be borne

in mind. The potential of LUSTRAL to interact with e.g. warfarin, diazepam, tolbutamide and cimetidine has not been fully assessed. With warfarin prothrombin time should be monitored when LUSTRAL is initiated or stopped. **Side-effects:** Dry mouth, nausea, diarrhoea/loose stools, ejaculatory delay, tremor, increased sweating, dyspepsia, dizziness, insomnia and somnolence. Asymptomatic elevations in serum transaminases have been reported infrequently (approx. 0.8%) in association with LUSTRAL. These usually occurred within the first 9 weeks treatment and resolved on cessation of therapy. Malaise and rash have been reported. Seizures (see precautions, warnings). There have been isolated reports of movement disorders and rare cases of hyponatraemia. **Legal category:** POM. **Basic NHS cost:** 50mg tablet (PL 570308) Calendar pack of 28, £26.51; 100mg tablet (PL 570309) Calendar pack of 28, £39.77.

Further information on request.

Invicta™ Pharmaceuticals or Richborough™ Pharmaceuticals Divisions of Pfizer Limited, Sandwich, Kent.

