INDEX OF AUTHORS

ALLEY, R B	Preliminary study of laminated, silt-rich debris bands: Matanuska Glacier, Alaska, U.S.A.	261
ALLEY, R B	Seasonal variability in hydrologic-system response to intense rain events, Matanuska Glacier, Alaska, U.S.A.	267
BALDWIN, DJ	Thermomechanical modelling of the Scandinavian ice sheet: implications for ice- stream formation	83
BARTEK, L R	Multi-scale analyses of subglacial and glaciomarine deposits from the Ross Sea continental shelf, Antarctica	90
BAUDER, A	Estimating rates of basal motion and internal ice deformation from continuous tilt measurements	247
BEDNARSKI, J	Glacial landform-sediment assemblages in the Canadian High Arctic and their implications for late Quaternary glaciation	195
BIERMAN, PR	Cosmogenic analysis of glacial terrains in the eastern Canadian Arctic: a test for inherited nuclides and the effectiveness of glacial erosion	181
BLAKE, W, Jr	Glaciated landscapes along Smith Sound, Ellesmere Island, Canada and Greenland	40
BOERBOOM, T J	The significance of pre-existing, deeply weathered crystalline rock in interpreting the effects of glaciation in the Minnesota River valley, U.S.A.	53
BORGSTRÖM, I	Basal ice temperatures during late Weischselian deglaciation: a comparison of land- form assemblages in west-central Sweden	9
BOUZETTE, A	Katabatic wind influence on meltwater supply to fuel glacier—substrate interactions at grounding line, Terra Nova Bay, East Antarctica	272
BRAUN, J	A new surface-processes model combining glacial and fluvial erosion	282
CAFFEE, M W	Cosmogenic analysis of glacial terrains in the eastern Canadian Arctic: a test for inherited nuclides and the effectiveness of glacial erosion	181
CLARHÄLL, A	Distribution and glaciological implications of relict surfaces on the Ultevis plateau, northwestern Sweden	202
CLARHÄLL, A	Zooming in on frozen-bed patches: scale-dependent controls on Fennoscandian ice sheet basal thermal zonation	189
CLARK, C D	Geomorphological criteria for identifying Pleistocene ice streams	67
CLARK, C D	Glaciodynamic context of subglacial bedform generation and preservation	23
DAVIS, P T	Cosmogenic analysis of glacial terrains in the eastern Canadian Arctic: a test for inherited nuclides and the effectiveness of glacial erosion	181
DENNER, J	Seasonal variability in hydrologic-system response to intense rain events, Matanuska Glacier, Alaska, U.S.A.	267
DIXON, T S	Plateau icefields as contributing areas to valley glaciers and the potential impact on reconstructed ELAs: a case study from the Lyngen Alps, North Norway	97
EISENHAUER, A	Deglaciation of the Northern Hemisphere at the onset of the Eemian and Holocene	1
ENSMINGER, S L	Preliminary study of laminated, silt-rich debris bands: Matanuska Glacier, Alaska, U.S.A.	261
EVANS, D.J.A	Geomorphology and sedimentology of surging glaciers: a land-systems approach	75

EVANS, DJA	Glacial landform—sediment assemblages in the Canadian High Arctic and their implications for late Quaternary glaciation	195
EVANS, I S	Was the cirque glaciation of Wales time-transgressive, or not?	33
EVENSON, E B	Preliminary study of laminated, silt-rich debris bands: Matanuska Glacier, Alaska, U.S.A.	261
EVENSON, E B	Seasonal variability in hydrologic-system response to intense rain events, Matanuska Glacier, Alaska, U.S.A.	267
FABEL, D	The use of in-situ produced cosmogenic radionuclides in glaciology and glacial geomorphology	103
FISCHER, U H	Estimating rates of basal motion and internal ice deformation from continuous tilt measurements	247
FISCHER, U H	Subglacial sediment textures: character and evolution at Haut Glacier d'Arolla, Switzerland	241
FITZSIMONS, SJ	Ice composition evidence for the formation of basal ice from lake water beneath a cold-based Antarctic glacier	277
FITZSIMONS, SJ	Structure and strength of basal ice and substrate of a dry-based glacier: evidence for substrate deformation at sub-freezing temperatures	236
FUNK, M	Estimating rates of basal motion and internal ice deformation from continuous tilt measurements	247
GOODWILLIE, D	Size distribution of two cross-cutting drumlin systems in northern Sweden: a measure of selective erosion and formation time length	146
GORDON, J E	Plateau icefields as contributing areas to valley glaciers and the potential impact on reconstructed ELAs: a case study from the Lyngen Alps, North Norway	97
GREVE, R	Deglaciation of the Northern Hemisphere at the onset of the Eemian and Holocene	1
GUDMUNDSSON, G H	Estimating rates of basal motion and internal ice deformation from continuous tilt measurements	247
HAEBERLI, W	Occurrence of rocky and sedimentary glacier beds in the Swiss Alps as estimated from glacier-inventory data	231
HAGEN, JO	$20\mathrm{th}$ century mass balance and thermal regime change at Scott Turnerbreen, Svalbard	216
HAMRAN, S-E	$20 \mathrm{th}$ century mass balance and thermal regime change at Scott Turnerbreen, Svalbard	216
HARBOR, J	The use of in-situ produced cosmogenic radionuclides in glaciology and glacial geomorphology	103
HART, J K	Grain textural analysis across a range of glacial facies	111
HART, J K	Identifying fast ice flow from landform assemblages in the geological record: a discussion	59
HÄTTESTRAND, C	Size distribution of two cross-cutting drumlin systems in northern Sweden: a measure of selective erosion and formation time length	146
HÄTTESTRAND, C	Zooming in on frozen-bed patches: scale-dependent controls on Fennoscandian ice sheet basal thermal zonation	189
HINDMARSH,RCA	Coupled ice-till dynamics and the seeding of drumlins and bedrock forms	221
HOCK, R	Tracer experiments in moulins and boreholes observations in the overdeepening of Aletschgletscher, Switzerland	253
HODGKINS, R	20th century mass balance and thermal regime change at Scott Turnerbreen, Svalbard	216
HOELZLE, M	Occurrence of rocky and sedimentary glacier beds in the Swiss Alps as estimated from glacier-inventory data	231

HUBBARD, B	Subglacial sediment textures: character and evolution at Haut Glacier d'Arolla, Switzerland	241
IKEN, A	Tracer experiments in moulins and boreholes observations in the overdeepening of Aletschgletscher, Switzerland	253
IVY-OCHS, S	Paleoclimatic interpretation of the early Late-glacial glacier in the Gschnitz valley, central Alps, Austria	135
JANSSON, P	Assessment of requirements for cirque formation in northern Sweden	16
JANSSON, K	The horned crag-and-tails of the Ungava Bay landform swarm, Quebec—Labrador, Canada	168
JONSSON, S	Assessment of requirements for cirque formation in northern Sweden	16
KEHEW, A E	Palimpsest tunnel valleys: evidence for relative timing of advances in an interlobate area of the Laurentide ice sheet	47
KERSCHNER, H	Equilibrium-line altitudes and rock glaciers during the Younger Dryas cooling event, Ferwall Group, western Tyrol, Austria	141
KERSCHNER, H	Paleoclimatic interpretation of the early Late-glacial glacier in the Gschnitz valley, central Alps, Austria	135
KHATWA, A	Grain textural analysis across a range of glacial facies	111
KLEMAN, J	Distribution and glaciological implications of relict surfaces on the Ultevis plateau, northwestern Sweden	202
KLEMAN, J	The horned crag-and-tails of the Ungava Bay landform swarm, Quebec—Labrador, Canada	168
KLEMAN, J	Size distribution of two cross-cutting drumlin systems in northern Sweden: a measure of selective erosion and formation time length	146
KLEMAN, J	Zooming in on frozen-bed patches: scale-dependent controls on Fennoscandian ice sheet basal thermal zonation	189
KLUIVING, SJ	Multi-scale analyses of subglacial and glaciomarine deposits from the Ross Sea continental shelf, Antarctica	90
KNIGHT, J	Landform modification by palaeo-ice streams in east-central Ireland	161
KOPCZYNSKI, S	Seasonal variability in hydrologic-system response to intense rain events, Matanuska Glacier, Alaska, U.S.A.	267
LARSON, GJ	Preliminary study of laminated, silt-rich debris bands: Matanuska Glacier, Alaska, U.S.A.	261
LARSON, GJ	Seasonal variability in hydrologic-system response to intense rain events, Matanuska Glacier, Alaska, U.S.A.	267
LAWSON, D E	Preliminary study of laminated, silt-rich debris bands: Matanuska Glacier, Alaska, U.S.A.	261
LAWSON, D E	Seasonal variability in hydrologic-system response to intense rain events, Matanuska Glacier, Alaska, U.S.A.	267
LEMMEN, D S	Glacial landform—sediment assemblages in the Canadian High Arctic and their implications for late Quaternary glaciation	195
LIDMAR-BERGSTRÖM, K	The glacial impact on an exhumed sub-Mesozoic etch surface in southwestern Sweden	153
LINDBERG, G	The glacial impact on an exhumed sub-Mesozoic etch surface in southwestern Sweden	153
LORRAIN, R D	Ice composition evidence for the formation of basal ice from lake water beneath a cold-based Antarctic glacier	277

LORRAIN, R D	Structure and strength of basal ice and substrate of a dry-based glacier: evidence for substrate deformation at sub-freezing temperatures	236
LÜTHI, M	Estimating rates of basal motion and internal ice deformation from continuous tilt measurements	247
MAISCH, M	Occurrence of rocky and sedimentary glacier beds in the Swiss Alps as estimated from glacier-inventory data	231
MARSELLA, K A	Cosmogenic analysis of glacial terrains in the eastern Canadian Arctic: a test for inherited nuclides and the effectiveness of glacial erosion	181
McCABE, A M	Landform modification by palaeo-ice streams in east-central Ireland	161
McCARRON, S G	Landform modification by palaeo-ice streams in east-central Ireland	161
McMANUS, KJ	Structure and strength of basal ice and substrate of a dry-based glacier: evidence for substrate deformation at sub-freezing temperatures	236
MUNRO-STASIUK, MJ	Evidence for water storage and drainage at the base of the Laurentide ice sheet, south-central Alberta, Canada	175
NAKAWO, M	Characteristics of Khumbu Glacier, Nepal Himalaya: recent changes in the debriscovered area	118
NICKS, L P	Palimpsest tunnel valleys: evidence for relative timing of advances in an interlobate area of the Laurentide ice sheet	47
Ó COFAIGH, C	Glacial landform–sediment assemblages in the Canadian High Arctic and their implications for late Quaternary glaciation	195
OLVMO, M	The glacial impact on an exhumed sub-Mesozoic etch surface in southwestern Sweden	153
PATTERSON, CJ	The significance of pre-existing, deeply weathered crystalline rock in interpreting the effects of glaciation in the Minnesota River valley, U.S.A.	53
PAYNE, AJ	Grain textural analysis across a range of glacial facies	111
PAYNE, A J	Thermomechanical modelling of the Scandinavian ice sheet: implications for ice-stream formation	83
PELFINI, M	Assessing area and volume changes from deglaciated areas, Valle d'Aoste, Italy	129
PELFINI, M	Dendrogeomorphological study of glacier fluctuations in the Italian Alps during the Little Ice Age	123
REA, BR	Geomorphology and sedimentology of surging glaciers: a land-systems approach	75
REA, BR	Plateau icefields as contributing areas to valley glaciers and the potential impact on reconstructed ELAs: a case study from the Lyngen Alps, North Norway	97
RICHARDSON, C	Assessment of requirements for cirque formation in northern Sweden	16
SAILER, R	Equilibrium-line altitudes and rock glaciers during the Younger Dryas cooling event, Ferwall Group, western Tyrol, Austria	141
SAKAI, A	Characteristics of Khumbu Glacier, Nepal Himalaya: recent changes in the debriscovered area	118
SCHLÜCHTER, C	Paleoclimatic interpretation of the early Late-glacial glacier in the Gschnitz valley, central Alps, Austria	135
SHARP, M	Drainage system behaviour of a High-Arctic polythermal glacier	209
SKIDMORE, M	Drainage system behaviour of a High-Arctic polythermal glacier	209
SOUCHEZ, R	Katabatic wind influence on meltwater supply to fuel glacier—substrate interactions at grounding line, Terra Nova Bay, East Antarctica	272
SOUTHON, J R	Cosmogenic analysis of glacial terrains in the eastern Canadian Arctic: a test for inherited nuclides and the effectiveness of glacial erosion	181

STIÉVENARD, M	Ice composition evidence for the formation of basal ice from lake water beneath a cold-based Antarctic glacier	277
STOKES, C R	Geomorphological criteria for identifying Pleistocene ice streams	67
STRASSER, J C	Preliminary study of laminated, silt-rich debris bands: Matanuska Glacier, Alaska, U.S.A.	261
STRASSER, J C	Seasonal variability in hydrologic-system response to intense rain events, Matanuska Glacier, Alaska, U.S.A.	267
STRAW, W T	Palimpsest tunnel valleys: evidence for relative timing of advances in an interlobate area of the Laurentide ice sheet	47
TOMKIN, J H	A new surface-processes model combining glacial and fluvial erosion	282
VAN DER WATEREN, F M	Multi-scale analyses of subglacial and glaciomarine deposits from the Ross Sea continental shelf, Antarctica	90
VANDERGOES, M J	Ice composition evidence for the formation of basal ice from lake water beneath a cold-based Antarctic glacier	277
VANUZZO, C	Assessing area and volume changes from deglaciated areas, Valle d'Aoste, Italy	129
WANGLER, A	Tracer experiments in moulins and boreholes observations in the overdeepening of Aletschgletscher, Switzerland	253
WENZEL, J	Occurrence of rocky and sedimentary glacier beds in the Swiss Alps as estimated from glacier-inventory data	231
WHALLEY, W B	Plateau icefields as contributing areas to valley glaciers and the potential impact on reconstructed ELAs: a case study from the Lyngen Alps, North Norway	97
WYRWOLL, K-H	Deglaciation of the Northern Hemisphere at the onset of the Eemian and Holocene	1
YABUKI, H	Characteristics of Khumbu Glacier, Nepal Himalaya: recent changes in the debriscovered area	118
ZWARTZ, D	A new surface-processes model combining glacial and fluvial erosion	282