The Journal of Agricultural Science

1905-1980

Edited by J.W.L. BEAMENT, F.R.S.

Drapers Professor of Agriculture, University of Cambridge

W.J. RIDGMAN

Department of Applied Biology, University of Cambridge

The Journal of Agricultural Science celebrates its 75th anniversary in 1980. Since 1905 it has kept scholars and researchers in the field informed of current research in both pure and applied sciences relating to agricultural problems.

A wide range of topics is considered in soil science, crop research and research on farm animals, including crop and animal husbandry, nutrition, physiology, genetics and breeding. Papers on broader ecological and environmental subjects are included if they are relevant to agricultural practice. The journal receives contributions from all parts of the world, thus providing information on agriculture in a wide variety of soil and climatic conditions.

Articles appearing in 1980 include:

- E.J. ALLEN & R.K. SCOTT An analysis of the growth of the potato crop
- S.J. BROWN The relationship between disease symptoms and parasite growth in bacterial blight of cotton
- G. EVANS & T.J. ROBINSON The control of fertility in sheep: endocrine and ovarian responses to progestagen PMSG treatment in the breeding season and in anoestrus
- E. KARAMI & J.B. WEAVER, Jr. Dry-matter production, yield and photosynthesis, chlorophyll content and specific leaf weight of cotton in relation to leaf shape and colour
- S.T.C. WEATHERUP Statistical procedures for distinctness, uniformity and stability variety trials

Volumes 94 and 95 (1980) £32.50 (\$94.25) per volume, £65.00 (\$188.00) per year

Write for a brochure to Journals Publicity at

CAMBRIDGE UNIVERSITY PRESS

P.O. Box 110, Cambridge CB2 3RL, England 32 East 57th Street, New York 10022

THE ZIMBABWE JOURNAL OF AGRICULTURAL RESEARCH

(formerly The Rhodesian Journal of Agricultural Research)

publishes accounts of original research in the broad fields of soil and renewable resources, including livestock and crops, forestry, irrigation and hydrology, wild life and fisheries.

The annual subscription is Z\$6.00 (single copies Z\$3.00) for subscribers in Zimbabwe and adjoining territories, and US\$10.00 (single copies US\$5.00) for subscribers elsewhere.

These rates include all charges.

Specimen copies are available free of charge to libraries from:

THE EDITOR, ZIMBABWE JOURNAL OF AGRICULTURAL RESEARCH, P.O. BOX 8108, CAUSEWAY, SALISBURY, ZIMBABWE

New from Butterworths

Mineral Nutrition of Fruit Trees

Studies in the Agricultural and Food Sciences Series

Reviews the current state of knowledge in this field with particular reference to the effects of nutrition on post-harvest fruit quality and identifies the major problems that exist

Edited by D Atkinson, J E Jackson, R O Sharples and W M Waller

0 408 10662 X 452 pages 234 x 156 mm £30.00 US\$67.50



EXPERIMENTAL AGRICULTURE

VOLUME 16 1980

Editor
PROFESSOR J. P. HUDSON

Book Review Editor
PROFESSOR N. W. SIMMONDS

Editorial Board
PROFESSOR E. W. RUSSELL (Chairman)

PROFESSOR D. K. BRITTON
PROFESSOR A. H. BUNTING
DR R. K. CUNNINGHAM
PROFESSOR J. D. IVINS

A. R. MELVILLE
PROFESSOR J. L. MONTEITH
DR R. D. STERN
DR G. WATTS PADWICK

CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE
LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY

PUBLISHED BY

THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE

The Pitt Building, Trumpington Street, Cambridge CB2 1RP 32 East 57th Street, New York, N.Y. 10022

© Cambridge University Press 1980

Printed in Great Britain by Adlard & Son Ltd, Bartholomew Press, Dorking

CONTENTS

Part I (January 1980)

J. V. Waterworth: Green Revolution Methodology in Nigeria	1
D. Kumar and L. L. Tieszen: Photosynthesis in Coffea arabica. I. Effects of Light and Temperature	13
D. Kumar and L. L. Tieszen: Photosynthesis in Coffea arabica. II. Effects of Water Stress	21
M. R. Rao and R. W. Willey: Preliminary Studies of Intercropping Combinations Based on Pigeonpea or Sorghum	29
P. Loganathan and T. S. Balakrishnamurti: Effects of NPK Fertilizers on Young Coconut (<i>Cocos nucifera</i>) on a Sandy Soil in Sri Lanka	41
Y. Levy and A. Shaked: Tree Development, Yield and Leaf Nutrient Levels of Old-clone Lemon Trees on Eight Rootstocks	49
H. M. Shelton: Dry-season Legume Forages to Follow Paddy Rice in N.E. Thailand. I. Species Evaluation and Effectiveness of Native Rhizobium for Nitrogen Fixation	57
H. M. Shelton: Dry-season Legume Forages to Follow Paddy Rice in N.E. Thailand. II. Soil Fertility and Planting Methods	67
W. Y. Chew, K. T. Joseph, M. A. Adam, K. Ramli and A. K. Zulkifly: Effects of Macronutrients and Cutting on Mulberry Cultivars in Malaysian Peat	75
G. Lockwood: Adjustment by Neighbouring Plots in Progeny Trials with Cocoa	81
J. C. Flinn and J. Lagemann: Evaluating Technical Innovations under Low-resource Farmer Conditions	91
Book Reviews	103
Part 2 (April 1980)	
M. R. Rao and R. W. Willey: Evaluation of Yield Stability in Intercropping: Studies on Sorghum/Pigeonpea	105
R. W. Willey and M. R. Rao: A Competitive Ratio for Quantifying Competition Between Intercrops	117
T. C. Pokhriyal and Y. P. Abrol: Nitrate Assimilation in Relation to Total Reduced N in Bengal Gram (Cicer arietinum)	127
H. R. B. Hack: Effects of Pre-sowing Flooding, Rainfall, Irrigation and Drainage on Sesame in the Central Sudan Rainlands	137

D. Nangju and S. B. C. Wanki: Estimating Leaf Areas of Cowpea and Soyabean Using Dry Weights of Terminal Leaflets	149
R. J. Darby: Effects of Seed Carriers on Seedling Establishment after Fluid Drilling	153
O. O. Okoli: Dry Matter Accumulation and Tuber Sprouting in Yams (Dioscorea spp.)	161
W. Y. Chew, K. T. Joseph, M. A. Adam and K. Ramli: Influence of Lime and Macronutrients on Flue-cured Tobacco in Malaysian Tropical Peat	169
W. Y. Chew, H. J. Chew, H. A. H. Abdul Razak, B. Ariffin and M. A. Malek: Effects of Close Planting on Soyabean (Glycine max) Cultivars in Malaysia	175
K. Anand Reddy, K. Raj Reddy and M. Devender Reddy: Effects of Intercropping on Yield and Returns in Corn and Sorghum	179
P. R. Maurya and R. Lal: Effects of No-Tillage and Ploughing on Roots of Maize and Leguminous Crops	185
W. S. Guleria and C. M. Singh: Weed and Fertility Management in Rainfed Maize	195
S. U. Remison: Varietal Response of Cowpea to a Range of Densities in a Forest Zone	201
C. D. J. Kessler and H. M. Shelton: Dry-season Legume Forages to Follow Paddy Rice in N.E. Thailand. III. Influence of Time and Intensity of Cutting on <i>Crotalaria juncea</i>	207
Book Reviews	215
Errata	216
Part 3 (July 1980)	
R. Mead and R. W. Willey: The Concept of a 'Land Equivalent Ratio' and Advantages in Yields from Intercropping	217
R. J. Summerfield and F. R. Minchin: Reciprocal Grafts between Large Plants: Technique and Evaluation with Cowpeas	229
F. R. Minchin, R. J. Summerfield, P. Hadley and E. H. Roberts: Growth, Longevity and Nodulation of Roots in Relation to Seed Yield in Chickpeas (Cicer arietinum)	241
W. Y. Chew, C. N. Williams, L. Ismail and K. Ramli: Effects of Liming and Soil pH on Guinea Grass (<i>Panicum maximum</i>) in Malaysian Tropical Oligotrophic Peat	263
S. M. Funnah and C. Mak: Genotype X Environment Interactions on Grain Yield and other Characters of Soyabeans (Glycine max)	269
E. O. Lucas: Relations Between Growth Parameters in Oil Palm Seedlings Grown in Polybags	275

Olusola Omueti: Effects of Age on Celosia Cultivars	279
C. O. Othieno and P. M. Ahn: Effects of Mulches on Soil Temperature and Growth of Tea Plants in Kenya	287
C. O. Othieno: Effects of Mulches on Soil Water Content and Water Status of Tea Plants in Kenya	295
K. O. Awonaike, P. J. Lea, J. M. Day, R. J. Roughley and B. J. Miflin: Effects of Combined Nitrogen on Nodulation and Growth of <i>Phaseolus vulgaris</i>	303
C. N. Williams: Effects of Lime, Drainage, Manganese Dioxide and Seedling Condition on Rice in Acid Sulphur Soil in Brunei	313
G. O. Iremiren and G. M. Milbourn: Effects of Plant Density on Ear Barrenness in Maize	321
Book Reviews	327
Part 4 (October 1980)	
•	
R. Mead and R. D. Stern: Designing Experiments for Intercropping Research	329
E. H. Roberts, R. J. Summerfield, F. R. Minchin and P. Hadley: Phenology of Chickpeas (<i>Cicer arietinum</i>) in Contrasting Aerial Envronments	343
E. F. I. Baker: Mixed cropping in Northern Nigeria. IV. Extended Trials with Cereals and Groundnuts	361
S. O. Ojeniyi and O. O. Agbede: Effects of Single-Crop Agri-Silviculture on Soil Analysis	371
M. V. K. Sivakumar and S. M. Virmani: Growth and Resource Use of Maize, Pigeonpea and Maize/Pigeonpea Intercrop in an Operational	077
Research Watershed	377
S. M. Funnah and C. Mak: Yield Stability Studies in Soyabeans (Glycine max)	387
N. W. Simmonds: Comparisons of the Yields of Four Potato Varieties in Trials and in Agriculture	393
A. Kathiravetpillai and S. Kulasegaram: Variation in Growth of Young Vegetatively-Propagated Tea (Camellia sinensis)	399
R. McGibbon and Watkin Williams: Effects of Plant and Canopy Density on Seed Yield and Oil Content in White Lupin (Lupinus albus)	409
C. N. Williams: Fertilizer Response of Napier Grass under Different Soil Conditions in Brunei	415
L. H. Young: Effects of Temperature and Preflooding on Rice Yields in Kenya	425

M. O. H. El Karouri and M. G. Mansi: Performance of Sorghum (Sorghum	
vulgare) and Maize (Zea mays) as Forages in Irrigated Saline Soils of the	
Sudan	431
Book Reviews	437
Short Notices	438
Index	441

should not be more than 80 typewriter characters wide, including spaces between words, figures and columns.

Typescripts. The top copy and one carbon copy of the script should be submitted, typed with double spacing, on one side of the paper only and with margins of about 1½ inches at the left-hand side and head of each sheet. Quarto or A4 sizes are preferred to foolscap.

Title. The development of automatic bibliographic methods, based on indexing the significant words in the title, make it essential that the title of each paper should contain the maximum of useful information. It is particularly important, for example, that the title should contain references, where relevant, to the crop, the character of the investigation, the factors under review, and the climatic or geographic area in which the work was done.

Headings. The following details should be given at the head of the first sheet: the full title of the paper; a short title for running headlines, not exceeding 48 characters, counting each letter and space as one character; the name(s) of the author(s); the address at which the work was carried out; the present address(es) of author(s), if different from the previous item; and the address(es) to which proofs should be sent (see under 'Proofs' below).

Summary. A short but accurate and informative summary must be included, not larger than ten lines of typescript. The preparation of the summary, which requires much care, is not an Editorial responsibility.

Experimentation. This journal specialises in the presentation of data based on up-to-date methods of field experimentation. It is therefore important, where appropriate, that papers should include: an adequate account of experimental lay-outs; a description of treatments and general management; and assessments of experimental variability (e.g. coefficient of variation) and of the statistical significance of the results, specifying the methods used for the analysis (but without showing any details of the calculations). Papers can rarely be accepted if the work was carried out in containers, and/or under glasshouse conditions, unless it forms part of an investigation on field problems. Most agronomic investigations require at least two years of experimentation because of the variable effects of weather; papers based on a single season's work are not usually acceptable. The journal does not normally publish accounts of straightforward trials of pesticides, herbicides or varieties, since such papers are usually of local interest only.

Plates. Illustrations are welcome if they contribute to an understanding of the paper, but will only be accepted if of high quality. Photographs should be provided as unmounted glossy black-and-white prints (colour prints, but not colour transparencies, are acceptable for reproduction in black-and-white; they can only be reproduced in colour if a financial subsidy is provided). If lettering is to be inserted on a print, this should be shown on a spare copy or an overlay, and an unmarked print should be provided for marking by the printer.

Figures. Diagrams, including lettering should be in Indian ink on white drawing paper. Each illustration should bear the name of the author(s) and the figure number, written clearly in the margin or on the back. On no account should diagrams be submitted on sheets larger than foolscap size, and preferably not larger than A4.

Legends. The legends for all illustrations should be given on separate sheets of paper, clearly marked with the number of each plate or diagram. The ideal position for each diagram should be marked in the text, although it may not be possible to put the illustration exactly in that place.

Dating the work. Dates should be given for the beginning event of each experiment. The journal is reluctant to accept papers submitted more than three years after the end of the relevant experimental work.

Tables. Each table should be typed on a separate sheet of paper, and its preferred position indicated on the typescript. Each table should be numbered and bear an appropriate legend, along the lines normally used for tables in this publication. Contributors are specially asked to avoid presenting tables that are too large to print across the page, hence the limit of 80 typewriter characters referred to earlier. (N.B. It is rarely necessary to cite results to more than three significant figures in tables.)

Use of metric units. All data must be presented in metric units. Comparable data in local units (e.g. acres, ounces, etc.) may be given in parentheses at the first mention, or factors for converting metric into local units may be given as footnotes. The use of SI units will probably become mandatory at some time in the future.

References. The Harvard system of citation is used throughout. In the list of references all authors' names should be given. Not more that fifteen papers should normally be cited. It is preferable not to cite publications that are not readily accessible, such as theses.

Referees. All manuscripts are critically reviewed by expert referees, on whose advice the Editor accepts or rejects contributions, or returns them to authors for reconsideration.

Proofs. Two sets of single-sided page proofs will be sent to each author, but it is the responsibility of the senior author to collate the views of his co-author(s) and submit a consolidated set of corrections to the Editor, by returning to him the printer's marked proof (identified by the words 'marked copy') with all required corrections. No further corrected proof will be sent to the author(s), unless this is specially requested. Excessive alterations, other than corrections of printer's errors, may be disallowed or charged to the author.

Offprints. Fifty offprints will be sent free of charge to the author(s). Where there are two or more authors, all fifty offprints will be sent to the senior author, unless the printer is asked to divide them. Additional offprints may be ordered on the form sent out with the proofs (to the senior author only if there is more than one) provided this is returned to the printer within seven days of its receipt by the author.

Return of manuscript. Where a submission is not accepted for publication the top copy will be returned; manuscripts on thin (air-mail) paper will usually be sent by air but bulky manuscripts from overseas may be returned by surface mail.

EXPERIMENTAL AGRICULTURE VOLUME 16, NUMBER 4, OCTOBER 1980

CONTENTS

R. Mead and R. D. Stern: Designing Experiments for Intercropping Research	329
E. H. Roberts, R. J. Summerfield, F. R. Minchin and P. Hadley: Phenology of Chickpeas (Cicer arietinum) in Contrasting Aerial Environments	343
E. F. I. Baker: Mixed cropping in Northern Nigeria. IV. Extended Trials with Cereals and Groundnuts	361
S. O. Ojeniyi and O. O. Agbede: Effects of Single-crop Agri-silvi- culture on Soil Analysis	371
M. V. K. Sivakumar and S. M. Virmani: Growth and Resource Use of Maize, Pigeonpea and Maize/Pigeonpea Intercrop in an Operational Research Watershed	377
S. M. Funnah and C. Mak: Yield Stability Studies in Soyabeans (Glycine max)	387
N. W. Simmonds: Comparisons of the Yields of Four Potato Varieties in Trials and in Agriculture	393
A. Kathiravetpillai and S. Kulasegaram: Variation in Growth of Young Vegetatively-propagated Tea (Camellia sinensis)	399
R. McGibbon and Watkin Williams: Effects of Plant and Canopy Density on Seed Yield and Oil Content in White Lupin (Lupinus albus)	409
C. N. Williams: Fertilizer Response of Napier Grass under Different Soil Conditions in Brunei	415
L. H. Young: Effects of Temperature and Preflooding on Rice Yields in Kenya	425
M. O. H. El Karouri and M. G. Mansi: Performance of Sorghum (Sorghum vulgare) and Maize (Zea mays) as Forages in Irrigated Saline	101
Soils of the Sudan Book Reviews	431
Short Notices	437
Index	441
Index	441

© Cambridge University Press 1980 Printed in Great Britain by Adlard & Son Ltd. Bartholomew Press, Dorking