with minimal adverse effects and less liability for misuse and addiction.

- 1 Zanos P, Moaddel R, Morris PJ, Georgiou P, Fischell J, Elmer GI, et al. NMDAR inhibition-independent antidepressant actions of ketamine metabolites. *Nature* 2016; 533: 481–6.
- 2 Kapur S, Seeman P. NMDA receptor antagonists ketamine and PCP have direct effects on the dopamine D₂ and serotonin 5-HT₂ receptors implications for models of schizophrenia. *Mol Psychiatry* 2002; 7: 837–44.
- 3 Pietersen CY, Bosker FJ, Doorduin J, Jongsma ME, Postema F, Haas JV, et al. An animal model of emotional blunting in schizophrenia. PLoS ONE 2007; 2: e1360.

Robert A. Schoevers, Fokko J. Bosker, University of Groningen, University Medical Center Groningen, Department of Psychiatry; Interdisciplinary Center for Psychopathology and Emotion Regulation, Groningen, the Netherlands. Email: r.a.schoevers@umcg.nl

doi: 10.1192/bjp.209.5.435

Corrections

Population prevalence of depression and mean Beck Depression Inventory score. *BJPsych*, **195**, 516–519. The beta distribution formula for parameter β (p. 517, column 2) should read

 $\beta = 7.8680 - 0.1949 \times \text{mean BDI (scaled to range 0-63)}.$

Seneca on anger, mercy and sadistic homicide – in 100 words. *BJPsych*, 209, 250. Visionary as Seneca was, he cannot be credited for influencing the fictional psychiatrist Hannibal Lecter. It is in Aristotle's *Nicomachean Ethics* that an account of a mentally deranged slave who ate the liver of his fellow can be found.

doi: 10.1192/bjp.209.5.436