### The British Council

invites applications for the following post:

# Professor of Veterinary Nematology (Brazil)

Federal Rural University of Rio de Janeiro

Postgraduate qualification and 5 years' research.

Salary: £8125 pa

Benefits: annual bonus; family allowance; medical scheme. One-year contract, renewable.

Return fares are paid. Local contracts are guaranteed by the British Council.

Please write, briefly stating qualifications and length of appropriate experience; quoting reference number for further details and an application form to:

The British Council (Appointments), 65 Davies Street, London W1Y 2AA.

# BUREAU OF HYGIENE AND TROPICAL DISEASES

Keppel Street, London WC1E 7HT, England

### TROPICAL DISEASES BULLETIN

first published in 1912 as successor to Sleeping Sickness Bulletin (1908—1912) Annual Subscription (12 issues and index)—£12.50 (U.S. \$32.00)

### **ABSTRACTS ON HYGIENE**

published originally in 1926 as Bulletin of Hygiene—present title introduced in 1968 Annual Subscription (12 issues and index)—£20.00 (U.S. \$52.00)

The two monthly journals contain abstracts and reviews of articles which appear in the world's leading medical and scientific publications on a broad range of subjects concerned with all aspects of public health, including:

Environmental health—sanitation, water supplies, pollution, toxicology, food hygiene, occupational medicine

Community health—services, health education, maternity, childhood, family health, ageing, nutrition, housing, socio-economic factors, drug abuse

Epidemiology and control of diseases, with associated microbiology, parasitology, entomology, etc.

These abstract journals are complementary in subject coverage, with *Tropical Diseases Bulletin* concentrating on conditions in tropical and subtropical regions and *Abstracts on Hygiene* on those generally affecting communities outside these regions and on matters of universal importance.

## INSTRUCTIONS TO CONTRIBUTORS

The Journal of Helminthology publishes papers on all aspects of animal parasitic helminths, particularly those of medical or veterinary importance.

Manuscripts, which must be in English or French (with an English summary), should be addressed to:

The Editor, Journal of Helminthology, London School of Hygiene and Tropical Medicine, Keppel Street, London, WC1E 7HT, England.

Two copies of a typescript, on size A4 paper with double spacing, should be submitted. Papers should be preceded by a short abstract and will normally have the following sections: brief introduction (unheaded); Materials and Methods; Results; Discussion; Acknowledgements; References. However, the form of the paper may vary, depending on its subject matter; recent past issues should be consulted for a suitable form. Illustrations should be drawn in Indian ink, preferably not more than double the final size. Care should be taken that all illustrations fit into the format of the Journal. The maximum size an illustration may be printed is  $13.5 \times 18$  cm. Where many separate drawings are made, some indication of how they may be grouped to make a corporate plate without undue wastage of space should be indicated. Some indication of scale should normally be given on the figure. Photocopies of illustrations should also be enclosed for refereeing purposes. Lettering and numbering, which must be of a high standard, should be added by the author, with due regard for subsequent reduction.

Photographs should be glossy prints of the same size as they are to appear in the Journal (maximum size  $13.5 \times 18$  cm). Composite prints must be mounted and can have the separate photographs abutting; they will then have a separating line inserted by the printers. All figures and letters on photographs must be inserted by the author.

Information should not be repeated in the text and in tables or figures. The legends to tables and to figures should be sufficiently detailed for the information to be understood without reference to the text.

References should be given in alphabetical order with the full title of the journal. The following are examples:

- DUKE, B. O. L. (1971) The ecology of onchocerciasis in man and animals. In *Ecology* and physiology of parasites (ed A. M. Fallis) pp. 213-222. Adam Hilger Ltd.: London.
- JAMES, C. and WEBBE, G. (1973) A comparison of Egyptian and East African strains of Schistosoma haematobium. Journal of Helminthology, 47, 49-59.

50 offprints are provided free of charge; additional copies may be ordered at the proof stage.

# Contents

	P
BEVERIDGE, I. and BARKER, I. K. Acuariid, capillariid and hymenolepidid parasites of the dasyurid marsupial Antechinus stuartii Macleay, 1841, from southeastern Australia	211–
FINE, P. E. M. Quantitative studies on Heterakis gallinarum infections in the common fowl, Gallus gallus L.	229-
GHANDOUR, A. M. and WEBBE, G. The effect of sublethal concentrations of the molluscicide niclosamide on the infectivity of <i>Schistosoma mansoni</i> cercariae	245–
JONES, A. The morphology of <i>Bothriocephalus scorpii</i> (Müller) (Pseudophyllidea, Bothriocephalidae) from littoral fishes in Britain	251—
YAP, E. H., HO, B. C., MULKIT, S., KANG, K. L. and LIM, B. L. Studies on the Malayan forest rat filaria, Breinlia booliati: Periodicity and microfilaraemic patterns during the course of infection	263-
KHALIL, L. F. and GIBBONS, L. M. Gazellostrongylus lerouxi Yeh, 1956 from antelopes in East Africa and its relation to the genus Paracooperia Travassos, 1935	271-
NIZAMI, W A., SIDDIQI, A. H. and YUSUFI, A. N. K. Non-specific alkaline phosphomonoesterases of eight species of digenetic trematodes	281–
KUMAR, V., VERCRUYSSE, J., KAGERUKA, P. and MORTELMANS, J. Nasitrema attenuata (Trematoda) infection of Tursiops truncatus and its potentialities as an aetiological agent of chronic pulmonary lesions	289-
MURUA, R. Effects of temperature on hatching and development of <i>Nematospiroides dubius</i> in aerated water	293-
CHERNIN, J. The growth of the metacestodes of Taenia crassiceps in white mice	297-
NELSON, G. S., KEYMER, I. F., ROGERS, R. and DAVIS, R. Xeroradiographic visualization of trichinae in polar bear muscle	301-