INDEX OF SUBJECTS

A 1 C C 1 CON ULD C 7 LD C 1	_			P	AGE
Agglutination, granular "O," with B. typhosus and B. paratypho			•	•	516
qualitative and quantitative methods of testing f	or ente	ric ii	afection	ns	523
small flaking or granular, with B. typhosus, etc.		•	•	•	375
see Bacteria: Brucella, B. typhosus and B. paraty	phosus.				
Air, effect on man of CO from internal combustion engines .	•	•	•	•	406
influence of humidity on capacity for work at high tempera				•	431
physiological response to breathing hot air	•				332
temperature and humidity between shirt and skin of man					268
see Ethylene oxide.					
Anthrax-infected dried hides, disinfection by hydrogen sulphide					367
Bacteria, see also Effluents, Sewage.					
Bacilli, aerobic, endospore formation in relation to culture me	dium				535
Bacillus aerogenes, its significance in water					132
aerogenes				i	529
aertrycke	•	•	•	•	152
anthracis, sporulation	•	•	•	•	536
spores, disinfection, see Anthrax-infected.	•	•	•	•	000
coli-aerogenes group, classification					85
in faeces, water, soil	•	•	•	•	
71.6	•	•	•	80,	132
coli forms mannitol		•	•	•	385
strains from faeces, utilise citrates and ferment co	епорлов	е.	•	•	529
diphtheriae, blood tellurite medium for isolation .	•	•	•	•	544
latent infection with, etc	•	•	•	•	193
megatherium, sporulation	•	•	•	•	536
mesentericus, sporulation	•	•	•	•	536
morgani, produces gas from mannitol	•	•	•	•	3 85
mucosus capsulatus group, study of	•	•	•	•	24 0
mycoides, sporulation	•		•		536
subtilis, sporulation	•				536
typhosus, agglutination			•		375
forms mannitol					385
isolated during water-borne epidemic .					428
typhosus and B. paratyphosus					143
see Agglutination.					
Brucella group, specific and non-specific agglutination in .					45
Brucella abortus in milk					354
Meningococcus					258
Proteus vulgaris, pleomorphism induced by NaCl in medium					283
Streptococcus mucosus lyticus from respiratory tract infections					275
Vaccines found highly toxic .		·	·		282
Bacterial synergism: mannitol formed by B. typhosus or B. coli from		h R	moraar		
produces gas		ъъ.	organ		385
variation, combining affinities, and carcinogenesis .	•	•	•	•	301
Bactericidal action of normal serum, "whole" blood and serum-l	•	ta mi	· ivturca	•	494
mechanism of normal serum	cacocy	oo mi	LAUUIUS		494
Bactericidins of normal serum	•	•	•	•	494 1
Bacteriological examination of water in tropics, etc.	•	•	•	•	136
Beriberi, see Rice.	•	•	•	ου,	190
Delineli, occ inico.					

In	dex o	f Sul	pject	s					6	323
									F	AGE
Bronchitis, see Meteorological. Broncho-pneumonia, see Meteorologic	eal.									
Cancer and Syphilis		•								79
and tobacco smoking .		•			•					293
Carcinogenesis					•					3 01
susceptibility in relation to co	olour in	mice		•	•	•		•		557
Carbon monoxide, see Air.										
Child health and child weight, study	upon e	effect of	f certa	in f	actors	•	•	•	•	465
Climate, see Air, Meteorological.										
Clothing, see Air.	.1								1-71	~~0
Contraceptives (chemical), spermicid	ar powe	ers or	•	•	•	•	•	٠	171,	550
Diet, see Vitamin.										
Diphtheria carriers										193
Disinfection, see Anthrax-infected.										
Effluents: gasworks' liquors, bacteria	d purifi	cation	of	•	•	•	•	•	•	573
Encephalitis lethargica, incidence of			٠.	•	•	•	•	•	•	219
Engines, see Internal combustion (in			_		•		on .			
Ethylene oxide (used as insecticide, ve	ermin a	estroye	er, iun	ngar	it for i	coodst	uffs)	dang	ers	400
to guard against	•	•	•	•	•	•	•	•	•	409
Flea index in relation to plague in Ja	ava .									3 99
Food, see Rice.		•	•	•	•	•	•	•	•	000
,										
Growth under Vita glass, experiment	s on ra	its.	•		•	•		•	•	211
Immunity, see Agglutination, Bacte	ricidal.	Bacte	ricidi	ns.	Menin	oitis	Pre	einit	ins	
Rabies, Schick, Vacci				,		·6,		orpro	,	
Internal combustion engines, CO giv		effect o	n Hb	con	centra	tion				406
Java, plague in		•	•	•	•	•	٠	•	•	396
Management and the second	.		1 1							7.50
Magnesium, excessive intake in rat,						•	•	•	•	156
Meningitis, epidemic meningococcal,	~				n ior	•	•	•	•	258
Meteorological conditions affecting re Mining, see Air.	spirau	лу що	rtanty	•	•	•	•	•	•	67
Mortality from respiratory diseases,	see Met	eorolos	rical.							
respiratory discusses,		,010102	,							
Plague, problem of seasonal incidence	e .									396
Pneumonia et al, see Meteorological.										
Poliomyelitis, acute anterior, incider	ice of		•							219
Precipitins, estimation of proteins by	y .		•		•	•	•		•	340
Dabina askialanna damanlaskia askia										00
Rabies, actiology of paralytic accide		tion of	· fandad	! L				1	.1.14	33
index of acquired resistance	ro miec	mon ar	ioraec	ь бу	radici	gai en	tect	or rai	DDIU	400
immune serum . Rays, see Ultra-violet		•	•	•	•	•	•	•	•	489
Renal calculi in rat induced by exce	ssive m	agnesi	ım in	take						156
Respiration, see Air.			111		•	•	•	•	•	100
Rice, effect of parboiling and milling	on vit	amin a	nd ph	ospl	ate c	onten	t			184

624 Index of Subjects

Schick immunity and latent diphtheria infection	on								193
School children, see Child.				-					
Seasonal incidence of plague									390
Serology, see Agglutination, Bactericidal, Ba Rabies, Typhoid.			s, P	araty	phoid,	Pre	cipit	ins,	
Sewage, action of gasworks' liquors on bacteri	al flo	ra of							573
Spermicides, see Contraceptives.									
Syphilis and Cancer	•	•		•	•		•		79
Tobacco smoking and cancer									293
Typhoid and Paratyphoid fevers, serological d	iagno	sis of	Ē						143
Typhoid fever, a water-borne epidemic .				•	•	•	•		417
Ultra-violet rays, effect on growth of rats									211
Undulant fever et al, see Bacteria (Brucella).									
Vaccinia, immunisation with inactive virus									55
immunity and disability caused by									25
Vita glass, growth of rats under	•								211
Vitamin $\mathbf{B_1}$ (antineuritic), see Rice.									
Water-borne epidemic of typhoid fever .									417
Water supplies, see Bacteriological examination	n of.								
Whooping cough, epidemiology of, in London				•					581

CAMBRIDGE: PRINTED BY W. LEWIS, M.A., AT THE UNIVERSITY PRESS