

INDEX TO AUTHORS OF PAPERS TO VOLUME 12

- Allgeuer, H.** Control strategy for a redundant PUMA manipulator, 361–369
- Ananthanarayanan, S. P., Goldenberg, A. A. and Mylopoulos, J.** A qualitative theoretical framework for 'common-sense' based multiple contact robotic manipulation, 175–186
- Arimoto, S. and Naniwa, T.** Learning control for robot motion under geometric end-point constraint, 101–108
- Backes, P. G., Beahan, J., Long, M. K., Steele, R. D., Bon, B. and Zimmerman, W.** A prototype ground-remote telerobot control system, 481–490
- Badcock, J. M. and Jarvis, R. A.** Wire-frame modelling of polyhedral objects from rangefinder data, 65–75
- Basu, A.** See Elnagar and Basu
- Basu, A.** See Korayem and Basu
- Beahan, J.** See Backes, Beahan, Long, Steele, Bon and Zimmerman
- Bidaud, P.** See Fontaine and Bidaud
- Bidaud, P.** See Mavroidis, Ouezdou and Bidaud
- Bien, Z.** See Lee and Bien
- Bon, B.** See Backes, Beahan, Long, Steele, Bon and Zimmerman
- Boudihir, M. E., Dufaut, M. and Husson, R.** A vision system for mobile robot navigation, 77–89
- Chan, R. H. T., Tam, P. K. S. and Leung, D. N. K.** Solving the motion planning problem by using neural networks, 323–333
- Chen, Z. and Huang, C-M.** Terrain Exploration of a Sensor-Based Robot Moving Among Unknown Obstacles of Polygonal Shape, 33–44
- Cheng, R. M. H.** See Hemami, Mehrabi and Cheng
- Cho, H. S.** See Cho and Cho
- Cho, H. S.** See Koh, Kim and Cho
- Cho, H. S.** See Shin and Cho
- Cho, Y. C. and Cho, H. S.** A stereo vision-based obstacle detecting method for mobile robot navigation, 203–216
- Clark, E.** See Lee and Clark
- Curk, B.** See Jezernik, Curk and Harnik
- Daneshmend, L.** See Hayward, Daneshmend and Nilakantan
- DeSantis, R. M. and Krau, S.** Bang bang motion control of a Cartesian crane, 449–454
- Dufaut, M.** See Boudihir, Dufaut and Husson
- Ellis, R. E., Ganeshan, S. R. and Lederman, S. J.** A tactile sensor based on thin-plate deformation, 343–351
- ElMaraghy, H. A.** See Jankowski and ElMaraghy
- Elnagar, A. and Basu, A.** Piecewise smooth and safe trajectory planning, 299–307
- Fant, E. W. and Tran, S. L.** Robotic arm self-taught path planning using transportation model heuristics, 17–21
- Fenton, R. G.** See Xi and Fenton
- Filaretov, V. F.** See Vukobratović, Filaretov and Korzun
- Fontaine, D. and Bidaud, P.** Design and implementation of an inductive learning control system for a manipulator gripper, 187–192
- Fontaine, J. G.** See Gorce, Villard and Fontaine
- Ganeshan, S. R.** See Ellis, Ganeshan and Lederman

- Gershon, D.** Introduction to the special issue: Intelligent control for manipulation, 97–99
- Goldenberg, A. A.** See Ananthanarayanan, Goldenberg and Mylopoulos
- Gong, S-W.** See Red and Gong
- Gorce, P., Villard, C. and Fontaine, J. G.** Grasping, coordination and optimal force distribution in multifingered mechanisms, 243–251
- Grupen, R. A. and Weiss, R. S.** Integrated control for interpreting and manipulating the robot environment, 165–174
- Harnik, J.** See Jezernik, Cerk and Harnik
- Hayward, V., Daneshmend, L. and Nilakantan, A.** Trajectory generation and control for automatic manipulation, 115–125
- Hemami, A., Mehrabi, M. G. and Cheng, R. M. H.** Optimal kinematic path tracking control of mobile robots with front steering, 563–568
- Huang, C.-M.** See Chen and Huang
- Husson, R.** See Boudihir, Dufaut and Husson
- Jagannathan, S., Zhu, S. Q. and Lewis, F. L.** Path planning and control of a mobile base with nonholonomic constraints, 529–539
- Jamshidi, M.** Introduction to the special issue: telerobotics & mobile robots for space applications, 479
- Jamshidi, M.** See Martinez, Tunstel and Jamshidi
- Jankowski, K. P. and ElMaraghy, H. A.** Inverse dynamics and feedforward controllers for high precision position/force tracking of flexible joint robots, 227–241
- Jarvis, R. A.** See Badcock and Jarvis
- Jee, W-S.** See Suh, Kang, Jee, Jung and Kim
- Jezernik, K., Cerk, B. and Harnik, J.** Observer-based sliding mode control of a robotic manipulator, 443–448
- Jung, M-Y.** See Suh, Kang, Jee, Jung and Kim
- Kang, J-K.** See Suh, Kang, Jee, Jung and Kim
- Kim, J. S.** See Kyoung, Kim and Cho
- Kim, K-S.** See Suh, Kang, Jee, Jung and Kim
- Koditschek, D. E.** An approach to autonomous robot assembly, 137–155
- Koh, K. C., Kim, J. S. and Cho, H. S.** A position estimation system for mobile robots using a monocular image of a 3-D landmark, 431–441
- Korayem, M. H. and Basu, A.** Formulation and numerical solution of elastic robot dynamic motion with maximum load carrying capacities, 253–261
- Korzun, A. I.** See Vukobratović, Filaretov and Korzun
- Krau, S.** See DeSantis and Krau
- Kyriakopoulos, K. J. and Saridis, G. N.** Minimum jerk for trajectory planning and control, 109–113
- Last, M.** See Maimon and Last
- Lederman, S. J.** See Ellis, Ganeshan and Lederman
- Lee, B. R. and Ro, P. I.** Path finding and grasp planning for robotic assembly, 353–360
- Lee, G. K. F. and Clark, E.** A discrete-time virtual passive control algorithm for large space systems, 513–519
- Lee, J-J.** See Shin and Lee
- Lee, Y. J. and Bien, Z.** A hierarchical strategy for planning crab gaits of a quadruped walking robot, 23–31
- Leung, D. N. K.** See Chan, Tam and Leung
- Lewis, F. L.** See Jagannathan, Zhu and Lewis
- Li, Y. F.** Characteristics and signal processing of a proximity sensor, 335–341
- Linnett, J. A.** See Wang, Linnett and Roberts
- Long, M. K.** See Backes, Beahan, Long, Steele, Bon and Zimmerman

- Lumia, R.** Using NASREM for real-time sensory interactive robot control, 127–135
- Lumia, R.** Using NASREM for telerobot control system development, 505–512
- Maimon, O. and Last, M.** Information-efficient robotic control, 157–163
- Martinez, A., Tunstel, E. and Jamshidi, M.** Fuzzy logic based collision avoidance for a mobile robot, 521–527
- Mavroidis, C., Ouezdou, F. B. and Bidaud, P.** Inverse kinematics of six-degree of freedom “general” and “special” manipulators using symbolic computation, 421–430
- Medved, V.** Towards a virtual reality-assisted movement diagnostics—an outline, 55–57
- Mehdian, M. and Rahnejat, H.** A dexterous anthropomorphic hand for robotic and prosthetic applications, 455–463
- Mehrabi, M. G.** See Hemami, Mehrabi and Cheng
- Mylopoulos, J.** See Ananthanarayanan, Goldenberg and Mylopoulos
- Naniwa, T.** See Arimoto and Naniwa
- Nilakantan, A.** See Hayward, Daneshmend and Nilakantan
- Odeberg, H.** Fusing sensor information using fuzzy measures, 465–472
- Oh, S. J.** See Pham and Oh
- Ouezdou, F. B.** See Mavroidis, Ouezdou and Bidaud
- Petrović, T.** See Potkonjak and Petrović
- Pham, D. T. and Oh, S. J.** Adaptive control of a robot using neural networks, 553–561
- Pin, F. G. and Watanabe, Y.** Navigation of mobile robots using a fuzzy behaviorist approach and custom-designed fuzzy inferencing boards, 491–503
- Potkonjak, V. and Petrović, T.** Contribution to robots control with parallel degrees of freedom, 569–573
- Rahnejat, H.** See Mehdian and Rahnejat
- Red, W. E. and Gong, S-W.** Automated inverse-kinematics for robot off-line programming, 45–53
- Ro, P. I.** See Lee and Ro
- Roberts, J. W.** See Wang, Linnett and Roberts
- Rogalinski, P.** An approach to automatic robots programming in the flexible manufacturing cell, 263–279
- Saridis, G. N.** See Kyriakopoulos and Saridis
- Sasaki, S.** On numerical techniques for kinematics problems of general serial-link robot manipulators, 309–322
- Shin, C. K. and Cho, H. S.** On the generation of robotic assembly sequences based on separability and assembly motion stability, 7–15
- Shin, J-H. and Lee, J-J.** Dynamic control with adaptive identification for free-flying space robots in joint space, 541–551
- Steele, R. D.** See Backes, Beahan, Long, Steele, Bon and Zimmerman
- Suh, S-H., Kang, J-K., Jee, W-S., Jung, M-Y. and Kim, K-S.** CAD-MAP and estimation of ALV positions in mountainous areas, 287–297
- Tam, P. K. S.** See Chan, Tam and Leung
- Tran, S. L.** See Fant and Tran
- Tunstel, E.** See Martinez, Tunstel and Jamshidi
- Uzmay, I. and Yildirim, S.** Geometric and algebraic approach to the inverse kinematics of four-link manipulators, 59–64
- Villard, C.** See Gorce, Villard and Fontaine
- Vukobratović, M. K., Filaretov, V. F. and Korzun, A. I.** A unified approach to mathematical modelling of robotic manipulator dynamics, 411–420
- Wang, Y.. Linnett, J. A. and Roberts, J.** Kinematics, kinematic constraints and path planning for wheeled mobile robots, 391–400
- Wang, Y.. Linnett, J. A. and Roberts, J. W.** Motion feasibility of a wheeled vehicle with a steering angle limit, 217–226

- Watanabe, Y.** See Pin and Watanabe
- Weiss, R. S.** See Grupen and Weiss
- Wu, C-J.** A numerical approach for time-optimal path-planning of kinematically redundant manipulators. 401–410
- Xi, F. and Fenton, R. G.** On flexible link manipulators: modeling analysis using the algebra of rotations. 371–381
- Yildirim, S.** See Uzmay and Yildirim
- Zhu, S. Q.** See Jagannathan, Zhu and Lewis
- Zimmerman, W.** See Backes, Beahan, Long, Steele, Bon and Zimmerman

INDEX TO BOOKS REVIEWED IN VOLUME 12

The name of the reviewer of the book is given in parentheses

- Beerel, A.** *Expert Systems in Business: Real World Applications*, (A. M. Andrew), 93
- Chester, M.** *Neural Networks—A Tutorial*, (R. Mitchell), 281
- Faugeras, O.** *Three-Dimensional Computer Vision: A Geometric Viewpoint*, (T. Owen), 475
- Gonzalez, A. J. and Dankel, D. D.** *The Engineering of Knowledge-Based Systems: Theory and Practice*, (T. Owen), 282
- Harri-Augstein, S. and Thomas, L.** *Learning Conversations*, (M. Elstob), 475
- Hirose, S.** *Biologically Inspired Robots: Snake-Like Locomotors and Manipulators*, (T. Owen), 282
- Ito, Y.** *Human-Intelligence-Based Manufacturing*, (T. Owen), 282
- Pack Kaelbling, L.** *Learning in Embedded Systems*, (A. M. Andrew), 93–94
- Van de Velde, W.** *Towards Learning Robots*, (T. Owen), 475