THE JOURNAL OF AGRICULTURAL SCIENCE

EDITED BY

PROFESSOR SIR R. H. BIFFEN, M.A., F.R.S., School of Agriculture, Cambridge

- E. M. CROWTHER, D.Sc., F.I.C., Rothamsted Experimental Station, Harpenden
- J. HAMMOND, M.A., D.Sc., F.R.S., School of Agriculture, Cambridge
- H. HUNTER, M.A., D.Sc., School of Agriculture, Cambridge
- B. A. KEEN, D.Sc., F.R.S., Rothamsted Experimental Station, Harpenden
- F. H. A. MARSHALL, C.B.E., Sc.D., LL.D., F.R.S., School of Agriculture, Cambridge
- SIR E. J. RUSSELL, D.Sc., F.R.S., Campsfield Wood, Woodstock, Oxon.

IN CONSULTATION WITH

- PROFESSOR B. T. P. BARKER, M.A., Agricultural and Horticultural Research Station, Long Ashton, Bristol
- DR I. B. POLE-EVANS, C.M.G, Department of Agriculture, Pretoria, South Africa
- PROFESSOR J. HENDRICK, B.Sc., F.I.C., Marischal College, Aberdeen
- DR A. E. V. RICHARDSON, C.M.G., M.A., Commonwealth Council for Scientific and Industrial Research, Melbourne, Australia
- DR H. J. WHEELER, American Agricultural Chemical Co., Agricultural Service Bureau, 419 Fourth Avenue, New York, U.S.A.

VOLUME XXXVII 1947

CAMBRIDGE AT THE UNIVERSITY PRESS I 947

Printed in Great Britain at the University Press, Cambridge (Brooke Crutchley, University Printer) and published by the Cambridge University Press (Cambridge, and Bentley House, London) Agents for U.S.A., Canada, and India: Macmillan

Contents

PART 3 (JULY 1947)

| | PAGE |
|--|------|
| WOODMAN, ROWLAND MARCUS and JOHNSON, DELPHINE AINSLIE. Plant growth with nutrient solutions. IV. The influence of culture solutions of varying phosphate content on the | |
| growth of the turnip in fen and gravel soil. (With Six Text-figures) | 163 |
| LOVELESS, A. R. and DILLON WESTON, W. A. R. The emergence of 'weevilled' beans . | 199 |
| WOODMAN, H. E. and EVANS, R. E. The nutritive value of fodder cellulose from wheat straw. I. Its digestibility and feeding value when fed to ruminants and pigs | 202 |
| WOODMAN, H. E. and EVANS, R. E. The nutritive value of fodder cellulose from wheat straw. | |
| II. The utilization of cellulose by growing and fattening pigs | 211 |
| FALCONER, D. S. Milk production in mice. (With One Text-figure) | 224 |
| HALE, J. B. Mineral composition of leaflets in relation to the chlorosis and bronzing of oil | |
| palms in West Africa. (With Two Text-figures) | 236 |
| KEMPTHORNE, O. A note on differential responses in blocks | 245 |
| WEBLEY, D. M. A technique for the study of oxygen availability to micro-organisms in soil | |
| and its possible use as an index of soil aeration. (With Three Text-figures) | 249 |
| QUASTEL, J. H. and WEBLEY, D. M. The effects of the addition to soil of alginic acid and of | |
| other forms of organic matter on soil aeration | 257 |

PART 4 (OCTOBER 1947)

| TAYLOR, R. ERIC, CRONSHEY, J. F. H. and DILLON WESTON, W. A. R. Seed disinfection. VIII. Radishes | 267 |
|--|-----|
| WAGER, H. G. Quality of potatoes in relation to soil and season. III. Time of lifting and the colour of the cooked potato | 270 |
| GALPIN, N. A study of wool growth. I. Weight of wool. (With Three Text-figures) | 275 |
| DAVISON, W. F. The control of ovulation in the mare with reference to insemination with stored sperm . | 287 |
| MACDONALD, D., FIELDING, W. L. and RUSTON, D. F. Experimental methods with cotton. III. Sulphuric acid treatment of cotton seed, and its effects on germination, development and yield | 291 |
| MACDONALD, D., FIELDING, W. L. and RUSTON, D. F. Experimental methods with cotton. IV. A study of the effects of gap-filling on the development and yield of cotton plants in poor stands of hand planted cotton | 297 |
| HULL, R. and WATSON, MARION. Factors affecting the loss of yield of sugar beet caused by beet yellows virus. II. Nutrition and variety. (With One Text-figure) | 301 |
| WOODMAN, H. E. and EVANS, R. E. The chemical composition and nutritive value of ryegrass-seed meal, clover-seed meal, lucerne-seed meal and sainfoin-seed meal | 311 |
| BOLTON, W. The riboflavin requirement of the White Wyandotte chick. II. Pure crystalline riboflavin as the vitamin supplement. (With Five Text-figures) | 316 |
| BOLTON, W. The riboflavin requirement of the White Wyandotte chick. III. The rates of depletion of the tissues. (With Five Text-figures | 323 |
| McDougall, E. I. The variation in the copper content of the blood of normal sheep. (With Two Text-figures) | 329 |
| McDOUGALL, E. I. The copper, iron and lead contents of a series of livers from normal foetal and new-born lambs. (With One Text-figure) | 337 |