A list of the

JOURNALS

Published by the Cambridge University Press, may be had from

THE MANAGER CAMBRIDGE UNIVERSITY PRESS BENTLEY HOUSE 200 EUSTON ROAD LONDON, N.W. I

EDWARD GURR, LTD. MICHROME STAINS

Dyes for scientific and technological purposes:

Aquamount Celloidin *Chromosome Red Fluoroil Fluormount

Giemsa Stain Janus Green B Laktoseal Lipid Crimson Nile Blue

Sudan Black
*Trifalgic Acid
Waterwax Wright Stain etc.

A New and Unique DIAGNOSTIC REAGENT:

*FALG STAIN (B. T. Squires' modification), for indicating Protein-malnutrition; General state of health in Man and Animals; Malingering, etc.

*RHODANILE BLUE: an entirely new kind of basic dye conceived and synthesized for the first time by Dr Edward Gurr with the object of providing a new research tool.

*Information leaflets and catalogue on request

EDWARD GURR, LTD.

42 Upper Richmond Road West LONDON, S.W.14

Cables: Micromlabs, London

Publications issued by

COMMONWEALTH INSTITUTE OF ENTOMOLOGY 56 Oueen's Gate, London, S.W. 7

BULLETIN OF ENTOMOLOGICAL RESEARCH

Published quarterly and containing original articles on economic entomology. Post free. Annual subscription (payable in advance) 150s. od. Prices of back parts and volumes on application.

REVIEW OF APPLIED ENTOMOLOGY

Consisting of abstracts or reviews of current literature on economic entomology throughout the world. Published monthly in two series:

Series "A" dealing with insect and other arthropod pests of cultivated plants, forest trees and stored products of animal and vegetable origin.

Series "B" dealing with insects, ticks, etc. conveying disease or otherwise injurious to man and animals. Post free.

Series "A" Series "B"
Annual subscription (payable in advance) 180s. od. 80s. od. Prices of back parts and volumes on application.

ZOOLOGICAL RECORD, part INSECTA

Published annually and containing as complete a record as possible of the literature of the previous year, chiefly from the systematic standpoint.

Annual subscription 130s. od. Post free.

Prices of back volumes on application.

The Journal of General Microbiology

Editors: B. C. J. G. KNIGHT AND A. F. B. STANDFAST

Contents of Vol. 48, No. 1, July 1967

- K. A. WRIGHT and H. V. WYATT. Alkali metal ions in relation to the growth of *Escherichia coli*: a comparison with *Staphylococcus aureus*.
- S. O. STANLEY and A. H. Rose. On the clumping of *Corynebacterium xerosis* as affected by temperature.
- K. A. BISSET. Ultrastructure of cell envelopes of large cells, small cells and cysts of *Azoto-bacter chroococcum*.
- K. A. BISSET and C. M. F. HALE-McCAUGHEY. Gonidium production in Azotobacter chroococcum.
- M. J. DILWORTH and D. C. WILLIAMS. Nucleic acid changes in bacteroids of *Rhizobium lupini* during nodule development.
- E. D. SINGER, LEA GRUNDMAN and FANY CROITORU. Increased toxin titres obtained by the addition of selected carbon sources to shaken cultures of *Corynebacterium diphtheriae*.
- ELLEN S. VITETTA and HELENE N. GUTTMAN. Immunological relationships among the lower trypanosomatidae.
- S. ROTTEM and S. RAZIN. Uptake and utilization of acetate by Mycoplasma.
- R. MARCHANT and MONICA F. WHITE. The carbon metabolism and swelling of *Fusarium culmorum* conidia.
- L. V. KALAKOUTSKII, IRENE P. KIRILLOVA and N. A. KRASSILNIKOV. A new genus of the Actinomycetales—Intrasporangium gen.nov.
- AILSA B. VISE and JUNE LASCELLES. Some properties of a mutant strain of *Escherichia coli* which requires lysine and methionine or lipoic acid for growth.
- D. VAN EEDEN. The antigens of *Pseudomonas aeruginosa* studied by the Ouchterlony technique and immuno-electrophoresis.
- C. A. Fewson. The identity of the Gram-negative Bacterium NCIB 8250 ('Vibrio 01').
- VIORICA BOGDANESCU and R. RACOTTA. Identification of mycobacteria by overall similarity analysis.
- K. H. GOULDING and M. J. MERRETT. The photo-assimilation of acetate by *Pyrobotrys* (Chlamydobotrys) stellata.
- Anna Boddy, Patricia H. Clarke, Margaret A. Houldsworth and M. D. Lilly. Regulation of amidase synthesis by *Pseudomonas aeruginosa* 8602 in continuous culture.
- E. Somers and D. J. Fisher. Effect of dodine acetate on the electrophoretic mobility of *Neurospora crassa* conidia.
- P. R. PAINTER and A. G. MARR. Inequality of mean interdivision time and doubling time.

The subscription rate is £5 net per volume of 3 parts. Single parts 45s. each plus postage. Four volumes will be issued each year. Orders should be sent to

CAMBRIDGE UNIVERSITY PRESS
BENTLEY HOUSE, 200 EUSTON ROAD, LONDON, N.W.1

NOTES FOR CONTRIBUTORS

CONTRIBUTIONS will be welcomed from scientists of all nationalities, but must be written in English. Papers should be sent to the Editor, Dr P. Tate, The Molteno Institute, Downing Street, Cambridge.

GENERAL. Submission of a paper will be taken to imply that it is unpublished and is not being considered for publication elsewhere. Papers published in *Parasitology* may not be reprinted or published in translation without permission from the Editorial Board. Papers should be as concise as clarity permits, and illustrations kept as few as possible. Attention to the following instructions will assist rapid publication:

TYPESCRIPTS. Papers should be typewritten with double spacing, on one side only of quarto paper, leaving a margin of about 4 cm. on the left-hand side of each sheet. Sheets should be numbered consecutively. Heavily corrected typescripts may have to be returned to the author for retyping. Papers should state the name of the author and the address to which proofs are to be sent. The address of the laboratory at which the work was carried out will be printed with the authors' names at the head of the paper. A short title, not exceeding 44 letters, should be supplied for running headlines.

The general arrangement of the paper should be as follows: Introduction; Methods; Results; Discussion; Summary of results; References. Tables, explanations of text-figures or plates, and keys to the abbreviations used on figures should be on separate sheets (see below).

PLATES should only be included where they are absolutely essential, as in the reproduction of photomicrographs and similar illustrations demanding very fine detail. Plates are expensive and authors may be required to bear part of the cost if an unduly large number is required. Photographs should be sharp glossy prints, trimmed and mounted on white card and grouped and numbered as they are required to appear in print (oversea contributors may prefer to submit unmounted prints with a sketch to indicate the proposed grouping, in order to reduce postage costs). Please remember that the area of a group cannot exceed 20 by 12·5 cm., after reduction (if any). Lettering is best indicated on an overlay or separate sketch.

TEXT FIGURES should not be more than about twice the size of the finished block, and the thickness of lines and size of points, stipples, etc. determined accordingly. The maximum size of any one group of figures, after reduction, is 20 by 12.5 cm. They must be drawn in Indian ink on white Bristol Board, heavy drawing paper, tracing paper or tracing linen; graph paper ruled in pale blue (but not other colours) is also acceptable. Explanatory lettering should be lightly inserted in blue pencil, with tally lines showing the position of the feature to which it refers, so that the printer may put in the finished lettering. Properly pre-pared scraperboard drawings may be suitable for reproduction as line drawings, but drawings with gradations of shading (e.g. washdrawings) are not. Please try to avoid creasing or folding illustrations. Legends to illustrations must be given on a separate sheet of paper, but scales of magnification are preferably given alongside the illustrations. Each illustration must have the name of the author and figure number pencilled on the back. Plates and

diagrams should be numbered separately and their approximate positions indicated in the margin of the typescript. It is very convenient if photographs of illustrations are sent with the papers in addition to the original figures; they are essential when the originals are very large, so that they may be sent through the post to referees.

TABLES should be kept to a minimum and the duplication of information in tables and graphs avoided. They should be typed on separate sheets of paper and their approximate positions indicated in the margin of the typescript. Each table should be numbered and be designed to be printed in the normal orientation of the text with the data so grouped as to make the use of rules unnecessary, whenever possible.

NOMENCLATURE. Authors should follow the International Rules of Nomenclature in the names of organisms. When new names are introduced the recommendations of the International Code of Zoological Nomenclature, 1964, should be strictly adhered to, especially with regard to the designation of types and statements as to where such types are deposited.

REFERENCES should be given only when cited in the text and should be listed in alphabetical order at the end of the paper, in the following form:

Surname of author(s), initials; year of publication; title of paper; title of journal (abbreviated according to the *World List of Scientific Periodicals*, 1963–5 ed., and underlined); volume number; first and last page numbers of the work cited. When books are listed, the title of the book should be underlined and it should be followed by the town of publication and the name of the publisher.

Where there is more than one reference to a particular author or group of authors with the same date, references should be distinguished by letters placed after the date, the letter a being used for the first reference cited and so on.

PROOFS sent to authors are already in page form and only essential corrections should be made on them. Excessive alterations, other than corrections of printers' errors, may be disallowed or charged to the author; they are in any case liable to delay publication. Correction should be made using the symbols in British Standard 1219: 1958, or its shortened version B.S. 1219 C: 1958 (British Standards Institution, 2 Park Street, London, W.1). After correction, the printers' marked proof should be returned to the Editor.

OFFPRINTS. Fifty offprints of each paper are provided free of charge. Additional offprints may be ordered on the form sent out with proofs, provided this is returned within seven days of receipt.

MORE DETAILED INFORMATION on the preparation of manuscripts for publication is to be found in the following:

NUTTALL, G. H. F. (1940). Notes on the Preparation of Papers for Publication in the Journal of Hygiene and in Parasitology, Parasitology 32, 1–62 and J. Hyg. 40, 1–62. (Now out of print and also out of date in some respects.)

The Journal of Physiology (1960). Suggestions to Authors 150, 1–33, Cambridge University Press.

Authors 150, 1–33, Cambridge University Press.
THE ROYAL SOCIETY published a second edition of General Notes on the Preparation of Scientific Papers in 1965.

PARASITOLOGY

Volume 57, Part 3 August 1967

CONTENTS

	PAGE
KASSAI, T. and AITKEN, I. D. Induction of immunological tolerance in rats to Nippo- strongylus brasiliensis infection. (With 6 Figures in the Text)	403
MARSHALL, ADRIAN G. The cat flea, Ctenocephalides felis felis (Bouché, 1835) as an intermediate host for cestodes. (With 10 Figures in the Text)	419
THRELFALL, WILLIAM. Studies on the helminth parasites of the herring gull, Larus argentatus Pontopp., in Northern Caernarvonshire and Anglesey. (With 6 Figures in the Text)	431
Callow, L. L. Sterile immunity, coinfectious immunity and strain differences in <i>Babesia bigemina</i> infections	455
DASGUPTA, B. A new malarial parasite of the flying squirrel. (With 3 Plates)	467
Hammond, R. A. The fine structure of the trunk and praesoma wall of <i>Acanthocephalus ranae</i> (Schrank, 1788), Lühe, 1911. (With 3 Plates and 3 Figures in the Text)	475
Knutson, L. V., Neff, S. E. and Berg, C. O. Biology of snail-killing flies from Africa and southern Spain (Sciomyzidae: Sepedon). (With 26 Figures in the Text)	487
Cox, F. E. G. Monocystid gregarines of Nigerian earthworms. I. Adelphocystis aeikineta gen.nov., sp.nov. from the coelom of Keffia variabilis Clausen, 1963. (With 4 Figures in the Text)	507
Wakelin, D. Acquired immunity to <i>Trichuris muris</i> in the albino laboratory mouse. (With 2 Figures in the Text)	515
COTTON, M. J. and WATTS, C. H. S. The ecology of the tick <i>Ixodes trianguliceps</i> Birula (Arachnida: Acarina; Ixodoidea). (With 5 Figures in the Text)	525
GIBSON, T. E. and EVERETT, G. The ecology of the free-living stages of <i>Trichostrongylus colubriformis</i> . (With 7 Figures in the Text)	533
Sprent, J. F. A. and McKeown, Ann. A study on adaptation tolerance; growth of ascaridoid larvae in indigenous and non-indigenous hosts. (With 1 Figure in the Text)	549
SINHA, D. P. and HOPKINS, C. A. Studies on Schistocephalus solidus. 4. The effect of temperature on growth and maturation in vitro. (With 7 Figures in the Text)	555
Rose, M. Elaine. Immunity to Eimeria tenella and Eimeria necatrix infections in the fowl. I. Influence of the site of infection and the stage of the parasite. II. Cross-protection	567
KEARN, G. C. Experiments on host-finding and host-specificity in the monogenean skin	585