Index of Subjects

- Aeromonas spp., toxin production, adherence and protein expression by clinical, isolates in broth and human pooled ileostomy fluid, 235
- AIDS, municipal drinking water and cryptosporidiosis among persons with, in Los Angeles County, 313
- Akabane, the distribution of, virus in the Middle East, 175
- Anthrax, information on which to base assessments of risk from environments contaminated with, spores, 479
- Astovirus, identification of, serotypes from children treated at the Hospitals for Sick Children, London 1981-93, 153

Bacillus cereus, contamination of hospital linen by, 297

- Bovine leukaemia virus, epidemiological evaluation of a monoclonal ELISA detecting antibodies against, in serum pools, 563
- Campylobacter jejuni, flagellin gene polymorphism analysis of, infecting man and other hosts and comparison with biotyping and somatic antigen serotyping, 221
- Capripox, western blot analysis of virus-specific antibody responses for, and contagious pustular dermatitis viral infections in sheep, 377
- Clostridium botulinum, the production of, type A, B and D toxin in rotting carcasses, 335
- Clostridium difficile-associated diarrhoea: epidemiological data from Western Australia, 13
- *Clostridium difficile*, identification of outbreak-associated and other strains of, by numerical analysis of SDS-PAGE protein patterns, 1
- Complement, hereditary deficiency of the seventh component of, and recurrent meningococcal infection: investigations of an Irish family using a novel haemolytic screening assay for complement activity and C7 M/N allotyping, 275
- Contagious pustular dermatitis, western blot analysis of virus-specific antibody responses for capripox and, viral infections in sheep, 377
- Crimean-Congo haemorrhagic fever, serodiagnosis of, 551
- Cryptosporidiosis, municipal drinking water and, among persons with AIDS in Los Angeles County, 313
- Cryptosporidiosis, seroepidemiology of, in children in Papua New Guinea and Australia, 491
- Enteropathogens, flies and water as reservoirs for bacterial, in urban and rural areas in and around Lahore, Pakistan, 435
- Enteroviruses, exposure to, and hepatitis A virus among divers in environmental waters in France, first biological and serological survey of a controlled cohort, 541
- *Escherichia coli* O157, immunomagnetic separation as a sensitive method for isolating, from food samples, 31

Escherichia coli, the prevalence of, O157.H7 in dairy and beef cattle in Washington State, 199 *Escherichia coli*, resistance in faecal, isolated from pigfarmers and abattoir workers, 45

Giardiasis, risk factors for: a case-control study in Avon and Somerset, 95

Haemolytic-uraemic syndrome, a community outbreak of, in children occurring in a large area of Northern Italy over a period of several months, 209

Hepatitis A, age-specific antibody prevalence to, in England : implications for disease control, 113

- Hepatitis A, exposure to enteroviruses and, virus among divers in environmental waters in France, first biological and serological survey of a controlled cohort, 541
- Hepatitis A, prevalence of, virus infection among sewage workers in Singapore, 121

Hepatitis B, the prevalence of, and C in an antenatal population of various ethnic origins, 523 Hepatitis C, the prevalence of hepatitis B and, in an antenatal population of various ethnic origins, 523

Index of Subjects

Hepatitis C virus infection in Iceland: a recently introduced blood-borne disease, 529

- Ice cream, the role of home-made, as a vehicle of Salmonella enteritidis phage type 4 infection from fresh eggs, 21
- Influenza B, reinfection with, virus in children: analysis of the reinfection influenza B viruses, 103
- Klebsiella pneumoniae, randomly amplified polymorphic DNA typing: a useful tool for rapid epidemiological typing of, 445
- Measles, outbreak of, in a teenage school population: the need to immunize susceptible adolescents, 355

Measles, successful control of a school based, outbreak by immunization, 367

- Meningococcal, hereditary deficiency of the seventh component of complement and recurrent, infection: investigations of an Irish family using a novel haemolytic screening assay for complement activity and C7 M/N allotyping, 275
- Mycobacterium tuberculosis, a school- and community-based outbreak of, in Northern Italy, 1992–3
- Neisseria meningitidis, molecular epidemiology of recent United Kingdom isolates of, serogroup C, 53

Neisseria meningitidis, sero/subtyping of, isolated from patients in Spain, 267

Norwalk virus, measurement of IgA responses following, infection and other human caliciviruses using a recombinant Norwalk virus protein EIA, 143

Parvovirus B19, low prevalence of antibody to human, in Singapore, 537

Parvovirus B19 outbreak on an adult ward, 345

Porcine transmissible gastroenteritis, a mathematical model of detection and dynamics of, 187 Puumala virus, prevalence of serum IgG antibodies to, (haemorrhagic fever with renal syndrome) in Northern Sweden, 129

Pseudomonas pseudomallei isolates collected over 25 years from a non-tropical endemic focus show clonality on the basis of ribotyping, 307

Rabies, survey of fox trappers in northern Alaska for, antibody, 137

Rabies, the epidemiology of bat, in New York State, 1988-1992, 501

Rubella seroepidemiology in a non-immunized population of São Paulo State, Brazil, 161

- Salmonella enteritidis, application of physico-chemical typing methods for the epidemiological analysis of, strains of phage type 25/17, 411
- Salmonella enteritidis, contamination of hands and work surfaces with, PT4 during the preparation of egg dishes, 403
- Salmonella enteritidis, the role of home-made ice cream as a vehicle of, phage type 4 infection from fresh shell eggs, 21
- Salmonella typhi, genome fingerprinting of, by pulsed-field gel electrophoresis for subtyping common phage types, 391

Salmonellosis, changing epidemiology of human, in Hong Kong, 1982-3, 425

- SRSV, the role of the pre-symptomatic food handler in a common source outbreak of foodborne, gastroenteritis in a group of hospitals, 513
- Staphylococci, detection of mecA, femA, and femB genes in clinical strains of, using polymerase chain reaction, 259

Staphylococcus aureus strains of type 95. Spread of a single clone, 463

Staphylococcus intermedius, application of pulsed-field gel electrophoresis to the epidemiological characterization of, implicated in a food-related outbreak, 75

- Streptococcus pyogenes, clonal diversity of, within some M-types revealed by multilocus enzyme electrophoresis, 455
- Streptococcus suis, clonal analysis and virulence of Australian isolates of, type 2, 321

580

Trimethoprim resistant dihydrofolate reductases in normal faecal flora isolated in India. 247 Wound infections, estimated costs of postoperative, 283

Yersinia enterocolitica, duration of carriage and transmission of, biotype 4, serotype O:3 in dogs, 471