

Corrigendum

Ketamine as the anaesthetic for electroconvulsive therapy: the KANECT randomised controlled trial – CORRIGENDUM

Gordon Fernie, James Currie, Jennifer S. Perrin, Caroline A. Stewart, Virginica Anderson, Daniel M. Bennett, Steven Hay and Ian C. Reid

Summary

This notice describes a correction to the above mentioned paper.

Copyright and usage

© The Royal College of Psychiatrists 2018.

<https://doi.org/10.1192/bjp.bp.116.189134>, Published by Cambridge University Press 2 January 2018. First published June 2017 by The Royal College of Psychiatrists.

Gordon Fernie, James Currie, Jennifer S. Perrin, Caroline A. Stewart, Virginica Anderson, Daniel M. Bennett, Steven Hay, Ian C. Reid

This notice describes a correction to the above mentioned paper.¹

1. In the discussion the line “a 14-point drop in the propofol group (n = 1)” should read “a 14-point drop in the propofol group (n = 11)”.
2. The key in Figure 2 is missing a circle. The corrected image is shown below.

Reference

- 1 Fernie G, Currie J, Perrin J, Stewart C, Anderson V, Bennett D, ... Reid I. (2017). Ketamine as the anaesthetic for electroconvulsive therapy: The KANECT randomised controlled trial. *British Journal of Psychiatry*, **210**(6), 422–428. doi:10.1192/bjp.bp.116.189134.

