

PAGET and THE DISCOVERY OF *TRICHINELLA SPIRALIS*

A special meeting of the Abernethian Society to celebrate the 150th Anniversary of the discovery of *Trichinella Spiralis* by Paget will be held at the Robin Brook Centre, St. Bartholomew's Hospital, London E.C.1. at 5.00 p.m. on February 5th 1985, followed by an exhibition on the life and works of Paget and a reception.

For further information please contact:

Dr. S. Tabaqchali.
Department of Medical Microbiology,
St. Bartholomew's Hospital,
London E.C.1.

Tel: 01-600 9000 ext. 2569

INSTRUCTION TO CONTRIBUTORS

The *Journal of Helminthology* publishes papers on all aspects of animal parasitic helminths, particularly those of medical or veterinary importance, but only in exceptional circumstances will systematic or taxonomic studies be acceptable.

Manuscripts, which must be in English or French (with an English summary) should be accompanied by a letter signed by *all* the authors and should be addressed to:

The Editor, Journal of Helminthology,
London School of Hygiene and Tropical Medicine,
Winches Farm Field Station,
395 Hatfield Road,
St Albans, Herts AL4 0XQ,
England.

Two copies of a typescript, on size A4 paper with double spacing, should be submitted. Papers should be preceded by a short abstract and will normally have the following sections: brief Introduction; Materials and Methods; Results; Discussion; Acknowledgements; References. However, the form of the paper may vary, depending on its subject matter; recent past issues should be consulted for a suitable form. Research Notes should also be preceded by a brief abstract. Illustrations should be drawn in Indian ink, preferably not more than double the final size. Care should be taken that all illustrations fit into the format of the Journal. The maximum size an illustration will be printed is 12.0 × 20.0 cm. Where many separate drawings are made, some indication of how they may be grouped to make a corporate plate without undue wastage of space, should be indicated. Some indication of scale (preferably a scale bar) should normally be given on the figure. Photocopies of illustrations should be enclosed for refereeing purposes. Lettering and numbering, which must be of a high standard, should be added by the author, with due regard for subsequent reduction.

Photographs should be glossy prints of the same size as they are to appear in the Journal (maximum size 12.0 × 20.0 cm). Composite prints must be mounted and can have the separate photographs abutting; they will then have a separating line inserted by the printers. All figures and letters on photographs must be inserted by the author.

Information should not be repeated in the text and in tables or figures. The legends to tables and to figures should be sufficiently detailed for the information to be understood without reference to the text.

References should be given in alphabetical order with the full title of the journal. The following are examples:

DUKE, B. O. L. (1971) The ecology of onchocerciasis in man and animals. In: *Ecology and Physiology of parasites* (editor, A. M. Fallis) pp. 213–222. Adam Hilger Ltd.: London.

JAMES, C. & WEBBE, G. (1973) A comparison of Egyptian and East African strains of *Schistosoma haematobium*. *Journal of Helminthology*, **47**, 49–59.

25 offprints are provided free of charge; additional copies may be ordered at the proof stage.

Contents

	Pages
A discussion of the relationship between <i>Hepatojarakus malayae</i> Yeh, 1955 and <i>H. bandicoti</i> Sood & Parshad 1973 (Nematoda: Trichostrongyloidea). I. G. ANDERSON and L. M. GIBBONS	271-278
Onchocerciasis in camels (<i>Camelus dromedarius</i>) in Saudi Arabia. A. H. CHEEMA, S. EL-BIHARI, N. A. ASHOUR and A. S. ALI	279-285
<i>Raillietina cesticillus</i> : variability of infections in experimentally infected chickens. (Research Note). E. E. ELOWNI	287-289
Study of the effects of insulin on the migration of <i>Hymenolepis diminuta</i> in rats. C. H. CHO	291-293
Behavioural responses of <i>Trichostrongylus tenuis</i> (Cobbold) larvae in relation to their transmission to the red grouse, <i>Lagopus lagopus scoticus</i> . (Research Note). S. E. McGLADDERY	295-299
Non-specific immunodepression by <i>Nematospiroides dubuis</i> of concurrent responses to oxazolone and lipopolysaccharide. N. M. H. ALI and J. M. BEHNKE	301-311
Transmission electron microscopical studies of the site of attachment of <i>Ancylostoma caylanicum</i> to the small bowel mucosa of the dog. S. M. CARROLL, T. A. ROBERTSON, J. M. PAPADIMITRIOU and D. I. GROVE	313-320
Counter current immunoelectrophoresis, a new technique for the rapid serodiagnosis of porcine cysticercosis. K. M. L. PATHAK, S. N. S. GAUR and S. K. GARG	321-324
Chemotaxonomic studies on davaineid tapeworms, based on amino acid analysis. A. BHALYA, A. SETH, V. N. CAPOOR and S. K. MALHOTRA	325-326
Repeated patent infection of adult dogs with <i>Toxocara canis</i> . R. M. MAIZELS and M. MEGHJI	327-333
Metallic elements in hydatid fluid. (Research Note). D. SULTAN SHERIFF, F. K. DAR and S. A. KIDWAI	335-336
<i>Anisakis simplex</i> (Rudolphi 1809, det. Krabbe, 1878): length distribution and viability of L3 of known minimum age from herring <i>Clupea harengus</i> L. J. W. SMITH	337-340
Announcements	286, 290, 300, 334
Subject Index	341
Author Index	345
Contents of Volume	i-iv