The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

Contents

THE DEVIATED NASAL SEPTUM-1-ÆTIOLOGY .

METASTATIC TUMOURS IN THE EAR, NOSE AND THROAT REGION

MALIGNANT DISEASE OF THE PARANASAL SINUSES

INCIPIENT OTOSCLEROSIS AS SEEN IN THE "CUPOLA"
OF THE FENESTRATED HORIZONTAL CANAL

LINDSAY GRAY

I. FRIEDMANN and D. A. OSBORN

RONALD MACBETH

DOROTHY WOLFF and IULIUS LEMPERT

R. M. ENGLAND and G. D. L. SMYTH

CLINICAL RECORDS -A BIFURCATING TUBULAR DERMOID OF THE

DORSUM NASI

SOME PITFALLS IN TYMPANOPLASTY

SWEAT GLAND ADENOMA OF THE EXTERNAL AUDITORY CANAL—CERUMINOMA. . . .

Another Case of Ceruminoma

A CASE OF OSTEOMA WITHIN THE SOFT PALATE

PRIMARY CHONDROSARCOMA OF THE HARD

CHORDOMA (RETRO-PHARYNGEAL) (CASE REPORT)

W. STIRK ADAMS

R. NAESSEN

B. Juby A. G. Kerr

and G. D. L. SMYTH

P. E. PANTAZOPOULOS

M. L. BHATIA and Y. C. YADAV

GENERAL NOTES

London

Headley Brothers

109 Kingsway WC2

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthy, 12/6 net post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and

well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2,

5. Orders for reprints must be sent when returning galley proofs, and for this

purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other of Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to The Editor, Journal of Laryngology, c/o Headley Brothers, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post

free, and payable in advance.

9. Single copies will be on sale at 12s. 6d. each; copies of parts up to

Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers, 109 Kingsway, London, WC2.

United States of America

Orders for this Journal may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, Headley Brothers, 109 Kingsway, London, WCz, England. Designal of Laryngology and Otology, 1965

CONTENTS


	PAGE
The Deviated Nasal Septum—i—Ætiology. Lindsay Gray (Australia)	
METASTATIC TUMOURS IN THE EAR, NOSE AND THROAT REGION. I. Friedmann and D. A. Osborn (London)	57 ⁶
Malignant Disease of the Paranasal Sinuses. Ronald Macbeth (Oxford)	592
Incipient Otosclerosis As Seen in the "Cupola" of the Fenestrated Horizontal Canal. Dorothy Wolff and Julius Lempert (New York)	613
SOME PITFALLS IN TYMPANOPLASTY. R. Gibson, R. M. England and G. D. L. Smyth (Belfast)	623
Clinical Records—	
A BIFURCATING TUBULAR DERMOID OF THE DORSUM NASI. W. Stirk Adams (Birmingham)	633
Sweat Gland Adenoma of the External Auditory Canal —Ceruminoma. R. Naessen (Edinburgh)	637
Another Case of Ceruminoma. B. Juby (Bury St. Edmunds)	644
A Case of Osteoma Within the Soft Palate. A. G. Kerr and G. D. L. Smyth (Ireland)	647
PRIMARY CHONDROSARCOMA OF THE HARD PALATE. P. E. Pantazopoulos (Athens, Greece)	650
CHORDOMA (RETRO-PHARYNGEAL) (CASE REPORT). M. L. Bhatia and Y. C. Yadav (Lucknow, India)	656





presents

FIBRE OPTIC OTOSCOPE




DOWN BROS. AND MAYER & PHELPS LTD CHURCH PATH, MITCHAM, SURREY, ENGLAND

Showrooms

32 New Cavendish Street London, W.1 England In Canada
410 Dundas Street West
Toronto, 2B
Canada


In cases of PERCEPTIVE DEAFNESS whenever a Hearing Aid is indicated let your patients test the MULTITONE PERCEPTOR


A New small Post-Aural Aid of British design and manufacture. The unique Multitone method of mounting the microphone at the top of the unit in an acoustic chamber facing forward produces direct FRONTAL RECEPTION of astonishingly wide frequency response.



Frequency Response 500 - 5000 cps. Maximum Amplification (at 3000 cps) 46 dB. Maximum power output (1000 cps) 120 dB.

Arrangements can be made for your patients to test the Perceptor without charge or obligation. For information please contact





MULTITONE ELECTRIC CO LTD \cdot 12-20 UNDERWOOD STREET LONDON N1 \cdot TELEPHONE: CLERKENWELL 8022

CRC 50



Orbenin is recommended for the immediate treatment of all Hospital Staphylococcal infections

Orbenin, an oral penicillin stable to penicillinase, is bactericidal to resistant and sensitive staphylococci



Orbenin (regd.) (cloxacillin sodium) is a product of British research at

Beecham Research Laboratories

THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$18.00 per year Canada \$19.00 per year Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D. EDITOR

517 SOUTH EUCLID AVENUE SAINT LOUIS MO. 63110.

For advertisement space in this Journal

apply to

HEADLEY BROTHERS LTD.

109 Kingsway London WC2


ONLY AMPLIVOX

provides a complete audiometric service!



Transistor Audiometers

with air conduction or air and bone conduction with masking, for hospitals, schools, consulting rooms, industrial medical departments, screening programmes, etc.




Clinical Audiometers

with narrow band masking for the highest accuracy and extended resolution.

Audiometer Booths

for ideal testing conditions in hospitals, clinics, factories. Standard and special sizes available.






PLUS An efficient and speedy calibration service

please write for technical literature to meet your needs MPLIVOX HEARING ADVISORY SERVICE LTD.

80 New Bond Street, London, W.1. Tel: HYDe Park 9888



the problem of the chronic ear

ototrane

adhesive ear paint for acute and chronic external otitis

NOW ALSO AVAILABLE—

ototrane

RIBBON GAUZE FOR
PACKING CHRONIC OPEN
MASTOID CAVITIES AND
FENESTRATION CAVITIES

OTOTRANE contains Penotrane 0.1% Prednisolone 0.5% PENOTRANE is active against both gram-positive and gram-negative bacteria and against fungi particularly ASPERGILLUS and MONILIA. Literature and samples on request from



WARD, BLENKINSOP & CO. LTD

Fulton House, Empire Way, Wembley, Middlesex. Tel: Wembley 8686

WHEN A HEARING AID IS RECOMMENDED ONLY AMPLIVOX OFFERS THIS HEARING AID SERVICE

The design and manufacture of a complete range with individual fitting facilities.

Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox.

Highest degree of training of any hearing aid organisation.

Master Hearing Aid evaluations.

Expert follow-up and rehabilitation advice.


15 branch offices with while-you-wait service.

FOR YOUR PATIENTS' GREATEST SATISFACTION SPECIFY AMPLIVOX

AMPLIVOX

World's most experienced and complete hearing service

AMPLIVOX HEARING ADVISORY SERVICE 80 NEW BOND STREET LONDON, W.1



OTOSPORIN'

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' Drops. 'Otosporin' is an aqueous suspension containing neomycin and polymyxin B which are together effective against practically all the bacteria found in ear infections. In addition, it contains hydrocortisone to reduce inflammation and swelling, thereby providing easier access for the antibiotics.

'OTOSPORIN' BRAND Drops ISSUED IN BOTTLES OF 5 ml.

BURROUGHS WELLCOME & CO. (THE WELLCOME FOUNDATION LTD.) LONDON