INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, http://www.editorialmanager.com/psm/. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

- 1. S.I. units should be used throughout in text, figures and tables.
- 2. Authors should spell out in full any abbreviations used in their manuscripts.
- 3. Foreign quotations and phrases should be followed by a translation.
- 4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* 286, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* 32, 173–179.

Cleckley HJ (1941). The Mask of Sanity, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank. org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. Line artwork: Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; Combination artwork (line/tone): Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; Black and white halftone artwork: Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; Colour halftone artwork: Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. Tables Tables should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

High-risk occupations for suicide

CONTENTS

EDITORIALS

EBH ON WEO		riigir nok oocupations for saloide	
Service users as collaborators in mental health research: less stick, more carrot		Roberts SE, Jaremin B & Lloyd K	1231
Staley K, Kabir T & Szmukler G	1121	The role of negative emotionality and impulsivity in depressive/anxiety disorders and alcohol dependence	
Withdrawing interferon-α from psychiatric patients: clinical care or unjustifiable stigma?		Boschloo L, Vogelzangs N, van den Brink W, Smit JH, Beekman ATF & Penninx BWJH	1241
Spennati A & Pariante CM	1127		
REVIEW ARTICLE		Cannabis affects people differently: inter-subject variation in the psychotogenic effects of Δ^9 -tetrahydrocannabinol: a	
An updated and conservative systematic review and meta-analysis of epidemiological evidence on psychotic		functional magnetic resonance imaging study with healthy volunteers	
experiences in children and adults: on the pathway from		Atakan Z, Bhattacharyya S, Allen P, Martín-Santos R, Crippa JA,	
proneness to persistence to dimensional expression across mental disorders		Borgwardt SJ, Fusar-Poli P, Seal M, Sallis H, Stahl D, Zuardi AW, Rubia K & McGuire P	1255
Linscott RJ & van Os J	1133	Delinquent peer affiliation as an etiological moderator of	
ORIGINAL ARTICLES		childhood delinquency	
A 20-year multi-follow-up of hallucinations in schizophrenia, other psychotic, and mood disorders		Burt SA & Klump KL	1269
Goghari VM, Harrow M, Grossman LS & Rosen C	1151	Prenatal adversity: a risk factor in borderline personality disorder?	
Cognitive remediation improves memory and psychosocial functioning in first-episode psychiatric out-patients		Schwarze CE, Mobascher A, Pallasch B, Hoppe G, Kurz M, Hellhammer DH & Lieb K	1279
Lee RSC, Redoblado-Hodge MA, Naismith SL, Hermens DF, Porter MA & Hickie IB	1161	Early motor developmental milestones and level of neuroticism in young adulthood: a 23-year follow-up study of	
Spatial distribution and cognitive correlates of gamma noise power in schizophrenia		the Copenhagen Perinatal Cohort Flensborg-Madsen T, Sørensen HJ, Revsbech R & Mortensen EL	1293
Díez Á, Suazo V, Casado P, Martín-Loeches M & Molina V	1175	The relationship between happiness and intelligent quotient:	
Persistence of cognitive impairment and its negative impact		the contribution of socio-economic and clinical factors	
on psychosocial functioning in lithium-treated, euthymic bipolar patients: a 6-year follow-up study		Ali A, Ambler G, Strydom A, Rai D, Cooper C, McManus S, Weich S, Meltzer H, Dein S & Hassiotis A	1303
Mora E, Portella MJ, Forcada I, Vieta E & Mur M	1187	Severity and persistence of asthma and mental health: a birth	
Neuroticism, depressive symptoms and white-matter integrity in the Lothian Birth Cohort 1936		cohort study Goodwin RD, Robinson M, Sly PD, McKeague IW, Susser ES,	
McIntosh AM, Bastin ME, Luciano M, Muñoz Maniega S, del C. Valdés Hernández M, Royle NA, Hall J, Murray C,		Zubrick SR, Stanley FJ & Mattes E	1313
Lawrie SM, Starr JM, Wardlaw JM & Deary IJ	1197	Genetic analysis of reaction time variability: room for improvement?	
Variants within the GABA transaminase (ABAT) gene region are associated with somatosensory evoked EEG potentials in families at high risk for affective disorders		Kuntsi J, Frazier-Wood AC, Banaschewski T, Gill M, Miranda A, Oades RD, Roeyers H, Rothenberger A, Steinhausen H-C, van der Meere JJ, Faraone SV, Asherson P & Rijsdijk F	1323
Wegerer M, Adena S, Pfennig A, Czamara D, Sailer U, Bettecken T, Müller-Myhsok B, Modell S & Ising M	1207	Predictive significance of the overvaluation of shape/weight in obese patients with binge eating disorder: findings from a	
Prefrontal cortex function in remitted major depressive disorder		randomized controlled trial with 12-month follow-up Grilo CM, White MA, Gueorguieva R, Wilson GT & Masheb RM	1335
Nixon NL, Liddle PF, Worwood G, Liotti M & Nixon E	1219		





