

PROTOZOLOGY

(Supplement to the *Journal of Helminthology*)

A special number or Festschrift will be published this year (1967) in honour of Colonel H. E. Shortt, F.R.S., for his 80th birthday. It will contain about 20 articles of interest to protozoologists, contributed mainly by his colleagues and students, and will take the form of Vol. II of the long dormant journal *Protozoology*, of which parts 1-4, designated herein as Vol. I, were published in 1925-1928.

This Festschrift can be purchased from the *Journal of Helminthology*, London School of Hygiene and Tropical Medicine, Keppel Street, London, W.C. 1, price 30s. (Fr. 20; \$4.27) post free.

It is also proposed to reprint Vol. I of *Protozoology*, now out of print, if a sufficient number of applications are received from persons interested in buying it. Enquiries to the Editor, *Journal of Helminthology* at the above address.

EDWARD GURR, LTD. MICHROME STAINS

Dyes for scientific and technological purposes:

Methyl Green	May-Grünwald	Leishman
Aquamount	Giemsa Stain	Optoil
Celloidin	Janus Green B	Sudan Black
*Chromosome Red	Laktoseal	*Trifalgic Acid
Fluoroil	Lipid Crimson	Waterwax
Fluormount	Nile Blue	Wright Stain
Thionine	Lacmoid	Pyronine Y etc.

A New and Unique DIAGNOSTIC REAGENT:
*FALG STAIN (B. T. Squires' modification), for indicating Protein-malnutrition; General state of health in Man and Animals; Malingering, etc.

*RHODANILE BLUE: an entirely new kind of basic polychrome dye with many uses.

*Information leaflets and catalogue on request

EDWARD GURR, LTD.

42 Upper Richmond Road West
LONDON, S.W.14

Cables: Micromlabs, London

Publications issued by

COMMONWEALTH INSTITUTE OF ENTOMOLOGY
56 Queen's Gate, London, S.W.7

BULLETIN OF ENTOMOLOGICAL RESEARCH

Published quarterly and containing original articles on economic entomology. *Post free.*
Annual subscription (payable in advance) 150s. *od.*
Prices of back parts and volumes on application.

REVIEW OF APPLIED ENTOMOLOGY

Consisting of abstracts or reviews of current literature on economic entomology throughout the world. Published monthly in two series:

Series "A" dealing with insect and other arthropod pests of cultivated plants, forest trees and stored products of animal and vegetable origin.

Series "B" dealing with insects, ticks, etc. conveying disease or otherwise injurious to man and animals. *Post free.*

Series "A" Series "B"
Annual subscription (payable in advance) 180s. *od.* 80s. *od.*
Prices of back parts and volumes on application.

ZOOLOGICAL RECORD, part INSECTA

Published annually and containing as complete a record as possible of the literature of the previous year, chiefly from the systematic standpoint.

Annual subscription 130s. *od.* *Post free.*
Prices of back volumes on application.

The Journal of General Microbiology

Editors: B. C. J. G. KNIGHT AND A. F. B. STANDFAST

Contents of Vol. 48, Part 3, September 1967

- J. R. MENCHER and J. A. ALFORD. Purification and characterization of the lipase of *Pseudomonas fragi*.
- J. M. HIRST, O. J. STEDMAN and W. H. HOGG. Long-distance spore transport: methods of measurement, vertical spore profiles and the detection of immigrant spores.
- J. M. HIRST, O. J. STEDMAN and G. W. HURST. Long-distance spore transport: vertical sections of spore clouds over the sea.
- B. R. GRANT. The action of light on nitrate and nitrite assimilation by the marine chlorophyte, *Dunaliella tertiolecta* (Butcher).
- J. G. VOSS. Effects of organic cations on the Gram-negative cell wall and their bactericidal activity with ethylenediaminetetra-acetate and surface active agents.
- R. C. LAWRENCE, T. F. FRYER and B. REITER. The production and characterization of lipases from a Micrococcus and a Pseudomonad.
- D. O. HALL and J. W. GREENAWALT. The preparation and biochemical properties of mitochondria from *Neurospora crassa*.
- ELLEN I. GARVIE. *Leuconostoc oenos* sp.nov.
- ELLEN I. GARVIE. The growth factor and amino acid requirements of species of the genus *Leuconostoc*, including *Leuconostoc paramesenteroides* (sp.nov.) and *Leuconostoc oenos*.
- CYNTHIA H. O'CALLAGHAN and P. W. MUGGLETON. The action of cephaloridine with cloxacillin or methicillin against β -lactamase-producing Gram-negative bacteria.

The subscription rate is £5 net per volume of 3 parts. Single parts 45s. each plus postage. Four volumes will be issued each year. Orders should be sent to

CAMBRIDGE UNIVERSITY PRESS
BENTLEY HOUSE, 200 EUSTON ROAD, LONDON, N.W. 1

NOTES FOR CONTRIBUTORS

CONTRIBUTIONS will be welcomed from scientists of all nationalities, but must be written in English. Papers should be sent to the Editor, Dr P. Tate, The Molteno Institute, Downing Street, Cambridge.

GENERAL. Submission of a paper will be taken to imply that it is unpublished and is not being considered for publication elsewhere. Papers published in *Parasitology* may not be reprinted or published in translation without permission from the Editorial Board. Papers should be as concise as clarity permits, and illustrations kept as few as possible. Attention to the following instructions will assist rapid publication:

TYPESCRIPTS. Papers should be typewritten with double spacing, on one side only of quarto paper, leaving a margin of about 4 cm. on the left-hand side of each sheet. Sheets should be numbered consecutively. Heavily corrected typescripts may have to be returned to the author for retyping. Papers should state the name of the author and the address to which proofs are to be sent. The address of the laboratory at which the work was carried out will be printed with the authors' names at the head of the paper. A short title, not exceeding 44 letters, should be supplied for running headlines.

The general arrangement of the paper should be as follows: Introduction; Methods; Results; Discussion; Summary of results; References. Tables, explanations of text-figures or plates, and keys to the abbreviations used on figures should be on separate sheets (see below).

PLATES should only be included where they are absolutely essential, as in the reproduction of photomicrographs and similar illustrations demanding very fine detail. Plates are expensive and authors may be required to bear part of the cost if an unduly large number is required. Photographs should be sharp glossy prints, trimmed and mounted on white card and grouped and numbered as they are required to appear in print (oversea contributors may prefer to submit unmounted prints with a sketch to indicate the proposed grouping, in order to reduce postage costs). Please remember that the area of a group cannot exceed 20 by 12.5 cm., after reduction (if any). Lettering is best indicated on an overlay or separate sketch.

TEXT FIGURES should not be more than about twice the size of the finished block, and the thickness of lines and size of points, stipples, etc. determined accordingly. The maximum size of any one group of figures, after reduction, is 20 by 12.5 cm. They must be drawn in Indian ink on white Bristol Board, heavy drawing paper, tracing paper or tracing linen; graph paper ruled in pale blue (but not other colours) is also acceptable. Explanatory lettering should be lightly inserted in blue pencil, with tally lines showing the position of the feature to which it refers, so that the printer may put in the finished lettering. Properly prepared scraperboard drawings may be suitable for reproduction as line drawings, but drawings with gradations of shading (e.g. washdrawings) are not. Please try to avoid creasing or folding illustrations. Legends to illustrations must be given on a separate sheet of paper, but scales of magnification are preferably given alongside the illustrations. Each illustration must have the name of the author and figure number pencilled on the back. Plates and

diagrams should be numbered separately and their approximate positions indicated in the margin of the typescript. It is very convenient if photographs of illustrations are sent with the papers in addition to the original figures; they are essential when the originals are very large, so that they may be sent through the post to referees.

TABLES should be kept to a minimum and the duplication of information in tables and graphs avoided. They should be typed on separate sheets of paper and their approximate positions indicated in the margin of the typescript. Each table should be numbered and be designed to be printed in the normal orientation of the text with the data so grouped as to make the use of rules unnecessary, whenever possible.

NOMENCLATURE. Authors should follow the *International Rules of Nomenclature* in the names of organisms. When new names are introduced the recommendations of the *International Code of Zoological Nomenclature*, 1964, should be strictly adhered to, especially with regard to the designation of types and statements as to where such types are deposited.

REFERENCES should be given only when cited in the text and should be listed in alphabetical order at the end of the paper, in the following form:

Surname of author(s), initials; year of publication; title of paper; title of journal (abbreviated according to the *World List of Scientific Periodicals*, 1963-5 ed., and underlined); volume number; first and last page numbers of the work cited. When books are listed, the title of the book should be underlined and it should be followed by the town of publication and the name of the publisher.

Where there is more than one reference to a particular author or group of authors with the same date, references should be distinguished by letters placed after the date, the letter *a* being used for the first reference cited and so on.

PROOFS sent to authors are already in page form and only essential corrections should be made on them. Excessive alterations, other than corrections of printers' errors, may be disallowed or charged to the author; they are in any case liable to delay publication. Correction should be made using the symbols in British Standard 1219: 1958, or its shortened version B.S. 1219C: 1958 (British Standards Institution, 2 Park Street, London, W. 1). After correction, the printers' marked proof should be returned to the Editor.

OFFPRINTS. Fifty offprints of each paper are provided free of charge. Additional offprints may be ordered on the form sent out with proofs, provided this is returned within seven days of receipt.

MORE DETAILED INFORMATION on the preparation of manuscripts for publication is to be found in the following:

NUTTALL, G. H. F. (1940). Notes on the Preparation of Papers for Publication in the *Journal of Hygiene* and in *Parasitology*, *Parasitology* 32, 1-62 and *J. Hyg.* 40, 1-62. (Now out of print and also out of date in some respects.)

The Journal of Physiology (1960). Suggestions to Authors 150, 1-33, Cambridge University Press.

THE ROYAL SOCIETY published a second edition of *General Notes on the Preparation of Scientific Papers* in 1965.

PARASITOLOGY

Volume 57, Part 4 November 1967

CONTENTS

	PAGE
JAMES, B. L. and BOWERS, E. A. Reproduction in the daughter sporocyst of <i>Cercaria bucephalopsis haimeana</i> (Lacaze-Duthiers, 1854) (Bucephalidae) and <i>Cercaria dichotoma</i> Lebour, 1911 (non Müller) (Gymnophallidae). (With 16 Figures in the Text)	607
GALLAGHER, S. S. E. and THREADGOLD, L. T. Electron-microscope studies of <i>Fasciola hepatica</i> . II. The interrelationship of the parenchyma with other organ systems. (With 5 Plates)	627
THREADGOLD, L. T. Electron-microscope studies of <i>Fasciola hepatica</i> . III. Further observations on the tegument and associated structures. (With 3 Plates)	633
HALTON, D. W. Observations on the nutrition of digenetic trematodes. (With 2 Plates)	639
RAO, K. HANUMANTHA and GANAPATI, P. N. Observations on <i>Transversotrema patialensis</i> (Soparkar, 1924) (Trematoda) from Waltair, Andhra Pradesh (India). (With 1 Plate)	661
THORSELL, WALBORG. The <i>in vitro</i> effect of hexachlorophene on some enzymes in the liver fluke, <i>Fasciola hepatica</i> L. (With 1 Figure in the Text)	665
WILLIAMS, M. O. Studies on the adult and diplostomulum of <i>Diplostomum (Dolichorchis) leonensis</i> (Strigeida: Trematoda). (With 8 Figures in the Text)	673
PIKE, ALAN W. and ERASMUS, D. A. The formation, structure and histochemistry of the metacercarial cyst of three species of digenetic trematodes. (With 1 Plate and 1 Figure in the Text)	683
GILL, HARDEV SINGH and RAO, B. VENKATESWARA. On the biology and morphology of <i>Echinococcus granulosus</i> (Batsch, 1786) of buffalo-dog origin. (With 3 Figures in the Text)	695
HOPKINS, C. A. and YOUNG, R. A. L. The effect of dietary amino acids on the growth of <i>Hymenolepis diminuta</i> . (With 1 Figure in the Text)	705
HAJELA, K. P. and TANDAN, B. K. Two new species of <i>Ardeicola</i> Clay, 1935 (Mallophaga, Ischnocera), from African ibises. (With 18 Figures in the Text)	719
PIKE, ALAN W. Some stylet cercariae and a microphallid type in British freshwater molluscs. (With 27 Figures in the Text)	729
BISHOP, ANN. Resistance to primaquine in <i>Plasmodium gallinaceum</i> , and the problem of resistance to quinoline compounds in malaria parasites	755
Proceedings of the British Society for Parasitology	1 P
Index of Authors	i
Index of Subjects	vi