

THE JOURNAL OF AGRICULTURAL SCIENCE

EDITED BY

G. D. H. BELL, C.B.E., PH.D., F.R.S., Plant Breeding Institute, Cambridge

K. L. BLAXTER, PH.D., N.D.A. (HONS.), D.SC., F.R.S.E.,
Rowett Research Institute, Bucksburn, Aberdeen

G. W. COOKE, PH.D., F.R.I.C., Rothamsted Experimental Station, Harpenden

JOHN HAMMOND, Jr., M.A., School of Agriculture, Cambridge

PROF. SIR J. B. HUTCHINSON, C.M.G., SC.D., F.R.S., School of Agriculture,
Cambridge

H. L. PENMAN, O.B.E., PH.D., F.R.S., Rothamsted Experimental Station, Harpenden

H. H. ROGERS, B.SC., DIP.AG.SCI., Plant Breeding Institute, Cambridge

PROF. E. W. RUSSELL, C.M.G., PH.D., F.INST.P., Department of Soil Science,
University of Reading

F. YATES, C.B.E., SC.D., F.R.S., Rothamsted Experimental Station, Harpenden



CAMBRIDGE UNIVERSITY PRESS

BENTLEY HOUSE, 200 EUSTON ROAD, LONDON, N.W. 1

AMERICAN BRANCH: 32 EAST 57TH STREET, NEW YORK, N.Y. 10022

Price 32s. 6d. net

(U.S.A. \$5.50)

INSTRUCTIONS TO AUTHORS

Papers intended for publication should be submitted to Dr G. D. H. Bell, C.B.E., F.R.S., Plant Breeding Institute, Cambridge, or to one of the Associate Editors. It must be understood that, if accepted by the Editorial Board, the paper will not be published elsewhere in the same form.

MANUSCRIPTS. Papers, written in English, are accepted from any country and should be typed in double-spacing on one side of the paper with a margin at least 4 cm wide on the left-hand side. Authors should instruct typists on the style of manuscript required. A top copy and one carbon copy should be submitted.

TABLES must be self-explanatory. They should be typed on separate sheets, numbered consecutively and carry an appropriate title. Wherever possible, tables should be arranged so that they can be printed in the normal orientation of the text and without the need for rules.

LINE DRAWINGS (with photocopies) should be 25 cm. wide and drawn in black waterproof ink on Bristol board, graph paper with blue lines or tracing paper. Legends should be typed on a separate copy and numbering inserted lightly and clearly in soft pencil on the drawing. Tables and figures should not reproduce the same data.

The approximate position of tables and figures should be noted in the text.

PLATES should make a definite contribution to the value of the paper and the number submitted should be kept to a minimum. They should be good quality, unmounted, glossy prints and be lightly numbered in pencil on the reverse side. If several, or coloured, plates are submitted the author may be asked to contribute to the cost of reproducing them.

TITLE. The title must be specific and suitable for indexing by the mechanical methods now being employed. The full name and address of the institution in which the research has been carried out should be stated. Change of address may be given as a footnote. A short title, not exceeding 50 characters, should be provided for the running headlines.

STYLE. Experimental details and results should be recorded in the past tense and there should be no unnecessary repetition or loose phrases. Manuscripts are likely to be returned for modification if the presentation is not clear and precise.

LAYOUT. Authors are recommended to study '*General Notes on the Preparation of Scientific Papers*'

(Royal Society, London, 2nd edn., 1965). The Editorial Board do not insist upon a rigid format but it is usually convenient to divide the paper into sections, e.g. Introduction, Materials and Methods, Results and Discussion. An excess of headings and sub-headings should be avoided. A Summary should always be included.

Authors are advised to note the following points: a detailed review of literature is not necessary; relevant details should be given of the plant or animal material, the experimental design and chemical or other techniques employed; mean results with their relevant standard errors should be presented rather than detailed data; the statistical methods used should be clearly stated; the discussion should relate the author's experiments to other work on the subject and give the author's conclusions; the summary should be factual and suitable for use in abstracting journals. Footnotes should be avoided.

REFERENCES. The bibliography must be given in the form—Surname of authors, initials, year of publication (in parentheses), title of paper, name of journal (abbreviated according to the *World List of Scientific Periodicals*, 4th edn, Butterworths, London), volume and pages of reference. References should be in alphabetical order. In the text a reference should be quoted by the author's name and date (in parentheses). Where there are more than two authors, the initial reference in the text should include the names of all authors but subsequent citations, should be in the form—first author followed by *et al.* Authors should check that all references in the text appear at the end of the paper and vice versa, and that names and dates correspond in the two places.

PROOF CORRECTION. Standard proof correction marks (British Standard 1219) should be made as legibly as possible in ink, not pencil. Directions to the printer which are not to be set up in type should be encircled. Captions to illustrations and all references should be checked. Queries marked by the printer should be answered. Proofs are provided in order that authors can check the correctness of the type-setting—excessive alterations may be charged to the author.

OFFPRINTS. Contributors will receive 25 copies of their papers free and can order others when they receive the proofs.

Failure to comply with the 'Instructions to Authors' may delay publication.

EXPERIMENTAL AGRICULTURE

Contents of Volume 2, No. 4. October 1966

- J. Alvarado, G. Astrom and G. B. S. Heath.** An Investigation into Remedies of Sarna (Sarcotic Mange) of Alpacas in Peru.
- A. Dovrat.** Responses of Rhodes Grass and Overseeded Legumes to Nitrogen and Potash Fertilizers and to the Availability of Soil Potassium in Israel.
- G. C. Stevenson.** Genetics and Breeding of Sugar Cane.
- B. C. Akehurst and A. Sreedharan.** Application of Mineral Fertilizers to Flue-Cured Tobacco in the Iringa District of Tanzania.
- E. G. B. Gooding, A. R. Loveless and G. R. Proctor.** Flora of Barbados.
- A. B. Hearn, D. A. Rijks and D. E. Wilcox.** Reclamation of Ancient Agricultural Soils in Wahidi, South Arabia.
- T. H. Stobbs.** The Improvement of Small East African Zebu Cattle.
- S. C. Pearce.** Biological Statistics: An Introduction.
- J. Hagin.** Effects of Potassium Fertilizers on Peanuts in Israel.
- E. A. K. El Saeed.** Effects of Seed Size on Oil Content and Seedling Emergence in Safflower Grown in the Sudan.
- T. K. Wong and G. Varghese.** Assessing the Susceptibility of Local Citrus Species to Phytophthora Root Rot in Malaya.
- I. B. Warboys and R. J. Johnson.** Improvement of Permanent Pasture by Overdrilling and Oversowing. 1. Pasture Establishment by Overdrilling.
- C. Barlow.** Estimation of Crop Production Relations and Their Use in Farm Planning.

Book reviews.

Experimental Agriculture is a quarterly journal published by Cambridge University Press. It is the successor to *The Empire Journal of Experimental Agriculture*.

The subscription price is £3. 15s. (U.S.A. \$13.50) including postage; single parts are available at £1. 5s. each (U.S.A. \$4.50). Orders may be sent to any bookseller or subscription agent, or direct to Cambridge University Press.

CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, N.W. 1

American Branch: 32 East 57th Street, New York, N.Y. 10022, U.S.A.

JOURNAL OF REPRODUCTION AND FERTILITY

The following is now available

SUPPLEMENT NO. 1

1966

OVARIAN REGULATORY MECHANISMS

*This supplement records the proceedings of the
SECOND BROOK LODGE WORKSHOP
ON*

PROBLEMS OF REPRODUCTIVE BIOLOGY

in May 1965

organised by the Upjohn Company

CONTENTS

A. S. PARKES. Introductory note.

FOREWORD.

J. N. WILTBANK. Modification of ovarian activity in the bovine following injection of oestrogen and gonadotrophin.

R. G. ZIMBELMAN. Effect of progestagens on ovarian and pituitary activity in the bovine.

L. L. ANDERSON. Pituitary-ovarian-uterine relationships in pigs.

W. HANSEL. Luteotrophic and luteolytic mechanisms in bovine corpora lutea.

I. ROTHCHILD. The nature of the luteotrophic process.

C. THIBAUT. Luteal maintenance in hypophysectomized and hysterectomized sheep.

R. A. GORSKI. Localization and sexual differentiation of the nervous structures which regulate ovulation.

E. B. ROMANOFF. Steroidogenesis in the perfused bovine ovary.

D. T. ARMSTRONG. Comparative studies of the action of luteinizing hormone upon ovarian steroidogenesis.

J. MARSH and K. SAVARD. Studies on the mode of action of luteinizing hormone on steroidogenesis in the corpus luteum *in vitro*.

R. O. GREEP, A. V. NALBANDOV and R. M. MELAMPY. Summation.

136 pages, price: forty-five shillings (U.S. \$7.50)

Obtainable from

**BLACKWELL SCIENTIFIC PUBLICATIONS
OXFORD**

PESTS OF FIELD CROPS

F. G. W. Jones and Margaret G. Jones 50s. net

'In all, this is a remarkably good book. The authors have taken great pains to cite up-to-date literature, often papers published in the last five years or so. . . Printing and paper are good, typographical errors minimal, and most of the plates—culled from many sources—are excellent.'—*Nature*.

'It can be said at once that the present-day student, for whom the book is primarily intended, is indeed fortunate to have in one volume such an up-to-date and authoritative coverage of the whole range of our more important crop pests and those of stored products as well. . . The authors are to be congratulated on adding a worthwhile successor to the thin line of English treatises beginning with Curtis and Theobald and brought to a temporary halt with Stapley (1949).'—*World Review of Pest Control*.

AN INTRODUCTION TO AGRICULTURAL CHEMISTRY:

Third Edition

J. S. Willcox and W. N. Townsend 28s. net

This is a new edition of the book first published in 1947, by the late N. M. Comber. In revising the third edition, the authors have again attempted to present the salient features of a scientific study of soil and animal nutrition in one volume. The alterations are mainly those in order of presentation with modifications to the subject matter. The book provides a comprehensive introduction, capable of expansion into a specialist course on the subject.

THE BIOLOGICAL ROLE OF NUCLEIC ACIDS

David Cohen

21s. net (boards); 10s. 6d. net (paper)

'This small book is intended to present an up-to-date review of one of the most rapidly developing fields of knowledge; a review suitable for a wide range of scientists. In this aim the author has succeeded admirably. . . Overall, this is an excellent book for fresh graduates in related subjects to buy for themselves, as a reference book.'—*Technical Book Review*.

ELEMENTARY MICROTECHNIQUE:

Third Edition

H. A. Peacock

45s. net

'... the author is to be congratulated on his discernment and restriction, for the book still holds within its stiff covers sufficient details of modern techniques, of specific treatments, of sources of material, of bibliographic reference to satisfy most of the requirements of practising biologists. The host of facts given regarding culture methods for bacteria and protozoa, staining methods, histology, fixation and preservation, whole mounts, microscopy and microtomy, make this a book not for the library but for the bench, there to receive its frequent consultations, its stained thumb-prints, its splashes of dye solutions, its early dog-ears, for I regard its daily openings as inevitable wherever biology is taught.'—*Institute of Biology Journal*.

EDWARD ARNOLD

41 Maddox Street, London, W.1

FULL PARTICULARS OF THE

JOURNALS

PUBLISHED BY THE

CAMBRIDGE

UNIVERSITY PRESS

MAY BE HAD FROM

THE MANAGER

CAMBRIDGE UNIVERSITY PRESS

BENTLEY HOUSE

200 EUSTON ROAD

LONDON, N.W.1

AGRONOMY JOURNAL

This official organ of the American Society of Agronomy is a bimonthly publication of up-to-date reports of general agronomic research. Workers in the fields of forages and pastures, crop improvement, cultural practices, soil fertility, and allied areas of investigation will find articles of lasting interest in *Agronomy Journal*. Publication is open to members of the American Society of Agronomy.

\$14.00 per year in U.S. and Canada.

\$15.00 per year elsewhere

American Society of Agronomy

677 S. Segoe Rd.

Madison, Wisconsin, U.S.A., 53711



ALDRIN PROTECTS CROPS FROM THE GROUND UP!

The root system is the vital link between the plant and its food in the soil—a link that is in constant danger of damage from soil insects. Aldrin gives economic control of the complete range of soil insect pests. It can be used for row-treatment, as an overall application—for which aldrin-fertiliser mixtures are particularly suitable, or seed treatment. It is of particular use with cereals, especially maize and for sugar cane, sugar beet, potatoes and tobacco.

Aldrin is complementary to endrin and dieldrin. Together they control a large variety of major destructive pests, ranging from soil insects to foliage pests. They have excellent residual action, are stable in the presence of other chemicals, do not affect germination and do not cause taint. Furthermore their use, according to recommendation is completely safe to the applicator and to the consumer of treated crops. Aldrin, dieldrin and endrin are available as technical materials and high concentrate dusts for further formulation, and also in forms suitable for the grower: emulsifiable concentrates, wettable powders, field-strength dusts and granules.

For details of approved uses and advice on application, consult the Shell Company in your country.

