Vol. LXXXVI No. I

January 1972

The Journal of Laryngology and Otology

EDITED BY G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

Contents

Bony meatus homografts J. L. W. WRIGH	T I
Tympanosclerosis G. D. L. SMYT	н 9
Epithelial invasion of intraossicular spaces . JACOB SAD	É 15
Tracheostomy in measles laryngo-tracheo-bronchitis . B. D. HANCOC	K 23
	R
Routine speech discrimination tests	
Vertibulometry in a case of Morgagni-Stewart-Morel	
syndrome J. A. HARPMA	N 43
Clinical records—	
Vertigo and the Morgagni-Stewart-Morel syndrome:	
A further and report	A
and J. A. HARPMA	N 63
Embryonal rhabdomyosarcoma of the middle ear and P. L. VERN	
mastoid	
Sudden deafness immediately following cardio-	- 22.2.2
I. NAUFMAN ARENDER	G,
GEORGE W. ALL	
and Authur DE Boi	
Mucocoeles of the frontal and ethmoid sinuses BRIAN L. WOLFOWI	
and ALBERT SOLOMO	ON 79
Correction of the nasal septum deviation: A new con- LEONIDA PAPANGELO	ou 8:
servauve technique	
Solitary lymph cyst of the neck	
Societies' proceedings	9
	9
Book reviews	9
General notes	2.

Headley Brothers Ltd Ashford, Kent

Annual Subscription £8 net, U.S.A. \$23

Monthly, f.I net, post free

https://doi.org/10.1017/S0022215100074843 Published online by Cambridge University Press

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

G. H. BATEMAN

ASSISTANT EDITOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951), *Journal of Laryngology and Otology*, 65, 33. The titles of all Journals should be given without abbreviation.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

 Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Editorial communications may be addressed to THE EDITOR, Journal of Laryngology, c/o HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.

7. The annual subscription is $\pounds 8$ (eight pounds sterling) post free; U.S.A. \$23 post free, and payable in advance.

8. Single copies of current or back numbers (when available) will be on sale at \pounds_{I} (including postage) each.

9. All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.

HEADLEY BROTHERS LTD.

The Invicta Press, ASHFORD, Kent.

C Journal of Laryngology and Otology Ltd., 1972

AMPLIVOX 84 The successor to the world's most widely used clinical Audiometer.



Take a look at all the advantages you get with this superb audiometer.

- Pure tone at eleven frequencies—now including 750 Hz Bone conduction at eight frequencies
- Narrow band masking via insert and headphones Automatic presentation
- ISO specification
- Trimpot calibration
- Continuously variable second channel for ABLB (Fowler) recruitment test
- Tone decay test
- Illuminated patient's signal
- PLUS Calibrated speech audiometry via microphone or tape.

Write now for illustrated brochure to :

AMPLIVOX HEARING CONSERVATION LTD Beresford Avenue, Wembley, Middx. HAO 1 RU. Phone: 01-902 8991



PETERS Audiometers and Sound Proof

Rooms for clinics, hospitals, schools and factories all over the world

Literature and further information from:



Head Office: 55 Clarkehouse Road, Sheffield S10 2LE Telephone 0742 64434 **Regional Sales and Service Centres**

London: 45 New Cavendish Street, London W1 Telephone 01-935 2604

South West England: 7 St. Augustine's Parade, Bristol BS1 4 HX Telephone 0272 20737

Please mention The Journal of Laryngology and Otology when replying to advertisements



clears both fungi and bacteria in ear infections

Candida albicans and Aspergillus niger are isolated in over 20 per cent of cases of otitis externa, and if high success rates are to be achieved treatment must take account of this. Otoseptil® ear drops employs a very broad spectrum attack with efficient antiinflammatory action.

The new antibiotic ester-neomycin undecylenate-provides potent dual bactericidal and antifungal activity.

Tryrothricin (containing gramicidin and tyrocin) effectively eliminates resistant Gram-positive cocci, while Hydrocortisone alcohol exerts its characteristic anti-inflammatory action. Rapid tissue contact is ensured by the penetrant Ethylene oxide polyoxypropylene glycol condensate, which is incorporated in the clear liquid ear drop. For pain relief, AUDAX[®] ear drops may be used concomitantly with Otoseptil[®] ear drops

because they are completely miscible and compatible.

Full information is available on request.

* Registered trade marks



Please mention The Journal of Laryngology and Otology when replying to advertisements

Now Available

A Short Textbook Ear Nose and Throat

R. Pracy, FRCS, Director, Department of Otorhinolaryngology, University of Liverpool, Consultant Otorhinolaryngologist, United Liverpool Hospitals; **J. Siegler**, MB, BS, FRCS, DLO, Consultant Otorhinolaryngologist, United Liverpool Hospitals and Liverpool Regional Hospital; and **P. M. Stell**, MB, FRCS, Senior Lecturer, Department of Otorhinolaryngology, University of Liverpool.

A clear and concise account of ear, nose and throat surgery, emphasising those diseases with which the doctor will often have to deal during general practice. An explanation of how these diseases arise is given and the principles of treatment are laid down.

Intended for medical students, doctors in hospitals and general practice, otorhino-laryngologists \ldots

Boards £1.75 net

Unibook (Paperback) 95p net

Tutors wishing to see an inspection copy on loan please write to:

THE ENGLISH UNIVERSITIES PRESS

Dept. P 556 St Paul's House Warwick Lane London EC4P 4AH

THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$25.00 per year Canada \$27.00 per year Foreign \$27.00 per year

ESTABLISHED 1896

Joseph H. Ogura, M.D. Editor

222 PINE LAKE ROAD, COLLINSVILLE, ILLINOIS 62234

Please mention The Journal of Laryngology and Otology when replying to advertisements

"Your otitis externa patient needs something that attacks infection and fungi and inflammation and pain and irritation..."

Audicort helps you attack all five at once!



ADVERTISEMENTS

THERE IS NOTHING NEW ABOUT Calgitex^{*} E.N.T. RIBBON GAUZE

Calgitex Calgitex Calgitex Calcium alginate Doo E.N. MOSTATIC ABSORBABLE SOURCE LEVIG MEMUZED-READY FOR USE Used extensively by E.N.T. surgeons throughout the world. Calgitex is highly suitable for packing procedures due to its soft texture, and slow absorption rate

*Extensive compatability with antibiotics *Non-adherent dressing. *Easy and painless removal.

Please send coupon for samples and literature:-

Medical Alginates Limited. Wadsworth Road, Perivale, Middlesex, England.

NAME ____

ADDRESS ____

Please send me samples and literature of Calgitex ENT Ribbon Gauze

MEDICAL ALGINATES LTD. Wadsworth Road, Perivale, Middlesex. Tel. 01-997 4441

A member of the Optrex Group

*Reg'd Trade Mark

The for everybody

Otology Laryngology Ophthalmology Gynaecology Dermatology Dentistry Hand Surgery MicroVascular Surgery

Laboratory work Dissection Research Teaching Outpatient, Casualty and Accident Departments Private Consulting Rooms

at a price for everybody

£444·38 duty-free. £514·17 duty-paid.

The OPMI 9 is ideal for rapid diagnosis. minor surgery, post-operative examination, especially of bedridden or chairbound patients. The reasonable price for such a high quality instrument brings it within the budget of many private practices. High quality coaxial illumination. Positioning is by the finely counterbalanced system incorporated in the movable arms. Robust wall mounting with built-in transformer and arms that can be extended to 4ft 6ins. Wide choice of objectives, 50 to 400 mm. Evepieces 10x, 12.5x, 16x or 20x. Straight or inclined binocular tubes.

OPNI9 Wide range of interchangeable

accessories including observer's tube, for teaching etc. (Viewing head will also fit standard Zeiss

rollable stand, at a total cost of £674·38 duty-free or £804·49 duty-paid.)

Full details from the sole UK agents for Carl Zeiss of West Germany, Degenhardt and Co Ltd 31/36 Foley Street London W1P 8AP 01-636 8050

 \mathcal{H}

ZEISS West Germany

Demonstrations at Micro 72—Oxford, April 10-15

Oto-, Rhino-, Laryngology

Important, up-to-date, and scientifically accurate abstracts of reports from the world's biomedical literature dealing with Oto-, Rhino-, Laryngology are brought to your desk in this monthly publication. First published in 1948, Oto-, Rhino-, Laryngology currently contains some 4,750 abstracts each year.

MAIN CHAPTER HEADINGS

1. SKULL 2. FACE AND LIPS 3. MOUTH 4. TONGUE 5. SALIVARY GLANDS 6. NECK 7. PHARYNX 8. ESOPHAGUS 9. LARYNX 10. TRACHEA 11. BRONCHI, LUNGS, MEDIASTINUM **12. OLFACTORY SYSTEM 13. EXTERNAL NOSE** 14. NASAL CAVITY **15. NASAL SEPTUM**

 16. NASOPHARYNX
17. NASAL SINUSES
18. EXTERNAL EAR
19. MIDDLE EAR
20. INTERNAL EAR
21. OTOSCLEROSIS
22. MENIERE DISEASE
23. FACIAL NERVE
24. VESTIBULAR SYSTEM
25. CEREBELLOPONTINE ANGLE TUMORS
26. HEARING
27. SPEECH

- 28. PHONIATRICS
- 29. ANESTHESIA

Specimen copies are available on request.

Annual Subscription Rate: U.S. \$50.00/£20. 19. 0d. Sterling/Dfl. 180,00

EXCERPTA MEDICA

Herengracht 119-123, Amsterdam, The Netherlands

Please mention The Journal of Laryngology and Otology when replying to advertisements



"A safe and effective method of treating house dust mite sensitivity"

This was the conclusion reached by a group of British clinicians, in a preliminary report on ALLPYRAL-MITE FORTIFIED HOUSE DUST.

х

For those patients with house dust mite sensitivity, ALLPYRAL-MITE FORTIFIED HOUSE DUST offers specific hyposensitisation therapy; the preliminary report, on an uncontrolled trial, suggests that good results might be achieved in as many as 83% of patients.


1. Munro-Ashman, D. et al (1970) - IN PRESS.



Like all Allpyral allergen extracts, mite fortified house dust is prepared by pyridine extraction and alum precipitation. This type of extract has been shown to give fewer reactions than the traditional aqueous extracts.

Full information is available on request

STOKE COURT, STOKE POGES, SLOUGH, BUCKS. TEL: FARNHAM COMMON 2151



Menière's syndrome was first clearly defined over a century ago and since then has been recognised as a distinct disease entity characterised by vertigo, tinnitus and loss of hearing, frequently accompanied by nausea, earache and/or headache. To date, treatment of Menière's syndrome has been mostly empirical in nature and variable in its results. But now there is SERC – a new and specific treatment for Menière's syndrome. There is evidence that SERC acts against all the major manifestations of Menière's syndrome. Its effect on the episodes of vertigo, often the most disturbing symptom, is most striking¹. SERC has been found to diminish, over a period of time, the intensity of tinnitus². And it may also arrest hearing loss³. SERC is supplied as tablets containing 8 mg. betahistine dihydrochloride, in bottles of 100 tablets. Further information is available on request.

1. Clinical Medicine (1967) 74:63 2. Journal of the American Medical Association (1966) 96:187 3. Archives of Otolaryngology (1967) 86:610

Cuphar DUPHAR LABORATORIES LIMITED BASINGSTOKE HANTS. TEL 0256 26351

