You've been asked to see an elderly woman.

Her caregiver says she used to be gentle and kind.

But now she lashes out at everyone.

Her caregiver is stressed.

Her family is distressed.

Now you have a proven

option to help them all.



330


Proven management of aggression

†RISPERDAL may be useful in severe dementia for the short-term symptomatic management of inappropriate behaviour due to aggression and/or psychosis.

Other behavioural disturbances seen in this patient population as well as disease stage remain unaffected by RISPERDAL treatment.

The most frequence events at RISPERDAL 1 mg/day in patients with severe dementia were somnolence; placebo 8%, RISPERDAL 17%; peripheral edema: placebo 6%, RISPERDAL 17%; peripheral edema: pl

Caution should be exercised when administering RISPERDAL to patients prone to hypotension and to patients with impaired liver or kidney function.



in severe dementiat

Only Drug Indicated for Behavioural Disturbances in Severe Dementia



*All trademark rights used under license © 2000 JANSSEN-ORTHO Inc.

RIJA001003A





There's so much at the heart of Dementia...

... And so much to lose.

The times you cherish together.

The home you love. The special

family moments. That's why

JANSSEN-ORTHO Inc.

is dedicated to finding answers

and providing new treatments.

Because with new therapies,

people can live better lives.

To find out more about

Dementia and

new treatment options,

see your doctor today.



