THE JOURNAL OF AGRICULTURAL SCIENCE

EDITED BY

G. D. H. BELL, C.B.E., PH.D., F.R.S., Plant Breeding Institute, Cambridge

K. L. BLAXTER, PH.D., N.D.A. (HONS.), D.SC., F.R.S.E., Rowett Research Institute, Bucksburn, Aberdeen

G. W. COOKE, Ph.D., F.R.I.C., Rothamsted Experimental Station, Harpenden

JOHN HAMMOND, Jr., M.A., School of Agriculture, Cambridge

PROF. SIR J. B. HUTCHINSON, C.M.G., SC.D., F.R.S., School of Agriculture, Cambridge

SIR BERNARD KEEN, D.SC., F.R.S., 72 Eaton Square, London, S.W. 1

H. L. PENMAN, O.B.E., PH.D., F.R.S., Rothamsted Experimental Station, Harpenden

H. H. ROGERS, B.SC., DIP.AG.SCI., Plant Breeding Institute, Cambridge

PROF. E. W. RUSSELL, C.M.G., PH.D., F.INST.P., Department of Soil Science, University of Reading

F. YATES, C.B.E., SC.D., F.R.S., Rothamsted Experimental Station, Harpenden



CAMBRIDGE UNIVERSITY PRESS

BENTLEY HOUSE, 200 EUSTON ROAD, LONDON, N.W. I AMERICAN BRANCH: 32 EAST 57TH STREET, NEW YORK, N.Y. 10022

Price 32s. 6d. net (U.S.A. \$5.50)

JOURNAL OF REPRODUCTION AND FERTILITY

The Journal publishes original papers, abstracts of Proceedings, and occasionally reviews and bibliographies, dealing with the morphology, physiology, biochemistry and pathology of reproduction in man and animals, and with the biological, medical and veterinary problems of fertility and lactation. Numbers are issued bimonthly to give two volumes a year.

Papers to appear in 1966 include:

- R. G. Wales and T. O'Shea. Effect of low levels of carbon dioxide on the metabolism of ram and bull spermatlozoa.
- R. G. ZIMBELMAN and L. W. SMITH. Control of ovulation in cattle with melengestrol acetate. 1. Effects of dosage and route of administration. 2. Effects of follicular size and activity.
- L. E. A. Rowson and R. M. Moor. Embryo transfer in the sheep: the significance of synchronising oestrus in the donor and recipient animal.
- H. PIGON, M. MARCHUT and N. NESTOROV. Urinary oestrogens in the mature male mule.
- H. Peters and E. Levy. Cell dynamics of the ovarian cycle.
- C. Desjardins, K. T. Kirton and H. D. Hafs. Some chemical, immunochemical and electrophoretic properties of bovine follicular fluid.
- H. P. Van Krey, F. C. Ogasawara and F. W. Lorenz. Distribution of spermatozoa in the oviduct and fertility in domestic birds. IV. Fertility of spermatozoa from infundibular and uterovaginal glands.
- T. O'SHEA and R. G. WALES. The aerobic metabolism of ram spermatozoa.
- G. H. KIRACOFE and H. G. SPIES. Length of maintenance of naturally formed and experimentally induced corpora lutea in hysterectomized ewes.
- C. V. HULET. Effects of various treatments with 6-methyl-17-acetoxyprogesterone (MAP) in subsequent fertility in ewes.
- P. Healey and R. M. F. S. Sadleir. The construction of rectal electrodes for electro-ejaculation.
- R. M. Moor and L. E. A. Rowson. Local uterine mechanisms affecting luteal function in the sheep.
- L. E. A. Rowson and R. M. Moor. Non-surgical transfer of cow eggs.

Editorial correspondence should be sent to Professor A. S. Parkes, Journal of Reproduction and Fertility, 8 Jesus Lane, Cambridge, England, and business correspondence to the publishers.

The subscription rate is £6 per volume or £12 per year (two volumes). U.S.A. and Canada \$20.00 per volume or \$40.00 per year

BLACKWELL SCIENTIFIC PUBLICATIONS OXFORD

EXPERIMENTAL AGRICULTURE

Contents Volume 1, No. 4. October 1965

- J. L. Monte. h. Radiation and Crops.
- G. P. Tewari. Effects of Planting Dates on Flowering and Yields of Cowpeas in Nigeria.
- G. P. Tewari. Effects of Nitrogen, Phosphorus and Potassium on Nodulation in Cowpea.
- S. K. De Datta and J. C. Moomaw. Availability of Phosphorus to Sugar Cane in Hawaii as Influenced by Various Phosphorus Fertilizers and Methods of Application.
- K. D. Cocks. Deferred Grazing and Nitrogen Fertilization in Southern Australia.
- J. A. Richards. Effects of Fertilizers and Management on Three Promising Tropical Grasses in Jamaica.
- A. H. El Nadi and J. P. Hudson. Effects of Crop Height on Evaporation from Lucerne and Wheat Grown in Lysimeters under Advective Conditions in the Sudan.
- F. O. C. Ezedinma. Fertilizer Placement for Sole-Crop Cowpeas in Southern Nigeria.
- **B. C. Akehurst.** Effect of Planting Time on Yield and Quality of Flue-Cured Tobacco in Iringa District, Tanzania.
- R. T. Clarke. The Presentation of Numerical Results of Experiments for Publication in a Scientific Agricultural Journal.

Experimental Agriculture is a quarterly journal published by Cambridge University Press. It is the successor to *The Empire Journal of Experimental Agriculture*.

The subscription price is £3.15s. (U.S.A. \$13.50) including postage; single parts are available at £1.75s. each (U.S.A. \$4.50). Orders may be sent to any bookseller or subscription agent, or direct to Cambridge University Press.

CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, N.W. 1

American Branch: 32 East 57th Street, New York, N.Y. 10022, U.S.A.

AGRONOMY JOURNAL

This official organ of the American Society of Agronomy is a bimonthly publication of up-to-date reports of general agronomic research. Workers in the fields of forages and pastures, crop improvement, cultural practices, soil fertility, and allied areas of investigation will find articles of lasting interest in Agronomy Journal. Publication is open to members of the American Society of Agronomy.

\$14.00 per year in U.S. and Canada. \$15.00 per year elsewhere

American Society of Agronomy 677 S. Segoe Rd. Madison, Wisconsin, U.S.A., 53711

UNIVERSITY THESES

AVAILABLE IN MICROFORM

Several University theses on agricultural subjects have been micro-photographed and reissued in microform in order to make their contents more readily available. They include:

- **P. J. BROADBENT.** The use of grazing control for extensive fat lamb production. (Aslib reference 2986 Vol. XII.)
- F. G. WHITELAW. Studies on the Utilisation of Dietary Nitrogen by Early-Weaned Calves. (Aslib reference 2967 Vol. XII.)
- B. N. CHATTERJEE. Analysis of Ecopic Differences in Tall Fescue and their Agronomic Significance. (Aslib reference 2939 Vol. XII.)

ABOU AKKADA, A. E. R. Metabolism of Rumen Protozoa, (Aslib reference 2965 Vol. XII.)

Details of these and other microform theses bearing on other agricultural topics available from:

MICRO METHODS LIMITED
East Ardsley, Wakefield, Yorkshire

ANIMAL PRODUCTION

JOURNAL OF THE BRITISH SOCIETY OF ANIMAL PRODUCTION

Contents of Volume 8, Part 1, February 1966

- SOLLER, M., BAR-ANAN, R. and PASTERNAK, H. Selection of dairy cattle for growth rate and milk production.
- DE ALBA, J. and RIERA, S. Sexual maturity and spermatogenesis under heat stress in the bovine.
- LODGE, G. A., ELSLEY, F. W. H. and MACPHERSON, R. M. The effects of level of feeding of sows during pregnancy.
- BLAXTER, K. L., WAINMAN, F. W. and DAVIDSON, J. L. The voluntary intake of food by sheep and cattle in relation to their energy requirements for maintenance.
- ADAM, J. L. and SMITH, W. C. The use of sample joints in predicting the composition of the pig carcass.
- Berg, R. T. and Butterfield, R. M. Muscle: bone ratio and fat percentage as measure of beef carcass composition.
- ROBERTSON, ALAN. A mathematical model of the culling process in dairy cattle.
- CORBETT, J. L., LANGLANDS, J. P., McDONALD, I. and PULLAR, J. D. Comparison by direct animal calori-

- metry of the net energy values of an early and a late season growth of herbage.
- KAY, M., PRESTON, T. R., MACLEOD, N. A. and PHILIP, E. B. Nutrition of the early weaned calf. IX. Nitrogen retention from different protein sources in calves fed ad libitum.
- HOLMES, W., JONES, J. G. W. and ADELINE, C. Feed intake of grazing cattle. IV. A study with milk cows of the influence of restriction of pasture combined with supplementary feeding on production per animal and per acre.
- KIELANOWSKI, J. Conversion of energy and the chemical composition of gain in bacon pigs.
- BOWMAN, J. C. and BROADBENT, J. S. Genetics parameters of growth between birth and 16 weeks in Down Cross sheep.
- Proceedings of the 43rd Meeting of the British Society of Animal Production.

This Journal is published three times a year in February, June and October

The annual subscription rate is 65s. (U.S.A. \$11.00). Single copy 25s. (U.S.A. \$4.00). Orders and subscriptions may be sent to any bookseller or direct to:

OLIVER AND BOYD LTD.

Tweeddale Court, 14 High Street, Edinburgh, 1



PLENTY FOR ALL-EXCEPT THE INSECTS

In countries everywhere, whatever the crop, good harvests and well-stocked markets are protected by Shell insecticides. Aldrin, dieldrin and endrin are three of them. Between them, they control a large variety of major destructive pests ranging from soil insects to cotton pests. Many can be controlled for the entire growing season with just one application. Aldrin, dieldrin and endrin have excellent residual activity, are stable in the presence of other chemicals, do not affect germination and do not cause taint. Furthermore, their use according to recommendations is completely safe to the applicator and to the consumer of treated crops.

ALDRIN is the outstanding soil insecticide. It gives economic control of the complete range

of soil insect pests. Aldrin is of particular use with the following crops: cereals and especially maize, sugar cane, sugar beet, potatoes, groundnuts, tobacco.

DIELDRIN is effective against a wide range of important crop pests. It is an immensely valuable foliage insecticide, being especially effective against flies and beetles. It is used in both temperate and tropical regions against vegetable and field crop pests such as Colorado beetle, flea beetle, blossom beetle, flax thrips, leafminer, fruit fly, clover and sugar beet weevils and shot hole borer. In addition dieldrin is extremely effective against locusts and grasshoppers.

ENDRIN is complementary to dieldrin, being highly effective

against caterpillars and sucking pests which are not easily controlled by dieldrin. Besides these insects, beetles, froghoppers, leafminers, plant bugs, sawflies and thrips are all efficiently controlled. Endrin is exceptionally useful for the protection of tropical crops, above all cotton.


ALDRIN DIELDRIN ENDRIN

Shell Chemicals



Aldrin, dieldrin and endrin are available as technical materials and high concentrate dusts suitable for further formulation, and also in forms suitable for the grower: emulsifiable concentrates, wettable powders, field strength dusts, and granules.

For details of approved uses and advice on application, consult the Shell Company in your country





NEW BIDRIN IS SYSTEMIC, PERSISTENT, ACTIVE, HAS BROAD SPECTRUM ACTIVITY

Bidrin is Shell's new organo-phosphorus insecticide. It is systemic and has particular advantages for many crops. For example, Bidrin's extremely wide spectrum of activity includes the easy control of aphids, mites and thrips on vegetables, citrus fruits, cotton and seedcrops. Bidrin is equally useful in dealing with stem borers and leaf hoppers on rice—scale insects on citrus crops—and even the elm bark beetle. Bidrin kills on contact then continues to control biting and sucking insects for up to two to three weeks. Bidrin may be used to within four weeks before harvest, by then it has completely broken down and crops are ready for consumption. Current trials are proving that Bidrin may have many other valuable uses.



For further details about Bidrin contact your Shell company.