June 1959-

Vol. LXXIII No. 6

The Journal of Laryngology and Otology

EDITED BY WALTER HOWARTH

> ASSISTANT EDITOR G. H. BATEMAN

Contents

DEAFNESS AS PART OF AN HEREDITARY SYNDROME CHONDROMA OF NASOPHARYNX

DESTRUCTION OF THE SUPERIOR MAXILLA IN FELTY'S SYNDROME

CLINICAL RECORDS-

A Case of Orbital Cellulitis Secondary to Suppurative Pansinusitus: Jacksonian Epilepsy: Drainage of the Sinuses: Recovery

LEIOMYOMA OF THE PHARYNX WITH CASE REPORT

CAROTID BODY TUMOUR .

GENERAL NOTES

London Headley Brothers Ltd

109 Kingsway WC2

Annual Subscription £4/4/0 net, U.S.A. \$13

Monthly, 10/- net post free

2 3 A 2 10 8 9 9

PETER TIMMIS -

L. FISCH

R. F. MCNAB JONES

P. LEESON /

A. SEYMOUR-JONES

A. B. N. RAO and M. M. SATHE

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY WALTER HOWARTH

ASSISTANT EDITOR G. H. BATEMAN

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C. and BROWN, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization 1952.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author.
Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.
4. Illustration blocks are provided free up to the limit of £10 per article; * beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., 109 Kingsway London, WC2.

5. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, Journal of Laryngology, c/o HEADLEY BROTHERS LTD., 109 Kingsway, London, WC2.

8. The annual subscription is four guineas sterling (U.S.A. \$13) post free, and is payable in advance.

9. Single copies will be on sale at 10s. od. each; copies of parts up to Vol. LXIII may be purchased at 4s. each. 10. All subscriptions, advertising and business communications should be

sent to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY LONDON, WC2.

United States of America

Orders for this Journal may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY LONDON, WC2, England.

When a hearing aid is advised . you may confidently recommend your patients to S. C. INGRAM They can try the different makes of hearing aids

- ★ They get impartial advice on all makes of hearing aids
- ★ Their personal needs are given individual and continued attention
- ★ A full report on each fitting recommended is sent to the patient's ear specialist
- \bigstar They can compare at one consultation the different makes one with another

S. C. INGRAM Independent Hearing Aid Consultant On the approved List of the National Institute for the Deaf

2 SHEPHERD STREET, SHEPHERD MARKET, LONDON, W.I

Hyde Park 9042

EAR WAX

Removed this easy way

The removal of wax from the external auditory meatus has, in the past, normally entailed attendance by the patient for diagnosis and for the prescription of a suitable loosening agent, and a second attendance a few days later for syringing. Now, by the use of Cerumol Ear Drops, wax can be removed in most cases at one visit. A few drops of Cerumol can be instilled into the ear and, while another patient is being attended to, the soft cerumen dissolves and the harder wax disimpacts. The wax can then be removed by gentle

syringing or with cotton wool. The wax may even be found to run out of the ear on its own accord, in which case patients themselves may instil Cerumol at home, obviating further attendances. Cerumol is anti-bacterial, non-irritating and harmless to the lining of the external auditory meatus or the tympanic membrane. Cerumol is included in Category No. 4 of the M.O.H. classified list and may be prescribed on N.H.S. Form E.C.10



EAR DROPS

for the easier removal of wax

If you wish to test for yourself and have not received recently a 10. c.c. vial please write or telephone direct to: LABORATORIES FOR APPLIED BIOLOGY LTD., 91, AMHURST PARK, LONDON, N.16 Tel.: STA 2252 PACKS For Surgery Use: 10 c.c. vial — separate dropper included (Basic N.H.S. price 2/8) for Hospital Use: 2 oz. and 10 oz. bottles.





The deaf child

For 23 years we've specialised in making group hearing-aid equipment and individual hearing aids with a range of characteristics wide enough to help any child who *can* be helped by sound amplification.


Particulars of the latest Range of Individual and Group Aids—believed to be the largest in existence —will be gladly sent to Medical Officers of Health, Educational Authorities and Schools.

multitone HEARING AIDS

MULTITONE ELECTRIC COMPANY LIMITED 25 Dover Street, London, w.1. Telephone: Hype Park 9977

Signatories to the National Institute for the Deaf Agreement

CRC 5 M



The persistently discharging ear is a common problem and one which poses many difficulties in effective treatment. In many cases of chronic ear infection, bacteria and fungi can be isolated and treatment should, therefore, be aimed at eliminating both types of infection. 'Otamidyl' contains dibromopropamidine isethionate 0.15% w/v and diamidinodiphenylamine dihydrochloride 0.5%w/e in propylene glycol and is intended for topical application in the treatment of otitis externa and of chronic suppurative otitis The antibacterial and antifungal properties of these media. compounds are retained in the presence of pus, blood and tissue debris.

PRESENTATIONS : Dropper bottles of 15 c.c. Bottles of 100 c.c.



MANDFACTURED BY MAY & BAKER LTD

Further information is available on request. An M&B brand Medical Product DISTRIBUTORS: PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM


Please mention The Journal of Laryngology and Otology when replying to advertisements

MA4906

An outstanding accomplishment

in hearing aid design





FACILITIES

Individual fitting related to the Audiogram by means of selective compensation. Tone control giving low frequency attenuation combined with an overall response extending to 4000 c/s provides excellent speech discrimination in cases of perceptive deafness.

SPECIFICATION

4 stage transistor circuit. Stable operation from 0° to 40°C. Miniature earphone with extended response. Magnetic microphone. Telephone inductor. Mercury cell battery -life 100 hours. Size $2\frac{1}{8}$ " x $1\frac{1}{16}$ " x $\frac{15}{32}$ " Weight 1 oz. Mirror gold finish.

Two-stage adjustable automatic volume compression.

AMPLIVOX LTD . LONDON . ENGLAND 80 New Bond Street, London, W.I. Hyde Park 9888

WORLD-WIDE DISTRIBUTION AND SERVICE

CONTENTS

	PAGE
DEAFNESS AS PART OF AN HEREDITARY SYNDROME. L. Fisch (London)	355
CHONDROMA OF NASOPHARYNX. Peter Timmis (London)	383
Destruction of the Superior Maxilla in Felty's Syndrome. R. F. McNab Jones (Manchester)	388
CLINICAL RECORDS-	
A Case of Orbital Cellulitus Secondary to Suppurative Pan- sinusitis: Jacksonian Epilepsy: Drainage of the Sinuses:	
Recovery. P. Leeson (London)	392
Leiomyoma of the Pharynx with Case Report. A. Seymour- Jones (Southsea)	396
Carotid Body Tumour. A. B. N. Rao and N. M. Sathe (Hyderabad-Dn, India)	200
(Hyderadad-Dn, India)	399 405

For Advertisement space in this Journal apply to: HEADLEY BROTHERS Ltd, 109 Kingsway London WC 2