


MATHEMATICAL PROCEEDINGS

(formerly Proceedings)

*of the
Cambridge Philosophical Society*

VOLUME 117



Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011-4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge Philosophical Society 1995

Printed in Great Britain by the University Press, Cambridge

INDEX FOR VOLUME 117

	PAGE
Ali Khan, M. & Sun, Y. The marriage lemma and large anonymous games with countable actions	385
Arkowitz, M. & Silberbush, P. Some properties of Hopf-type constructions	287
Armitage, D. H. The convergence of polynomial expansions of positive harmonic functions	165
Aupetit, B. Spectral characterization of the socle in Jordan–Banach algebras	479
Bator, E. M. & Lewis, P. W. Properties (V) and (wV) on $C(\Omega, X)$	469
Bergweiler, W. Invariant domains and singularities	525
Byrnes, G. B., Sherring, J., Godfrey, S. E. & Prince, G. E. A generalization of the Liouville–Arnol’d theorem	353
Cassidy, C. & Lajoie, C. Genus of nilpotent groups of Hirsch length six	431
Čerin, Z. Equivariant shape theory	303
Chen, Y. On rational subgroups of reductive algebraic groups over integral domains	203
Chiappinelli, R. Compact embeddings of some weighted Sobolov spaces on \mathbb{R}^N	333
Darst, R. B. Hausdorff dimension of sets of non-differentiability points of Cantor functions	185
Droste, M. & Göbel, R. McLain groups over arbitrary rings and orderings	439
Eastham, M. S. P. Higher-order differential equations with a slowly decaying coefficient containing a periodic factor	175
Esterle, J., Zarrabi, M. & Rajoelina, M. On contractions with spectrum contained in the Cantor set	339
Eveson, S. P. & Nussbaum, R. D. An elementary proof of the Birkhoff–Hopf theorem	31
Eveson, S. P. & Nussbaum, R. D. Applications of the Birkhoff–Hopf theorem to the spectral theory of positive linear operators	491
Göbel, R. & Droste, M. McLain groups over arbitrary rings and orderings	439
Godfrey, S. E., Prince, G. E., Byrnes, G. B. & Sherring, J. A generalisation of the Liouville–Arnol’d theorem	353
González, M. & Gutiérrez, J. M. Unconditionally converging polynomials on Banach spaces	321
Gradolato, M. & Zimmermann, B. Extending finite group actions on surfaces to hyperbolic 3-manifolds	137
Guo, K. A representation of distributions supported on smooth hypersurfaces of R^n	153
Gutiérrez, J. & González, M. Unconditionally converging polynomials on Banach spaces	321
Hayashi, C. Links with alternating diagrams on closed surfaces of positive genus	113
Hayman, W. K. & Rubel, L. A. Unavoidable systems of functions	345
Hudson, R. L. & Parthasarathy, K. R. Chaos map for the universal enveloping algebra of $U(N)$	21
Komjáth, P. A note on minors of uncountable graphs	7
Kotschick, D. & Matić, G. Embedded surfaces in four-manifolds, branched covers, and $SO(3)$ -invariants	275
Lajoie, C. & Cassidy, C. Genus of nilpotent groups of Hirsch length six	431
Lewis, P. W. & Bator, E. M. Properties (V) and (wV) on $C(\Omega, X)$	469
Li, H. On the number of finite non-isomorphic Abelian groups in short intervals	1
Matić, G. & Kotschick, D. Embedded surfaces in four-manifolds, branched covers, and $SO(3)$ -invariants	275
McKee, J. On the average number of divisors of quadratic polynomials	389

Mond, D. Looking at bent wires – \mathcal{A}_r -codimension and the vanishing topology of parametrized curve singularities	213
Morton, H. R. The coloured Jones function and Alexander polynomial for torus knots	129
Murakami, H. Quantum $SO(3)$ -invariants dominate the $SU(2)$ -invariant of Casson and Walker	237
Navarro González, J. A. Differential spaces of finite type	371
Nussbaum, R. D. & Eveson, S. P. An elementary proof of the Birkhoff–Hopf theorem	31
Nussbaum, R. D. & Eveson, S. P. Applications of the Birkhoff–Hopf theorem to the spectral theory of positive linear operators	491
Ohtsuki, T. Invariants of 3-manifolds derived from universal invariants of framed links	259
Ohtsuki, T. A polynomial invariant of integral homology 3-spheres	83
Parthasarathy, K. R. & Hudson, R. L. Chaos map for the universal enveloping algebra of $U(N)$	21
Peherstorfer, F. Zeros of linear combinations of orthogonal polynomials	533
Prince, G. E., Byrnes, G. B., Sherring, J. & Godfrey, S. E. A generalization of the Liouville–Arnol’d theorem	353
Rajoelina, M., Zarrabi, M. & Esterle, J. On contractions with spectrum contained in the Cantor set	339
Rhodes, F. & Williams, H. P. Discrete subadditive functions as Gomory functions	559
Rubel, L. A. & Hayman, W. K. Unavoidable systems of functions	345
Saeki, O. Studying the topology of Morin singularities from a global viewpoint	223
Saito, K.-S. Generalized interpolation in finite maximal subdiagonal algebras	11
Sakaki, M. Rigidity of superconformal minimal surfaces lying fully in odd-dimensional unit spheres	251
Saradha, N., Storey, T. N. & Tjrdeman, R. On arithmetic progressions of equal lengths with equal products	193
Sherring, J., Godfrey, S. E., Prince, G. E. & Byrnes, G. B. A generalization of the Liouville–Arnol’d theorem	353
Silberbush, P. & Arkowitz, M. Some properties of Hopf-type constructions	287
Snaith, V. P. Cyclotomic Galois module structure and the second Chinburg invariant.	57
Storey, T. N., Tjrdeman, R. & Saradha, N. On arithmetic progressions of equal lengths with equal products	193
Sun, Y. & Ali Khan, M. The marriage lemma and large anonymous games with countable actions	385
Tjrdeman, R., Saradha, N. & Storey, T. N. On arithmetic progressions of equal lengths with equal products	193
Vesanen, A. Finite classical groups and multiplication groups of loops	425
Wall, C. T. C. Quartic curves in characteristic 2	393
Wall, C. T. C. Geometry of quartic curves	415
Williams, H. P. & Rhodes, F. Discrete subadditive functions as Gomory functions	559
Yokota, Y. On Quantum $SU(2)$ invariants and generalized bridge numbers of knots	545
Zarrabi, M., Esterle, J. & Rajoelina, M. On contractions with spectrum contained in the Cantor set	339
Zhang, D.-Q. Algebraic surfaces with nef and big anti-canonical divisor	161
Zhu, K. Evaluation operators on the Bergman space	513
Zimmermann, B. & Gradolato, M. Extending finite group actions on surfaces to hyperbolic 3-manifolds	137

THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests.

1. Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. Two clear copies should be sent.

A cover page should give the title, the author's name and institution, with the address to which mail should be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas *Some applications of a theorem of G. H. Hardy* would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp\{z^2 \sin \theta/(1 + y^2)\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlinings. Bold faced type is shown by wavy underlining; wavy will be printed wavy.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , o , O , 0 ; x , X , \times ; ϕ , Φ , \emptyset ; 1 , I ; ε , ϵ ; κ , k .

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign \blacksquare may be used.

Footnotes should be avoided.

3. Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. *Symbols, legends and captions should be given on a transparent overlay*. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams re-drawn, provided that they are clear.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

- [1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. *Ann. of Math.* (2) **72** (1960), 20–104.
- [2] M. P. FOURMAN and D. S. SCOTT. Sheaves and logic. In *Applications of Sheaves*, Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302–401.
- [3] P. T. JOHNSTONE. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).
- [4] F. W. LAWVERE. Functorial semantics of algebraic theories. Ph.D. thesis. Columbia University (1963).

*Mathematical Proceedings of
the Cambridge Philosophical Society*

MPCPCO 117 (Pt 3) 385–574 (1995) 0305–0041 May 1995

CONTENTS

	PAGE
ALI KHAN, M. & SUN, Y. The marriage lemma and large anonymous games with countable actions	385
MCKEE, J. On the average number of divisors of quadratic polynomials	389
WALL, C. T. C. Quartic curves in characteristic 2	393
WALL, C. T. C. Geometry of quartic curves	415
VESANEN, A. Finite classical groups and multiplication groups of loops	425
CASSIDY, C. & LAJOIE, C. Genus of nilpotent groups of Hirsch length six	431
DROSTE, M. & GÖBEL, R. McLain groups over arbitrary rings and orderings	439
BATOR, E. M. & LEWIS, P. W. Properties (V) and (wV) on $C(\Omega, X)$	469
AUPETIT, B. Spectral characterization of the socle in Jordan–Banach algebras	479
EVESON, S. P. & NUSSBAUM, R. D. Applications of the Birkhoff–Hopf theorem to the spectral theory of positive linear operators	491
ZHU, K. Evaluation operators on the Bergman space	513
BERGWEILER, W. Invariant domains and singularities	525
PEHERSTORFER, F. Zeros of linear combinations of orthogonal polynomials	533
YOKOTA, Y. On quantum $SU(2)$ invariants and generalized bridge numbers of knots	545
RHODES, F. & WILLIAMS, H. P. Discrete subadditive functions as Gomory functions	559

© The Cambridge Philosophical Society 1995

Printed in Great Britain by the University Press, Cambridge

CAMBRIDGE
UNIVERSITY PRESS



0305-0041(199505)117:3;1-B