

ISSN 0027-7630

**NAGOYA
MATHEMATICAL JOURNAL**

VOL. 120

December 1990

**PUBLISHED BY
DEPARTMENT OF MATHEMATICS, SCHOOL OF SCIENCE
NAGOYA UNIVERSITY**

Correspondences concerning subscription, and back issues
of the journal should be addressed to

KINOKUNIYA COMPANY LTD.
17-7 Shinjuku 3-chome, Shinjuku-ku
Tokyo 160-91 JAPAN

The annual subscription price for 1990 is about \$ 230.00.

Published by
KINOKUNIYA COMPANY LTD.
Tokyo, Japan

ISSN 0027-7630

NAGOYA
MATHEMATICAL JOURNAL

VOL. 120

December 1990

Edited by

KAZUHIKO AOMOTO, TAKEYUKI HIDA, NOBORU ITO, YOSHIYUKI KITAOKA,
TOMIO KUBOTA, HIDEYUKI MATSUMURA, SHIGEFUMI MORI,
HISASI MORIKAWA (Managing Editor), AKIHIKO MORIMOTO,
KATUZI ONO, YOSHIHIRO SHIKATA (Managing Editor),
TOSHIKAZU SUNADA, AKIHIRO TSUCHIYA

PUBLISHED BY
DEPARTMENT OF MATHEMATICS, SCHOOL OF SCIENCE
NAGOYA UNIVERSITY

Nagoya Mathematical Journal is, in principle, the official organ of the Department of Mathematics, Nagoya University, designed solely for the publication of research papers. However, some invited papers and other original papers in mathematics from all over the world are also regularly published in Nagoya Mathematical Journal. Currently, 4 volumes are published each year.

All manuscripts should be typewritten in English, French, or German with sufficient space between lines, and special letters such as bold-face, German, Greek, and script should be clearly marked. All single letters used in formulas will appear in italic, and mathematical symbols will appear in the standard style usual for mathematical literature. Therefore, it is not required to mark such letters and symbols. Instructions which conflict with the general printing rules of the journal will not be accepted. For example, each paragraph title should appear in bold-face. Good reproductions of a typewritten manuscript are acceptable.

As soon as we receive a manuscript, a receipt will be sent to the author. When a manuscript has been sent to a referee, the author will receive another notice. These receipts and notices, however, do not mean anything regarding the acceptability of the paper for publication. If the editorial committee has decided to accept a paper, the author will receive a notice containing the number of the volume in which the paper will appear.

Each author, as well as each co-author, will have 100 reprints, while only one set of proof will be prepared per paper for proof-reading by the author(s). Therefore, a joint paper must carry instructions as to whom the proof should be sent.

The actual business of the Nagoya Mathematical Journal is performed by the managing editor with the cooperation of editors residing in Nagoya.

The manuscript and general correspondence should be addressed to: Managing editor, Nagoya Mathematical Journal, Department of Mathematics, School of Science, Nagoya University, Chikusa-ku, Nagoya, 464-01, Japan.

CONTENTS

Sato, M. , note by Shintani, T. , translated by Muro, M. : Theory of prehomogeneous vector spaces (algebraic part)—the English translation of Sato's lecture from Shintani's note	1
Yamazaki, T. : Rankin-Selberg method for Siegel cusp forms	35
Yokoi, H. : The fundamental unit and class number one problem of real quadratic fields with prime discriminant	51
Halter-Koch, F. : A note on ray class fields of global fields	61
Miyake, K. : Leopoldt kernels and central extensions of algebraic number fields	67
Coung, N. T. : On the length of the powers of systems of parameters in local ring	77
Szurek, M. and Wiśniewski, J. A. : On Fano manifolds, which are P^k -bundles over P^2	89
Shirosaki, M. : On defect relations of moving hyperplanes	103
Ozawa, T. : Quantization of a Poisson algebra and polynomials associated to links	113
Herzog, J. and Ulrich, B. : Self-linked curve singularities	129
Hu, P. C. : Holomorphic mapping into algebraic varieties of general type	155
Hu, P. C. : Holomorphic mapping into algebraic varieties of general type, II	171
Shioya, T. : The ideal boundaries and global geometric properties of complete open surfaces	181
Nomizu, K. , Pinkall, U. and Podestà, F. : On the geometry of affine Kähler immersions	205