

JOURNAL OF GLACIOLOGY

INDEX

Vol. 36, No. 122-124, 1990

All place-names and names of organizations are indexed under their local forms

- Ablation: simple energy-balance model for calculating at margin of Greenland ice sheet, 222-28
- Ablation area of Storglaciären: character of englacial and subglacial drainage system as revealed by dye-trace studies, 126-28, 128-29
- Ackley, S.F., *see* Lange, M.A., and others
- Air-content measurements: effect of cut bubbles at sample surface, 299-303
- Aitken, J.F., *see* Russell, A.J., and others
- Alaska: unusual jökulhlaup involving potholes on Black Rapids Glacier, 125-26
- Alaska Range: unusual jökulhlaup involving potholes on Black Rapids Glacier, 125-26
- Allison, I., (review: Swithinbank, C. *Satellite image atlas of glaciers of the world: Antarctica*) 122-24
- Analysis: melt-water refreezing in dry snow, 238-46
- Antarctica:
- change in ice thickness in Windless Bight, Ross Ice Shelf, 351-52
 - crevasse deformation examples from Ice Stream B, 3-10
 - Dominion Range ice core, 11-16
 - ice-marginal depositional processes, 279-86
 - icequakes on Ekström Ice Shelf, 31-36
 - ¹⁸O concentrations in Weddell Sea sea ice, 315-23
- Atka Bay: icequakes on Ekström Ice Shelf, 31-36
- Aufeis: two-dimensional spreading and thickening, 169-78
- Avalanche release: relationship between development of depth hoar and avalanche release in Tian Shan mountains, 37-40
- Avalanche speeds: model for scaling, 188-98
- Avalanche weather forecasting: at Northwest Avalanche Center, 57-66
- Avalanches: numerical simulation of powder-snow, 229-37
- Bamber, J.L., and Dowdeswell, J.A., (paper: Remote-sensing studies of Kvitøytjøkulen, an ice cap on Kvitøya, north-east Svalbard) 75-81
- Basal melting: under Summit, Greenland, 163-68
- Bed topography: determination in central Greenland, 17-30
- Black Rapids Glacier: unusual jökulhlaup involving potholes, 125-26
- Bore-hole closure in cold ice: hot-water drilling, 287-98
- Boudinage: stratigraphic disturbance in glacial ice in central Greenland, 269-72
- Boundary-layer regelation mechanism: subglacial, 263-68
- Bourgeois, J.C., (paper: A modern pollen spectrum from Dye 3, south Greenland ice sheet) 341-43
- Bradley, J.A., *see* Hodge, S.M., and others
- Bradley, J.A., *see* Wright, D.L., and others
- Braithwaite, R.J., and Olesen, O.B., (paper: Response of the energy balance on the margin of the Greenland ice sheet to temperature changes) 217-21
- Braithwaite, R.J., and Olesen, O.B., (paper: A simple energy-balance model to calculate ice ablation at the margin of the Greenland ice sheet) 222-28
- Brossier, C., *see* Remy, F., and others
- Bualtar Glacier: surge of, 159-62
- Central Greenland:
- boudinage, 269-72
 - surface and bed topography, 17-30
- Change in ice thickness: Windless Bight, 351-52
- Characteristic equation of snow in the pendular regime: theoretical determination, 179-87
- China:
- relationship between development of depth hoar and avalanche release in Tian Shan mountains, 37-40
 - temperature distribution of glaciers, 210-16
- Climate records: 6000-year from Høghetta ice dome, northern Spitsbergen, 354-57
- Climatic forcing: thermal response of a small ice cap to, 49-56
- Coherent Antarctic radar depth sounder (CARDS): design, development, field observations, and preliminary results, 247-54
- Colbeck, S.C., (correspondence: Vapor-pressure dependence on temperature in models of snow metamorphism) 352-53
- Cold ice: hot-water drilling and bore-hole closure, 287-98
- Continental ice: intensity of satellite radar-altimeter return power over, 133-42
- Core characteristics: Dominion range ice core, 11-16
- Correspondence, 125-30, 258-59, 351-57
- Cosgrove, D.M., *see* Sturm, M., and Cosgrove, D.M.
- Crevasse deformation: examples from Ice Stream B, Antarctica, 3-10
- Cunningham, J., *see* Firestone, J., and others
- Cunningham, J., and Waddington, E.D., (paper: Boudinage: a source of stratigraphic disturbance in glacial ice in central Greenland) 269-72
- Delisle, G., (correspondence: Recent change in ice thickness in Windless Bight, Ross Ice Shelf, Antarctica) 351-52
- Depth hoar: relationship between development of and avalanche release in Tian Shan mountains, 37-40
- Design: coherent Antarctic radar depth sounder (CARDS), 247-54
- Development: coherent Antarctic radar depth sounder (CARDS), 247-54
- Dieckmann, G.S., *see* Lange, M.A., and others
- Digital low-frequency, surface-profiling ice-radar system, 112-21
- Digital terrain models: tool for glacier studies, 273-78
- Dominion Range ice core: general site and core characteristics with implications, 11-16
- Dowdeswell, J.A., *see* Bamber, J.L., and Dowdeswell, J.A.
- Dowdeswell, J.A., and others, (correspondence: Comments on: "6000-year climate records in an ice core from the Høghetta ice dome in northern Spitsbergen") 354-57
- Drainage: of an ice-dammed lake in West Greenland, 72-74
- Drainage system: configuration of Midtdalsbreen, 89-101
- Drewry, D.J., *see* Dowdeswell, J.A., and others
- Dry snow: analysis and modeling of melt-water refreezing in, 238-46
- Dye 3: modern pollen spectrum from, 341-43
- Dye-trace studies: character of the englacial and subglacial drainage system of Storglaciären, 126-28, 128-29
- Dye-tracing experiments: configuration of drainage system of Midtdalsbreen by, 89-101
- Echelmeyer, K., *see* Humphrey, N., and Echelmeyer, K.
- Echelmeyer, K., and Harrison, W.D., (paper: Jakobshavn

- Isbræ, West Greenland: seasonal variations in velocity — or lack thereof) 82-88
- Effect of cut bubbles at sample surface: air-content measurements, 299-303
- Ekström Ice Shelf: icequakes, 31-36
- Ellesmere Island: implications of glacial sculpture on Hans Island, 129-30
- Energy balance: response to temperature changes on margin of Greenland ice sheet, 217-21
- Energy-balance model: to calculate ice ablation at margin of Greenland ice sheet, 222-28
- Englacial drainage system: character of Storglaciären as revealed by dye-trace studies, 126-28, 128-29
- Equation of snow in the pendular regime: theoretical determination, 179-87
- Erratum, 130
- Ettema, R., *see* Schohl, G.A., and Ettema, R.
- Experiments: growth of spongy ice near a stagnant point, 143-50
- Extraordinary melt-water run-off: Søndre Strømfjord, West Greenland, 354
- Ferguson, S.A., and others, (paper: Avalanche weather forecasting at the Northwest Avalanche Center, Seattle, Washington, U.S.A.) 57-66
- Field observations: coherent Antarctic radar depth sounder (CARDS), 247-54
- Firestone, J., and others, (paper: The potential for basal melting under Summit, Greenland) 163-68
- Fitzsimons, S.J., (paper: Ice-marginal depositional processes in a polar maritime environment, Vestfold Hills, Antarctica) 279-86
- Flow laws: for glacier ice, 324-40
- Fossil ice: first discovery of 1000-1700 year B.P. in Japan, 258-59
- Foster, I.B., *see* Lock, G.S.H., and Foster, I.B.
- Freitas, T.A. de, (correspondence: Implications of glacial sculpture on Hans Island between Greenland and Ellesmere Island (Nares Strait)) 129-30
- Fresh-water ice: notch-strengthening effect in, 107-11
- Fukushima, Y., and Parker, G., (paper: Numerical simulation of powder-snow avalanches) 229-37
- Funk, M., *see* Jiyang Chen, and Funk, M.
- Gardner, J.S., and Hewitt, K., (paper: A surge of Bualtar Glacier, Karakoram Range, Pakistan: a possible landslide trigger) 159-62
- General site: Dominion Range ice core, 11-16
- Glacial abrasion: laboratory simulations, 304-14
- Glacial sculpture: implications on Hans Island, 129-30
- Glacier ice: flow laws, 324-40
- Glacier studies: digital terrain models, 273-78
- Glaciers: temperature distribution in China, 210-16
- Gow, A.J., *see* Mayewski, P.A., and others
- Greenland:
 - implications of glacial sculpture on Hans Island, 129-30
 - potential for basal melting under Summit, 163-68
- Greenland ice sheet:
 - response of energy balance on margin to temperature changes, 217-21
 - simple energy-balance model to calculate ice ablation at margin, 222-28
- Grisons: permafrost within an active rock glacier, 151-58
- Grootes, P., *see* Mayewski, P.A., and others
- Grover, T.P., *see* Wright, D.L., and others
- Haerberli, W., *see* Mühl, D.V., and Haerberli, W.
- Hammond, W.R., and Sprenke, K.F., (instruments and methods: A PC-based portable ice-radar receiver) 255-57
- Hans Island: implications of glacial sculpture on, 129-30
- Hanson, B., (paper: Thermal response of a small ice cap to climatic forcing) 49-56
- Harrison, W.D., *see* Echelmeyer, K., and Harrison, W.D.
- Heipke, C., *see* Rentsch, H., and others
- Hewitt, K., *see* Gardner, J.S., and Hewitt, K.
- Higuchi, K., *see* Yoshida, M., and others
- Hodge, S.M., *see* Wright, D.L., and others
- Hodge, S.M., and others, (paper: Determination of the surface and bed topography in central Greenland) 17-30
- Høghetta ice dome: 6000-year climate records in an ice core, 354-57
- Hooke, R.LeB., and Kohler, J., (correspondence: Reply to: "Comments on: 'Character of the englacial and subglacial drainage system in the lower part of the ablation area of Storglaciären, Sweden, as revealed by dye-trace studies'") 128-29
- Hooke, R.LeB., and others, (paper: Subglacial water pressures and the shape of subglacial conduits) 67-71
- Hot-water drilling: bore-hole closure in cold ice, 287-98
- Huang Maohuan, (paper: On the temperature distribution of glaciers in China) 210-16
- Humphrey, N., and Echelmeyer, K., (paper: Hot-water drilling and bore-hole closure in cold ice) 287-98
- Hu Ruji, *see* Ma Weilin, and Hu Ruji
- Hutter, K., and others, (paper: On the numerical solution of Stefan problems in temperate ice) 41-48
- Ice:
 - first discovery of 1000-1700 year B.P. fossil ice in Japan, 258-59
 - numerical solution of Stefan problems in temperate ice, 41-48
- Ice ablation: simple energy-balance model for calculating at margin of Greenland ice sheet, 222-28
- Ice cap: thermal response to climatic forcing, 49-56
- Ice core: 6000-year climate records, 354-57
- Ice-dammed lake: drainage of, in West Greenland, 72-74
- Ice-marginal depositional processes: Vestfold Hills, Antarctica, 279-86
- Icequakes: on Ekström Ice Shelf, 31-36
- Ice-radar receiver: PC-based portable, 255-57
- Ice-radar system: digital low-frequency, surface-profiling, 112-21
- Ice Stream B: crevasse deformation, 3-10
- Ice thickness: change in Windless Bight, Antarctica, 351-52
- Iida, H., *see* Yoshida, M., and others
- Illangasekare, T.H., *see* Pfeffer, W.T., and others
- Implications: Dominion range ice core, 11-16
- Instruments and methods, 112-21, 247-57
- In-situ* tensile tests: of snow-pack layers, 102-06
- Iverson, N.R., (paper: Laboratory simulations of glacial abrasion: comparison with theory) 304-14
- Jacobel, R.W., *see* Hodge, S.M., and others
- Jacobel, R.W., *see* Wright, D.L., and others
- Jakobshavn Isbræ: seasonal variations in velocity, 82-88
- Jamieson, J.B., and Johnston, C.D., (paper: *In-situ* tensile tests of snow-pack layers) 102-06
- Japan: first discovery of fossil ice of 1000-1700 year B.P., 258-59
- Jiyang Chen, and Funk, M., (paper: Mass balance of Rhonegletscher during 1882/83-1986/87) 199-209
- Johnston, J.B., and Metzner, R.C., (paper: Thermal expansion coefficients for sea ice) 344-50
- Johnston, C.D., *see* Jamieson, J.B., and Johnston, C.D.
- Jökulhlaup: on Black Rapids Glacier, 125-26
- Jong, C. de, *see* Russell, A.J., and others
- Karakoram Range: surge of Bualtar Glacier, 159-62
- Katabatic wind intensity: potential measurement of, 133-42
- Kelly, R.J., *see* Morris, E.M., and Kelly, R.J.
- Kohler, J., *see* Hooke, R.LeB., and Kohler, J.
- Kohler, J., *see* Hooke, R.LeB., and others
- Kvitøya: remote-sensing studies of Kvitøyjökulen, 75-81
- Kvitøyjökulen: remote-sensing studies of, 75-81
- Laboratory simulations: glacial abrasion, comparison with theory, 304-14
- Landslide trigger: surge of Bualtar Glacier, 159-62
- Lange, M.A., and others, (paper: ¹⁸O concentrations in sea ice of the Weddell Sea, Antarctica) 315-23
- Laumann, T., *see* Hooke, R.LeB., and others
- Lipenkov, V.Ya., *see* Martinerie, P., and others

- Lliboutry, L., (correspondence: About the origin of rock glaciers) 125
- Lliboutry, L., (correspondence: The origin of waves on rock glaciers) 130
- Lliboutry, L.A.: *Very slow flows of solids. Basics of modeling in geodynamics and glaciology*, (review) 122
- Lock, G.S.H., and Foster, I.B., (paper: Experiments on the growth of spongy ice near a stagnant point) 143-50
- Lyons, W.B., *see* Mayewski, P.A., and others
- McClung, D.M., (paper: A model for scaling avalanche speeds) 188-98
- Mariotti, R.T., *see* Ferguson, S.A., and others
- Martinerie, P., and others, (paper: Correction of air-content measurements in polar ice for the effect of cut bubbles at the surface of the sample) 299-303
- Mass balance: Rhonegletscher during 1882/83-1986/87, 199-209
- Ma Weilin, and Hu Ruji, (paper: Relationship between the development of depth hoar and avalanche release in the Tian Shan mountains, China) 37-40
- Mayewski, P.A., and others, (paper: The Dominion Range ice core, Queen Maud Mountains, Antarctica — general site and core characteristics with implications) 11-16
- Meese, D.A., *see* Mayewski, P.A., and others
- Meier, M.F., *see* Pfeffer, W.T., and others
- Melt-water refreezing: analysis and modeling in dry snow, 238-46
- Metzner, R.C., *see* Johnson, J.B., and Metzner, R.C.
- Midtdalsbreen: configuration of drainage system of, 89-101
- Miller, M.M., *see* Rentsch, H., and others
- Minster, J.F., *see* Remy, F., and others
- Model: for scaling avalanche speeds, 188-98
- Modeling: melt-water refreezing in dry snow, 238-46
- Modern pollen spectrum: from Dye 3, south Greenland ice sheet, 341-43
- Moore, M.B., *see* Ferguson, S.A., and others
- Moore, R.K., *see* Raju, G., and others
- Morris, E.M., (review: Lliboutry, L.A. *Very slow flows of solids. Basics of modeling in geodynamics and glaciology*) 122
- Morris, E.M., and Kelly, R.J., (paper: A theoretical determination of the characteristic equation of snow in the pendular regime) 179-87
- Mühl, D.V., and Haerberli, W., (paper: Thermal characteristics of the permafrost within an active rock glacier (Murtèl/Corvatsch, Grisons, Swiss Alps)) 151-58
- Murtèl/Corvatsch: permafrost within an active rock glacier, 151-58
- Nakamura, T., *see* Yoshida, M., and others
- Nares Strait: implications of glacial sculpture on Hans Island between Greenland and Ellesmere Island, 129-30
- Nixon, W.A., and Schulson, E.M., (paper: A notch-strengthening effect in fresh-water ice) 107-11
- North-east Svalbard: remote-sensing studies of Kvitøkjökulen, 75-81
- Northern Spitsbergen: 6000-year climate records in an ice core, 354-57
- Northwest Avalanche Center: avalanche weather forecasting at, 57-66
- Norway: configuration of drainage system of Midtdalsbreen, 89-101
- Notch-strengthening effect: in fresh-water ice, 107-11
- Numerical predictions and field measurements: flow laws for glacier ice, 324-40
- Numerical simulation: powder-snow avalanches, 229-37
- Numerical solution: of Stefan problems in temperate ice, 41-48
- Ohata, T., *see* Yoshida, M., and others
- Olesen, O.B., *see* Braithwaite, R.J., and Olesen, O.B.
- Orheim, O., (review: Swithinbank, C. *Satellite image atlas of glaciers of the world: Antarctica*) 124
- Osten-Woldenburg, H. von der, (paper: Icequakes on Ekström Ice Shelf near Atka Bay, Antarctica) 31-36
- Pakistan: surge of Bualtar Glacier, 159-62
- Parker, G., *see* Fukushima, Y., and Parker, G.
- PC-based portable ice-radar receiver, 255-57
- Permafrost: thermal characteristics within an active rock glacier, 151-58
- Pfeffer, W.T., and others, (paper: Analysis and modeling of melt-water refreezing in dry snow) 238-46
- Polar ice: correction of air-content measurements, 299-303
- Polar maritime environment: ice-marginal depositional processes, 279-86
- Portable ice-radar receiver: PC-based, 255-57
- Potholes: unusual jökulhlaup on Black Rapids Glacier, 125-26
- Powder-snow avalanches: numerical simulation, 229-37
- Preliminary results: coherent Antarctic radar depth sounder (CARDS), 247-54
- Queen Maud Mountains: Dominion Range ice core, 11-16
- Radar depth sounder: design, development, field observations, and preliminary results, 247-54
- Raju, G., and others, (instruments and methods: Design, development, field observations, and preliminary results of the coherent Antarctic radar depth sounder (CARDS) of the University of Kansas, U.S.A.) 247-54
- Raynaud, D., *see* Martinerie, P., and others
- Regelation mechanism: subglacial boundary-layer, 263-68
- Remote-sensing studies: of Kvitøkjökulen, an ice cap on Kvitøya, north-east Svalbard, 75-81
- Remy, F., and others, (paper: Intensity of satellite radar-altimeter return power over continental ice: a potential measurement of katabatic wind intensity) 133-42
- Rentsch, H., and others, (paper: digital terrain models as a tool for glacier studies) 273-78
- Reviews, 122-25
- Rhonegletscher: mass balance during 1882/83-1986/87, 199-209
- Richards, K.S., *see* Willis, I.C., and others
- Rock glaciers:
 - origin of, 125
 - origin of waves on, 130
- Ross Ice Shelf: change in ice thickness in Windless Bight, 351-52
- Röthlisberger, H., *see* Hutter, K., and others
- Russell, A.J., (correspondence: Extraordinary melt-water run-off near Søndre Strømfjord, West Greenland) 354
- Russell, A.J., and others, (paper: Observations on the drainage of an ice-dammed lake in West Greenland) 72-74
- Saltemann, E., *see* Mayewski, P.A., and others
- Satellite radar-altimeter return power: intensity over continental ice, 133-42
- Scaling avalanche speeds: model, 188-98
- Schlosser, P., *see* Lange, M.A., and others
- Schohl, G.A., and Ettema, R., (paper: Two-dimensional spreading and thickening of *aufeis*) 169-78
- Schulson, E.M., *see* Nixon, W.A., and Schulson, E.M.
- Sea ice:
 - ¹⁸O concentrations in Weddell Sea, 315-23
 - thermal expansion coefficients, 344-50
- Seasonal variations in velocity: Jakobshavns Isbræ, 82-88
- Seattle: avalanche weather forecasting at Northwest Avalanche Center, 57-66
- Shape of subglacial conduits: subglacial water pressures and, 67-71
- Sharp, M.J., *see* Willis, I.C., and others
- Shoemaker, E.M., (paper: A subglacial boundary-layer regelation mechanism) 263-68
- Simões, J.C., *see* Dowdeswell, J.A., and others
- Skou, N., *see* Hodge, S.M., and others
- Smart, C.C., (correspondence: Comments on: "Character of the glacial and subglacial drainage system in the lower part of the ablation area of Storglaciären, Sweden, as revealed by dye-trace studies") 126-28
- Snow:
 - analysis and modeling of melt-water refreezing in dry, 238-46

- characteristic equation in the pendular regime, 179-87
- Snow metamorphism: vapor-dependence on temperature of models, 352-53
- Snow-pack layers: *in-situ* tensile tests, 102-06
- Søndre Strømfjord: extraordinary melt-water run-off, 354
- South Greenland ice sheet: modern pollen spectrum from Dye 3, 341-43
- Sowers, T., *see* Mayewski, P.A., and others
- Speers-Hayes, P., *see* Ferguson, S.A., and others
- Spencer, M.J., *see* Mayewski, P.A., and others
- Spongy ice: growth near a stagnant point, 143-50
- Sprenke, K.F., *see* Hammond, W.R., and Sprende, K.F.
- Stagnant point: growth of spongy ice near, 143-50
- Stefan problems: numerical solution for temperate ice, 41-48
- Storglaciären: character of the englacial and subglacial drainage system as revealed by dye-trace studies, 126-28, 128-29
- Stratigraphic disturbance: boudinage in glacial ice in central Greenland, 269-72
- Sturm, M., and Cosgrove, D.M., (correspondence: An unusual jökulhlaup involving potholes on Black Rapids Glacier, Alaska Range, Alaska, U.S.A.) 125-26
- Subglacial boundary-layer regelation mechanism, 263-68
- Subglacial conduits: subglacial water pressures and shape of, 67-71
- Subglacial drainage system: character of Storglaciären as revealed by dye-trace studies, 126-28, 128-29
- Subglacial water pressures: and shape of subglacial conduits, 67-71
- Summit, Greenland: potential for basal melting under, 163-68
- Surface-profiling ice-radar system: digital low-frequency, 112-21
- Surface topography: determination in central Greenland, 17-30
- Surge of Bualtar Glacier: possible landslide trigger, 159-62
- Sweden: character of the englacial and subglacial drainage system of Storglaciären as revealed by dye-trace studies, 126-28, 128-29
- Swiss Alps: permafrost within an active rock glacier, 151-58
- Swithinbank, C. *Satellite image atlas of glaciers of the world: Antarctica*, (reviews) 122-24
- Temperate ice: numerical solution of Stefan problems in, 41-48
- Temperature changes: response of energy balance on margin of Greenland ice sheet, 217-21
- Temperature distribution: of glaciers in China, 210-16
- Tensile tests: of snow-pack layers, 102-06
- Theoretical determination: characteristic equation of snow in the pendular regime, 179-87
- Thermal characteristics: permafrost within an active rock glacier, 151-58
- Thermal expansion coefficients: sea ice, 344-50
- Thermal response: of a small ice cap to climatic forcing, 49-56
- Thickening of *aufeis*, 169-78
- Tian Shan mountains: relationship between development of depth hoar and avalanche release, 37-40
- Topography: determination of surface and bed in central Greenland, 17-30
- Twickler, M.S., *see* Mayewski, P.A., and others
- Two-dimensional spreading of *aufeis*, 169-78
- University of Kansas: coherent Antarctic radar depth sounder (CARDS), 247-54
- U.S.A.:
 avalanche weather forecasting at Northwest Avalanche Center, 57-66
 unusual jökulhlaup involving potholes on Black Rapids Glacier, 125-26
- Van der Veen, C.J., and Whillans, I.M., (paper: Flow laws for glacier ice: comparison of numerical predictions and field measurements) 324-40
- Vapor-dependence on temperature: models of snow metamorphism, 352-53
- Vaughn, B., *see* Hodge, S.M., and others
- Velocity: seasonal variations of Jakobshavns Isbræ, 82-88
- Vestfold Hills: ice-marginal depositional processes, 279-86
- Vornberger, P.L., and Whillans, I.M., (paper: Crevasse deformation and examples from Ice Stream B, Antarctica) 3-10
- Waddington, E.D., *see* Cunningham, J., and Waddington, E.D.
- Waddington, E., *see* Firestone, J., and others
- Wadhams, P., *see* Lange, M.A., and others
- Washington: avalanche weather forecasting at Northwest Avalanche Center, 57-66
- Watson, M.S., *see* Mayewski, P.A., and others
- Waves on rock glaciers: origin of, 130
- Weddell Sea: ¹⁸O concentrations in sea ice, 315-23
- Welsch, W., *see* Rentsch, H., and others
- West Greenland:
 extraordinary melt-water run-off near Søndre Strømfjord, 354
 observations on the drainage of an ice-dammed lake, 72-74
 seasonal variations in velocity of Jakobshavns Isbræ, 82-88
- Whillans, I.M., *see* Van der Veen, C.J., and Whillans, I.M.
- Whillans, I.M., *see* Vornberger, P.L., and Whillans, I.M.
- Willis, I.C., and others, (paper: Configuration of the drainage system of Midtdalsbreen, Norway, as indicated by dye-tracing experiments) 89-101
- Windless Bight: change in ice thickness, 351-52
- Wright, D.L., *see* Hodge, S.M., and others
- Wright, D.L., and others, (instruments and methods: A digital low-frequency surface-profiling ice-radar system) 112-21
- Xin, W., *see* Raju, G., and others
- Yamamoto, K., *see* Yoshida, M., and others
- Yoshida, M., and others, (correspondence: First discovery of fossil ice of 1000-1700 year B.P. in Japan) 258-59
- Zryd, A., *see* Hutter, K., and others