


MATHEMATICAL PROCEEDINGS

(formerly *Proceedings*)

*of the
Cambridge Philosophical Society*

VOLUME 164



CAMBRIDGE
UNIVERSITY PRESS

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP, United Kingdom

CAMBRIDGE UNIVERSITY PRESS

University Printing House, Shaftesbury Road, Cambridge CB2 8BS, United Kingdom
32 Avenue of the Americas, New York, NY 10013–2473, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
C/Orense, 4, planta 13, 28020 Madrid, Spain
Lower Ground Floor, Nautica Building, The Water Club, Beach Road,
Granger Bay, Cape Town 8005, South Africa

© Cambridge Philosophical Society 2018

Printed in the United Kingdom by Bell and Bain Limited, Glasgow

INDEX FOR VOLUME 164

	PAGE
Adams, C., Capovilla-Searle, O., Freeman, J., Irvine, D., Petti, S., Vitek, D., Weber, A. & Zhang, S. Multi-crossing number for knots and the Kauffman bracket polynomial	147
Aldrovandi, E. & Emin Tatar, A. Notes on weak units of group-like 1- and 2-stacks	205
Allcock, D. Prenilpotent pairs in the E_{10} root lattice	473
Borodzik, M. & Hedden, M. The Υ function of L -space knots is a Legendre transform	401
Bosa, J., Tornetta, G. & Zacharias, J. Open projections and suprema in the Cuntz semigroup	135
Bugeaud, Y. Effective irrationality measures for real and p -adic roots of rational numbers close to 1, with an application to parametric families of Thue–Mahler equations	99
Caprace, P.-E. & Monod, N. Corrigendum to “Decomposing locally compact groups into simple pieces” [Math. Proc. Camb. Phil. Soc. 150 (1) (2011) 97–128]	381
Carneiro, E. & Chirre, A. Bounding $S_n(t)$ on the Riemann hypothesis	259
Chang, J. & Chen, H. Slow increasing functions and the largest partial quotients in continued fraction expansions	1
Cimasoni, D. & Conway, A. Coloured tangles and signatures	493
Conlon, D., Fox, J. & Sudakov, B. Hereditary quasirandomness without regularity	385
Deblois, J. The Delaunay tessellation in hyperbolic space	15
Fokas, A. S. & Wang, Z. Generalised Dirichlet to Neumann maps for linear dispersive equations on half-line	297
Ghioca, D., Nguyen, K. D. & Tucker, T. J. Squarefree doubly primitive divisors in dynamical sequences	551
Hamann, M. On the tree-likeness of hyperbolic spaces	345
Harada, M. & Nakada, M. The motivic cohomology of BSO_n	461
Hernandes, M. E., Martins, R. & Rodrigues Hernandes, M. E. On the polar varieties of ruled hypersurfaces	193
Hernández, D. J., Núñez-Betancourt, L. & Witt, E. E. Local m -adic constancy of F -pure thresholds and test ideals	285
Kezuka, Y. On the p -part of the Birch–Swinnerton-Dyer conjecture for elliptic curves with complex multiplication by the ring of integers of $\mathbb{Q}(\sqrt{3})$	67
Lange, C. Equivariant smoothing of piecewise linear manifolds	369
Larson, K. Surgery on tori in the 4–sphere	109
Liang, Y. Approximation faible pour les 0-cycles sur un produit de variétés rationnellement connexes	485
Livingston, C. & Cott, C. A. V. The four-genus of connected sums of torus knots	531
Lubinsky, D. S., Pritsker, I. E. & Xie, X. Expected number of real zeros for random orthogonal polynomials	47
Lutowski, R. & Szczepański, A. Crystallographic groups with trivial center and outer automorphism group	363
Mark, A. The classification of rank 3 reflective hyperbolic lattices over $\mathbb{Z}[\sqrt{2}]$	221
Miller, A. N. A note on the topological sliceness of some 2-bridge knots	185
Najman, F. Isogenies of non-CM elliptic curves with rational j -invariants over number fields	179
Simmons, D. A Hausdorff measure version of the Jarník–Schmidt theorem in Diophantine approximation	413
Wei, J. Derived invariance by syzygy complexes	325
Zhao, D. & Xi, X. Directed complete poset models of T_1 spaces	125

INSTRUCTIONS TO AUTHORS

1. Preparation of Manuscripts

A paper should be submitted electronically to mpeditor@hermes.cam.ac.uk in pdf form only. Authors are encouraged to prepare their manuscripts in LaTeX 2 ϵ using the PSP class file. The class file, together with a guide, PSP2egui.tex, and sample pages, PSP2esam.tex, can be downloaded from <ftp://ftp.cambridge.org/pub/texarchive/journals/latex/psp> in either packed or unpacked form. These files will be updated periodically: please ensure that you have the latest version.

A cover page should give the title, the author's name and institution, with the address to which mail should be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas, *Some applications of a theorem of G. H. Hardy* would be useless).

Authors are asked to provide an abstract as a basis for search on the Web. This may be an explicit abstract at the start of the paper. Otherwise the first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians. Please note that the abstract should be able to be read independently of the main text. References should therefore not be included in the abstract.

Authors are encouraged to check that where references are given, they are used in the text. Experience has shown that unused references have a habit of surviving into the final version of the manuscript.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician). Please also check the Cambridge University Press website for information about the style in which the paper should be submitted.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error. For instance n sub k is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like:

$$\exp\{z^2 \sin \theta/(1+y^2)\}$$

should be shown in this and no other way.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , o , O , 0 ; x , X , x ; ϕ , Φ , \emptyset ; l , 1 ; e , k , κ , k .

Footnotes should be avoided.

Please use typewriter font for all addresses and email addresses.

Omit \square from the end of proofs.

In listing assertions, conclusions, etc. do not use a vertical column of dots and do not follow (a) or (i) by a capital letter (e.g. (i) the absolute value . . .)

In making references precise use [3, theorem 5.1]

3. Diagrams

Diagrams should be in black ink or from a high-quality laser printer and should not be larger than 30 cm by 45 cm. Lettering to be inserted by the printer should be shown clearly on copies of the figures rather than on the original drawings. Please note that a charge may be made if hand-drawn diagrams need to be re-drawn for publication.

Figure 1 here

A typed list of captions may be provided at the end of the manuscript in the following format:

Figure 1. A basis for ...

Note that there is no point at the end of the heading. All headings should be centred.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

Heading for tables should be shown in the following way:

Table 1. A basis for ...

Note that there is no point at the end of the heading. All headings should be centred over columns.

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Where references are given, they should be used in the text. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

- [1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. *Ann of Math.* (2) **72** (1960), 20-104.
- [2] M. P. FOURMAN and D. S. SCOTT. Sheaves and logic. In *Applications of Sheaves* Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302-401.
- [3] P. T. JOHNSTONE. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).
- [4] F. W. LAWVERE. Functional semantics of algebraic theories. PhD. thesis. Columbia University (1963).

6. Submission of papers accepted for publication

When a paper has been accepted for publication the relevant TeX files of the final version, accompanied by a pdf file, should be sent to the Editor by e-mail.

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

MATHEMATICAL PROCEEDINGS

*of the
Cambridge Philosophical Society*

VOLUME 164 PART 3, pages 385–572, May 2018

CONTENTS

CONLON, D., FOX, J. & SUDAKOV, B. Hereditary quasirandomness without regularity	385
BORODZIK, M. & HEDDEN, M. The Y function of L -space knots is a Legendre transform	401
SIMMONS, D. A Hausdorff measure version of the Jarník–Schmidt theorem in Diophantine approximation	413
HARADA, M. & NAKADA, M. The motivic cohomology of BSO_n	461
ALLCOCK, D. Prenilpotent pairs in the E_{10} root lattice	473
LIANG, Y. Approximation faible pour les 0-cycles sur un produit de variétés rationnellement connexes	485
CIMASONI, D. & CONWAY, A. Coloured tangles and signatures	493
LIVINGSTON, C. & COTT, C. A. V. The four-genus of connected sums of torus knots	531
GHIOMA, D., NGUYEN, K. D. & TUCKER, T. J. Squarefree doubly primitive divisors in dynamical sequences	551

©The Cambridge Philosophical Society 2018

Cambridge Core

For further information about this journal
please go to the journal website at:
cambridge.org/psp



CAMBRIDGE
UNIVERSITY PRESS