PROCEEDINGS

OF THE

EDINBURGH MATHEMATICAL SOCIETY

EDITED BY

K. A. BROWN T. A. GILLESPIE C. J. SHADDOCK C. M. CAMPBELL J. HOWIE B. D. SLEEMAN

CONSULTING EDITORS

W. B. ARVESON G. BROWN D. L. COLTON O. H. KEGEL S. J. PATTERSON Sir MICHAEL ATIYAH, P.R.S. D. L. BURKHOLDER C. M. GORDON J. B. McLEOD G. STRANG

VOLUME 34 (SERIES II) 1991

SCOTTISH ACADEMIC PRESS

Printed in Great Britain by Bell and Bain Ltd., Glasgow

CONTENTS

.

;

| | JORGE ALMEIDA On finite simple semigroups | 205 |
|---|---|-------|
| | BOOK REVIEWS 167, 333 | , 497 |
| | BRUNO BOSBACH Representable divisibility semigroups | 45 |
| | K. A. BROWN, A. HAGHANY AND T. H. LENAGAN Reflexive ideals and injective modules over Noetherian v - H orders | 31 |
| | K. A. BROWN, H. MARUBAYASHI AND P. F. SMITH Group rings which are v-HC orders and Krull orders | 217 |
| | C. CHARITOS AND P. PAMFILOS Surfaces with isometric geodesics | 359 |
| | NIGEL J. CUTLAND On large deviations in Hilbert space | 487 |
| | JUAN C. DÍAZ AND JUAN A. LÓPEZ MOLINA On the projective tensor product of Fréchet spaces | 169 |
| | NGUYEN V. DUNG Modules whose closed submodules are finitely generated | 161 |
| | D. M. E. FOSTER A lower bound for a remainder term associated with the sum of digits function | 121 |
| | B. J. GARDNER AND P. N. STEWART Prime essential rings | 241 |
| | PAT GILMER AND CHARLES LIVINGSTON An algebraic link concordance group for $(p, 2p-1)$ -links in S^{2p+1} | 455 |
| | EMILIA GIRALDES AND JOHN M. HOWIE Embeddings into finite idempotent- generated semigroups: some arithmetical results | 259 |
| | A. HAGHANY, SEE K. A. BROWN | |
| | JOHN HANNAH Regular bisimple rings | 89 |
| | YASUYUKI HIRANO Some characterizations of π -regular rings with no infinite trivial subring | 1 |
| | JOHN M. HOWIE, SEE EMILIA GIRALDES | |
| ; | ARNOLD KNOPFMACHER The length of the continued fraction expansion for a class of rational functions in $\mathbb{F}_q(X)$ | 7 |
| | колл кола Similarité entre l'algèbre de Volterra et un quotient d'algèbre uniforme | 383 |
| | P. H. KROPHOLLER AND B. MOSELLE A family of crystallographic groups with 2-torsion in K_0 of the rational group algebra | 325 |
| | s. L. LEE AND W. S. TANG Approximation and spectral properties of periodic spline operators | 363 |

CONTENTS

| T. H. LENAGAN, SEE K. A. BROWN | |
|--|-----|
| INESSA LEVI Normal semigroups of one-to-one transformations | 65 |
| CHARLES LIVINGSTON, SEE PAT GILMER | |
| JUAN A. LÓPEZ MOLINA, SEE JUAN C. DÍAZ | |
| J. H. McCABE, SEE A. SRI RANGA | |
| R. G. McLEAN On a problem of Barnes and Duncan | 321 |
| H. MARUBAYASHI, SEE K. A. BROWN | |
| A. W. MASON Subnormal subgroups of $E_n(R)$ have no free, non-abelian quotients, when $n \ge 3$ | 113 |
| DRAGOSLAV S. MITRINOVIĆ AND JOSIP E. PEČARIĆ On inequalities of Hilbert and Widder | 411 |
| B. MOSELLE, SEE P. H. KROPHOLLER | |
| TAKAHIKO NAKAZI Existence of solutions of extremal problems in H^1 | 99 |
| L. O'CARROLL On bounding the Stückrad-Vogel multiplicity | 251 |
| L. PÄIVÄRINTA AND T. RUNST Multiplicity results for semilinear elliptic boundary value problems in Besov and Triebel-Lizorkin spaces | 393 |
| P. PAMFILOS, see C. CHARITOS | |
| JOSIP E. PEČARIĆ, SEE DRAGOSLAV S. MITRINOVIĆ | |
| JAAK PEETRE Some observations on algorithms of the Gauss-Borchardt type | 415 |
| MARIO PETRICH Congruence lattices of regular semigroups related to kernels and traces | 179 |
| RAINER H. PICARD Hilbert spaces of tempered distributions, Hermite expansions and sequence spaces | 271 |
| ALAN W. REID Totally geodesic surfaces in hyperbolic 3-manifolds | 77 |
| JAMES RENSHAW Subsemigroups of free products of semigroups | 337 |
| J. E. ROBERTS Groups which satisfy a weak form of Poincaré duality | 463 |
| T. RUNST, SEE L. PÄIVÄRINTO | |
| R. Y. SHARP, SEE H. ANSARI TOROGHY | |
| P. F. SMITH, SEE K. A. BROWN | |
| A. SRI RANGA AND J. H. McCABE On the extensions of some classical distributions | 19 |
| P. N. STEWART, SEE B. J. GARDNER | |
| W. S. TANG, SEE S. L. LEE | |

iv

;

.

CONTENTS

v

| H. ANSARI TOROGHY AND R. Y. SHARP Asymptotic behaviour of ideals relative to | |
|---|-----|
| injective modules over commutative Noetherian rings | 155 |
| A. ULGER Some stability properties of Arens regular bilinear operators | 443 |
| L. VAN WYK The 2-primitive ideals of structural matrix near-rings | 229 |
| J. R. L. WEBB AND WEIYU ZHAO On the maximal monotonicity and the range of the sum of nonlinear maximal monotone operators | 143 |
| DAVID L. WILKENS Invariants and examples of group actions on trees and length functions | 313 |
| YONGZHI XU An injective far-field pattern operator and inverse scattering problem in a finite depth ocean | 295 |
| MOHAMMAD YAMIN Relative relation modules of finite groups | 433 |
| WEIYU ZHAO, SEE J. R. L. WEBB | |

THE EDINBURGH MATHEMATICAL SOCIETY

The Edinburgh Mathematical Society was instituted in 1883 for "the promotion and extension of Mathematical Science, Pure and Applied".

Nominations for Ordinary Membership are received at any one Ordinary Meeting and voted upon at the next. Members receive notices of all meetings and may subscribe to the Proceedings at a reduced rate. Further information about membership can be obtained from the Secretary.

The Society's Proceedings, containing papers embodying the results of research that is original in matter or manner, are published in parts. Three parts complete a volume. One volume is issued each year. Series I comprised forty-four volumes published from 1884 to 1926. Series II commenced in 1927.

Papers to be considered for publication should be sent to the Secretary or to an Editor. Manuscripts (2 copies) should be typewritten on A4 paper with double spacing and generous margins. The style and arrangement should conform to current practice in the Proceedings. Each manuscript should contain a short abstract of not more than 200 words and also a primary classification number from the American Mathematical Society's 1985 Mathematics Subject Classification Scheme. References, including titles of papers, should be given in the form adopted by Mathematical Reviews, footnotes being avoided if possible. Figures should be separated from the text and lettered, ready for photographic reduction; their intended location should be clearly indicated. Manuscripts which are not suitable for submission to the printer will not be accepted. Authors are advised to retain a copy of any material submitted, as the Society cannot accept responsibility for any loss.

A proof is supplied once. Authors are particularly requested to correct and return the proof promptly. Excessive corrections may be charged to authors. Fifty free offprints, and additional copies at cost, will be supplied if ordered on a form returned with the proof.

The Proceedings are published at the price of £60.00 (\$150) for a volume of three parts.

Enquiries regarding purchase of back numbers should be addressed to

Kraus Reprint Ltd. Route 100 Millwood N.Y. 10546 U.S.A.

for volumes of Series I and up to Volume 14 of Series II, and to Oxford University Press

Journals Marketing Department Oxford University Press Southfield Road Eynsham Oxford OX8 1JJ England

for subsequent issues.

The Society's address is

The Edinburgh Mathematical Society James Clerk Maxwell Building The King's Buildings Edinburgh EH9 3JZ

Communications concerning the Library should be addressed to the Librarian.

All other correspondence should be addressed to the Secretary.

COPYRIGHT (* 1991 THE EDINBURGH MATHEMATICAL SOCIETY

Printed in Great Britain by Bell and Bain Ltd., Glasgow