

Index

Compiled by Linda English. Page numbers for the main references in the book are shown in **bold type**.

A

- abortion** 145, 224
- acamprosate** 59
- active listening** 22
- activity schedule** 92
- addiction** see **dependence**
- adolescents** 6, 229–230, 233, 242–243
 - depression 16, 242–243, 263
 - distress **263–265**
 - eating disorders 164
 - school 289–294, 300
 - suicide 139, 263, 264, 293
- aggressive behaviour** **126–129**
 - causes 126
 - children 255
 - elderly people 149, 151
 - how to deal with problem 126–129
- AIDS** see **HIV/AIDS**
- alcohol, medications interacting with** 316
- alcohol abuse or dependence** **9–10, 17, 19, 191–199**
 - abstinence 196
 - adolescents 293
 - aggressive behaviour 126, 127, 128
 - binge drinking 191
 - CAGE questions 194
 - controlled drinking 195, 196–198
 - counselling 63, 86
 - dependence 191–192
 - drinking urges or ‘craving’ 198
 - with drug abuse 201, 207
 - effects on person and family 193, 199
 - harmful drinking 191
 - hazardous/risky drinking 191
 - health workers 28
 - homeless people 296
 - how to deal with problem 194–198
 - insomnia 176
 - medications 59, 198
 - physical health problem 34, 167
 - in pregnancy 145, 193–194, 287
 - prevention **299–300**
 - referral for out-patient assessment 45
 - relationship problems 304
 - skills to stay sober or control drinking 196–198
 - suicide 139, 140
 - three stages to overcome problem 195–196
 - tolerance 192
 - what is problem drinking 191–192
 - when to suspect a drinking problem 193
 - why people drink too much 193
 - withdrawal syndrome 10, 123, 191–192, 193, 196, 298
 - women 193–194
- Alcoholics Anonymous (AA)** 196
- amitriptyline** 315
- anger control** 86–88
- anorexia nervosa (anorexia)** **163–165**
- anticholinergic medication** 52
- antidepressant medication** 52, 134, 135
 - cost and efficacy 315
 - medically unexplained symptoms 168, 169, 175
 - primary health care 274
 - SSRIs 141, 147, 148, 153, 156, 163, 165, 175
 - traumatic events 216
- antiepileptic medication** 52, 160, 162–163, 274
- antihistamines, sedating** 52
- antipsychotic medication** 34, 45, 52, 131–132, 137
 - cost and efficacy 315
 - depot medication 62
 - medication for side-effects of 52, 316
 - postnatal psychosis 148
 - primary health care 274
- anxiety disorders** **8–9, 168**
 - breathing 167
 - insomnia 176
 - medication 174–175
 - prisoners 298
 - schools 292
 - worrying 79–83, 168, 169, 170–175
 - worrying about physical health 168, 169
- assessment** **25, 29–36**
 - diagnosis 32–33, 35
 - interview 31–32
 - person refusing to talk 33

physical complaints 33–34
questions 30–31, 32
referral for assessment 43–45
screening 30–31
special situations 33–34
on telephone 34
time to talk 29–30, 32
what to look for 32

attention-deficit hyperactivity disorder (ADHD) 45, 51, **247–250**

how to deal with problem 247–249
important problem 247
methylphenidate 249
school 292, 294
why some children are hyperactive 247
autism 15, 238–239, 242

B

bed-wetting 16, **259–262**

behaviour chart 261
buzzer alarms 261
causes 259
daytime wetting 259, 261–262
how to deal with problem 259–262
medication 261
traumatic events 215, 216

befriending 102–103, 135

behavioural disorder in children **255–259**

how to deal with problem 256–259
parental discipline 256, 258
when misbehaviour is health problem 255–256
why children behave badly 256

behavioural problems **123–144**

aggressive behaviour 126–129
confusion 123–125
depression 133–135
eating behaviour 163–165
elderly person 149–155
emergencies 111
hearing voices 129–132
mood swings 135–138
obsessive–compulsive disorder 155–158
odd beliefs 129–132

pregnancy and childbirth problems 144–149
seizures 159–163
wants to harm themselves 139–143

behavioural symptoms ('doing' symptoms) 6, 8–9

benzodiazepines 52, 153, 174–175, **177**, 216, 228, 274, 316

bereavement 130, 139, **226–228**, 277

abnormal 226, 228
carers 281
counselling 84, 228
how does person react 226
how to deal with problem 226–228
loss of baby 276
refugees 284

binge eating 164–165

bipolar disorder 13, 130, **135–138**

after childbirth 145, 147, 148
antidepressant treatment 134
causes 136
counselling 67
how to deal with problem 136–138
medication 45, 62, 316
relapse prevention 62, 137
'blues' after childbirth 145, 147–148

body mass index (BMI) 164

brain disorder 128, 129

as cause 4, 16, 123
or conversion disorder 187, 189
elderly 277

breastfeeding 148, 287, 288

breathing 167

breathing exercises 75

bulimia nervosa (bulimia) **163–165**

bullying 290–291, 298

buprenorphine **58–59**

C

CAGE questions 194

cannabis 11, 201, 293

carbamazepine 162, 316

carers **280–282**

helping 281–282
mental health of 281
promoting mental health of 281

stress 280–281

case notes **25, 273**

causes of mental health problems **16–17**

child abuse **251–255**

difficulties at school 243, 294
emotional abuse and neglect 234, 251, 256
how children are affected 251
how to deal with problem 252–255
intellectual disability 234
mental health problems as adult 16
physical abuse 251, 253, 256
sexual abuse 182, 251, 252, 253
when to suspect abuse 251–252
why abuse occurs 251

childbirth 136, **144–149, 287–288**

how to deal with problems 146–149
importance of women's mental health 146
intellectual disability 232

children 6, **15–16**, 34, **229–266**

'bad' behaviour **255–259**

bed-wetting **259–262**

caution with medications 316

child soldiers **284**

communication difficulties **238–242**

difficult childhood 16, 133

difficulties with studies **242–246**

epidemic conversion symptoms 188

general approach **229–230**

intellectual disability **15**, 183, 187, 193–194, 218, **230–238**

key milestones in development 230, 232

school 289–294

soiling clothes **262**

stimulation 288–289

street children **296–297**

symptom checklists for diagnosis 266

traumatic events 215, 216

unable to sit still **247–250**

see also **adolescents; child abuse**

cigarette smoking 11, 182, **208–211**

clomipramine 156

clonidine 59

clozapine 45, **57–58**

cocaine 11, 200, 201, 202
cognitive symptoms ('thinking' symptoms) 6, 8–9
common mental disorders 6, 7–9, 17, 51, 274
see also **anxiety**; **depression**
communication difficulties in children 238–242
causes 238–239
how to deal with problem 239–242
communication skills
in family 100
health worker 21–25
relationship problems 84, 305
community platforms, integration of mental health into 283–310
conduct disorder 16, 243, 292, 298
confidentiality 23
confusion (delirium) 6, 14–15, 123–125
aggressive behaviour 126, 128
causes 34, 123
elderly people 149, 150, 152
how to deal with problem 124–125
odd beliefs and hearing voices 130, 132
physical examination 124
conversion disorder (sudden loss of body function) 187–190
causes 187–188
epidemic occurs 188
how to deal with problem 188–190
when to suspect mental health problem 188
core skills for mental health care 21–28
communication skills 21–25
for health worker 25–27
seek professional help 27–28
counselling 37, 38, 42, 62–90
anger control 86–88
approach and culture 18
bereavement 228
challenges 67, 70, 74, 79, 82–83, 85–86, 88, 90
face-to-face 66
general principles 63–69
getting active 77–79
giving hope 65

giving reassurance 63
group 66
homeless people 296
how much is needed 66–67
identify and address problems 65
individual 66
internet-based 273
mothers 275–276
motivating for change 88–90, 165, 195
prisoners 299
problem-solving 70–74, 81, 83–84, 99
providing an explanation 63–65
psychological first aid 69–70
refugees 285–286
relationship problems 83–86
relaxation exercises 74–76
review, encourage and support 65
schools 293
self-help 66
specific symptoms and problems 67–69
thinking healthy 79–83
traumatic events 216
cultural factors 17–18, 146

D
date rape drugs 201
deafness 238–239, 240, 243, 244–250
death 4
of loved one see **bereavement**
see also **suicide**
decision support systems, tablet-based 273
delirium see **confusion**
delusions (odd beliefs) 129–132
dementia 14–15, 16, 19, 150–155
abnormal memory problems 150
affects family 150–151
how to deal with problem 151–155
importance of diagnosis 151
odd beliefs and hearing voices 130
referral for out-patient assessment 45
when to suspect 150
dependence
on alcohol see **alcohol abuse and dependence**

on drugs see **drug abuse and dependence**
on prescription medications see **prescription medications, dependence on**
depot medications 62
depression 8, 19, 133–135, 277
adolescents 16, 242–243, 263
bereavement 228
bipolar disorder 13, 133, 134
bulimia 164
causes 133
counselling 63, 77, 134, 135
elderly people 149, 152, 153
homeless people 296
how to deal with problem 133–135
insomnia 176
postnatal depression 7, 63, 145, 146–147, 148
prisoners 298
refugees 284
schools 292
sexual problems 181, 182
suicide risk 133, 134, 135, 139, 140
tiredness 167
words used to describe it 17
see also **antidepressant medication**
desmopressin 261
developmental disabilities 4, 15, 16, 45, 242, 294, 306
see also **intellectual disability**
developmental milestones 230, 232
dhat syndrome 181
diagnosis 5, 60
assessment 32–33
classification system 344
dementia 151, 152
symptom checklists 35, 266
disabilities 3, 4, 229
disasters 214, 215–216, 283
disorders 4
children 15–16, 229
definition 3
distress
adolescents 263–265
children 15, 34, 229
conversion seizures 159
definition 3
emergencies 111
who people turn to 18

words used to describe it **17**
disulfiram 59
documentation 25, 273
'doing' symptoms (behavioural symptoms) 6, 8–9
domestic violence **216–222**
how to deal with problem 218–221
how to identify 218
how women present to health workers 217
reasons for 217–218
working with violent men 222
Down syndrome 232, 234, 289
drinking problem *see* **alcohol abuse or dependence**
drug abuse or dependence 7, **10–11**, 17, 32, 51, **199–205**
aggressive behaviour 127, 128
casual use 199
children and adolescents 243, 256, 293
dependence 200
drugs abused 200–201
drugs which cause hallucinations 200–201
drugs which depress brain 200
drugs which stimulate brain 200
effects on person 202
emergencies 111
harmful use 200
health worker **28**
homeless people 296
how drugs are used 201–202
how to deal with problem 203–205
injecting drugs 202
intoxication 204
medications to manage opioid dependence **58–59**
party drugs 201
poverty 306
in pregnancy 145
prevention **299–300**
prisoners 298
relapse 204, 205
schools 293
suicide 139
traditional use 199, 201
when to suspect abuse 203
why drugs are used 202–203
why users seek help 203
withdrawal syndrome 199, 200, 204, 298

see also **alcohol abuse or dependence; prescription medications; tobacco use drug treatment** *see* **medications**
dyslexia 243–244, 245

E

eating disorders **163–165**
ecstasy 200
elderly people **276–277**
confusion 149, 150, 152
dementia *see* **dementia**
depression 149, 152, 153
disturbed behaviour 34, **149–155**
loneliness 143, 277, 307
sexual problems 182, 183
electroconvulsive therapy (ECT) 135
electronic medical records 273
emergencies **111–122**
emotional abuse and neglect of children 234, 251, 256
emotional distress *see* **distress**
emotional symptoms ('feeling' symptoms) 5, 6, 8–9
epilepsy 6, 16, **159–163**
antiepileptic medication 52, 160, 162–163, 274
how to deal with problem 159–163
referral for out-patient assessment 45
seen as mental health problem 159
types of seizure 159
exercise 42

F

faith healers 286
family
alcohol abuse or dependence 193, 199
children and 229, 230, 235–236
support for 97–102
talk to in assessment 32
treatment and 42–43, 60
fatigue *see* **tiredness**
fatigue, chronic 178
fear **170–175**
'feeling' symptoms (emotional symptoms) 5, 6, 8–9

fits *see* **seizures**
5C model of integration 271–272, 278, 279–280

G

gambling habit 11, **211–212**, 213
Gap Action Programme (mhGAP) Intervention Guide 52
gender **307–309**
genetic disorders 16–17, 136, 232, 233, 234, 289
'getting active' approach 77–79, 180
glossary 17, **346–350**
grief 84, 226–228, 281
see also **bereavement**
gynaecological health **275**

H

habit problems 6, **9–11**, **191–213**
hallucinations 6, 12, 123, 126, **129–132**
hallucinatory drugs 200–201
haloperidol 153, 163, 315
headaches 9, 167
health care platforms, integration of mental health into **271–282**
barriers to integration 272
care of chronic diseases 276–278
carers 280–282
5C model of integration 271–272, 278, 279–280
HIV/AIDS care 278–280
primary health care 274
reproductive and maternal health care 274–276
using technology 273
health workers
core skills for mental health care **21–28**
mental health problems and 4–5
safety issues **25**, 31, 126
hearing impairment 238–239, 240, 243, 244–245
hearing voices 6, 12, 126, **129–132**
heroin 200, 202, 204, 205
HIV/AIDS 14, 137, 153, 225, **278–280**
homeless people **296–297**
homosexuality 186

humanitarian settings 283–286
human rights 302–303
hyperactivity in childhood 16, 45, 242, 247–250

I

ICD-10 classification (World Health Organization) 6
‘imagining’ symptoms (perceptual symptoms) *see* hallucinations
imipramine 261
impotence 181, 184–185, 193
information for person and family 41, 99, 100
injecting drug abuse 202, 206, 207
injections 62
insomnia 176–178
causes 176
effects 176
how to deal with problem 176–178
when to use sleeping pills 177
intellectual disability 15, 218, 230–238, 262
causes 193–194, 232
communication difficulties 238–239
definition 230
developmental milestones 230, 232
how is child affected 232
how to deal with problem 233–238
learning difficulties 242, 243, 246
medication not indicated 235
mild 230, 235, 239, 243, 246
moderate 233, 235
neglect and abuse 234
severe 233, 235
sexual problems 183, 187
what parents can do 235–236
when to suspect 232–233
internet 273
internet addiction 213

K

khat 200

L

learning disabilities, specific 15, 243
lithium 148, 316
lofexidine 59
loneliness 85, 135, 143, 277, 307
loss of loved one *see* bereavement
LSD (acid) 200–201

M

mania (‘high’ mood) 13, 19, 135–138
after childbirth 145, 147
aggression 126
rate of talking 32
risk of antidepressants 134
sexual problems 187
sleep 176
masturbation 183, 184
maternal health care 274–276
medical illness *see* physical illness
medications 38, 51–62, 315–339
alcohol dependence 59, 198
anxiety disorders 174–175
as cause 17, 123, 133, 176, 182
cautions 316
children 316
cost 62, 315–316
efficacy 315–316
if person does not improve 60
injections 62
non-availability 272
quick reference guide 316
refugees 286
refusal of 59–60
sedative 25, 52, 249, 316
side-effects 40, 60–62, 123, 168, 315, 316
when to use them 51
which ones to use 52
see also specific medications and types of medication
memory problems
conversion disorder 188
see also dementia
men
domestic violence 216–222
gender and mental health 309
male rape 223, 224
parenting 276

rape and sexual assault 222–225
sexual problems 181–182, 184–185
menstrual complaints 275
mental health
actions for 41
definition 3–4
of health worker 26–28
integration of 271–310
mental health problems
causes 16–17
chronic diseases and 271, 276–278
cultural factors 17–18
experiences of people with 18–19
features 5–6
human rights 302–303
introduction to 3–20
prevention 299–300
promoting rights of people with 300–303
psychiatric terms for 344–345
in schools 292–293
severity 4
types of 6–16
why health workers need to be concerned 4–5
mental health promotion
advocating social change 305–307
schools 289–290
for women 308–309
workplace 295
mental health services 5, 45
mental hospitals 45, 302
methadone 58
methamphetamine (crystal meth) 200, 201
methylphenidate 57, 249
miscarriage 145
mobile phone, use of 273
mood stabilisers 52, 134, 137, 148
mood swings *see* bipolar disorder
motivating for change 88–90, 165, 195
muscle relaxation 75
mutism, selective 238–239, 241

N

naltrexone 59
negative thoughts 79–83

nicotine replacement therapy (NRT) 210
nortriptyline 315

O

observation 23
obsessive-compulsive disorder (OCD) 13, 155–158
 compulsions 155, 156
 how to deal with problem 156
 obsessions 155, 156, 164
odd beliefs (delusions) 129–132
older people *see* **elderly people**
opioids 58–59, 205–208
opium 11, 58–59, 200, 204

P

pain 124, 167–168, 176, 277
 during sexual intercourse 182, 185
painkillers 205–208
panic attacks 9, 18, 167, 170–175
parenting 235, 258, 276, 288–289
party drugs 201
perceptual symptoms *see*
 hallucinations
phenobarbitone 162
phobias 9, 18, 170–175
physical abuse of children 251, 253, 256
physical activity 42
physical examination 124, 168, 179, 224, 225, 253
physical illness 5, 38, 165
 assessment 33–34
 care of chronic diseases 276–278
 as cause 17
 causing confusion 123
 causing dementia 153
 causing insomnia 176
 causing tiredness 178–179
 from alcohol 193
 from drug abuse 202, 204
 from tobacco use 209
 with pain 168
 poverty 306
 suicide 139
physical illness, medically unexplained 9, 167–190
 how relevant to mental health 167–168
 how to deal with problem 168–170

when to suspect are related to mental health 168

physical symptoms 4, 5, 8–9, 167–190

poisoning 111, 124

postnatal ‘blues’ 145, 147–148

postnatal depression 7, 63, 145, 146–147, 148

post-traumatic stress disorder (PTSD) 7–8, 9, 215, 284

poverty 93–94, 139, 193, 305–306

pregnancy 144–149, 232, 286–287
 domestic violence 218
 drinking during 145, 193–194, 287
 loss of baby 145
 medication during 316
 mood stabilisers 137
 planned 276
 rape 224

premature ejaculation 181, 185

prescription medications, dependence on 205–208

 how to deal with problem 207–208

 when to suspect dependence 206

 why people become dependent 206

prevention 299–300

primary health care 274

prisoners 297–299

problem-solving in counselling 70–74, 81, 83–84, 99

professional relationships 24

psychiatric terms 344–345

psychoses (severe mental disorders) 5, 6, 11–13, 17, 19, 32, 51, 124, 139

 adolescents 293

 after childbirth 145, 147, 148–149

 aggressive behaviour 126, 127

 cannabis 11

 care of chronic diseases 277

 counselling 64, 67, 86

 drug psychoses 130

 elderly people 150

 homeless people 296

 odd beliefs and hearing voices 130, 131, 132

 poverty 306

 primary health care 274

 prisoners 298

 referral for out-patient

 assessment 45

 skills for independent living 93

 suicide 139

see also **antipsychotic medication; bipolar disorder; mania; schizophrenia**

Q

questions

 in assessment 30–31, 32

 ‘golden questions’ 30–31, 32

 open-ended 22

R

rape and sexual assault 222–225

 date rape 223

 emergency contraception 224

 how people react 223

 how to deal with problem 224–225

 male rape 223, 224

 physical examination 224, 225

 post-exposure prophylaxis for sexually transmitted infections 225

 why people rape 223–224

recovery 92–93, 99–100

referral to specialist 43–47

refugees 283–286

relationship problems 139, 303–305

 counselling 83–86

 helping rebuild 304–305

 separation 305

 sexual problems and 181, 184, 303–304

 why relationships break down 303–304

relaxation exercises 74–76, 174

religious beliefs 18, 23, 39

remedial education 245

reproductive health care 274–276

resources

 in local area 340–343

 used in book 351–352

restlessness 32, 134, 247, 248

restraint 128–129

risperidone 315

S

safety issues 25, 31, 126

same-sex relationships 186, 217

schizophrenia 12, 104

schools 289–294

‘buddy’ system 290

bullying 290–291

circle time 291

counselling 293

drop-outs 293–294

health-promoting school 289–290

for homeless children 297

improving school environment 290

life skills programme 290, 292, 308

mental health problems 292–293

prevention 300

school studies, problems with

242–246

causes 242–243

how to deal with problem 243–246

seizures 159–163, 232

childhood 159

conversion 159, 160, 188

emergencies 111

or faint 160

generalised 159, 160, 162

how to deal with problem 159–163

partial 159, 160

types of 159

selective mutism 238–239, 241

self-care 32, 41–42

self-harming behaviours 16,

139–143, 293, 298

sertraline 147, 148

severe mental disorders *see*

psychoses

sexual abuse of children 182, 251, 252, 253

sexual assault 222–225

sexual intercourse, pain during

182, 185

sexually transmitted infections

193, 217, 224, 225, 251

see also **HIV/AIDS**

sexual problems 181–187

how to deal with problem 183–186

intellectual disability 183, 186

loss of interest 181, 182, 185

in men 181–182, 184–185

problem sexual behaviour 183, 233

relationship break down 303–304

in same-sex relationships 186

in women 182, 184, 185

side-effects of medication 40,

60–62, 123, 168, 315, 316

sleeping pills 11, 52, 176, **177, 201, 205–208, 228**

sleep problems 176–178, 193, 214, 216

smoking

of other drugs 201

of tobacco 11, 182, 201, **208–211**

social factors 5, 17, 39, 60

social interventions 38, **91–105**

befriending 102–103, 135

in bipolar disorder 137

challenges 93, 96, 102, 105

family support 97–102

general principles 91

improving functioning and skills 91–93

improving skills for social

situations 94–96

poverty 93–94

response to stigma and discrimination 96–97, 103

support groups 103–105

social isolation 85, 135, 143

soiling clothes 262

solvents, inhalation of 201, 202

somatic symptoms *see* **physical symptoms**

specialists 272, 316, 344

referral to 43–47

specific learning disabilities **15, 243**

speech 32, 127

‘speed’ (amphetamine) 11, 200

spirits, belief in 17–18, 130

squeeze technique 185

SSRI antidepressants 141, 147,

148, 153, 156, 163, 165, 175

stammering or stuttering

238–239, 240–241

stigma and discrimination 5,

96–97, 279, 295–296, 300

stimulant drugs 200

street children 296–297

stress

carers 280–281

causes depression 133

in health worker **27, 272**

life events 16

strategies to deal with 41–42

sudden loss of body function 187, 189

substance use *see* **drug abuse or dependence**

suicide 4, 16, **139–143**

adolescents 139, 263, 264, 293

bereavement through 227

depression 133, 134, 135, 139, 140

feelings in health worker **27**

how to deal with problem 139–142

loneliness 143

men 309

odd beliefs and hearing voices

131, 132

prisoners 298

questions about 22

reasons for 144

repeated attempts 140, 142–143

support groups 27, **103–105**

alcohol dependence 196, 199

definition and when to use them 103

how they work 103–104

internet-based 273

refugees 285

setting one up 104–105

symptoms

checklists for diagnosis 35, 266

counselling 63, 67–69

medically unexplained 9, **167–190**

physical 4, **5, 8–9, 167–190**

types **5–6**

T

tele-medicine 273

telephone assessments 34

thinking healthy 79–83

‘thinking’ symptoms (cognitive symptoms) 6, 8–9

thinking too much 17, 79–83, **133–135**

tiredness 9, 167, **178–181**

causes 178

how to deal with problem 179–180

not same as laziness 179

sexual problems 181, 182

tonics or vitamins 180

when to suspect a mental health problem 178–179
tobacco use 11, 182, 201, **208–211**
how to deal with problem 210–211
prevention **299–300**
when to ask about 209
why dangerous 208–209
traditional healers 18, 39, **286**
traumatic events 214–216
disasters 214
effects on health 214–215
how to deal with problem 215–216
humanitarian settings and integration of mental health **283–286**
personal trauma 214
victims of violence 215
war or terrorism 214
treatment 4, 5, **37–106**
follow up actively 43
general approach **37–48**
goal-setting and tracking progress 40–41
longer-term care 39–40
person at centre of care 39
planning care 105
refer to specialist 43–47
self-care support 41–42
set goals and track progress 40–41
SMART goals 40–41
social factors 39

team work 43
treat whole person 38
who do people turn to 18
work with families 42–43
see also **counselling; medications; social interventions**
tricyclic antidepressants 141, 147, 156, 315

U
urinary tract infections 251, 259, 260

V
valproate 162, 316
violence
aggressive behaviour **126–129**, 149, 151, 255
alcohol related 193, 194
domestic violence **216–222**
physical abuse of children 251, 253, 256
prisoners 297–298
rape and sexual assault **222–225**
refugees 284
relationship break down 303
why some victims have mental health problems **215**
vision assessment 244

W
war and terrorism 214, 215–216, 283
witchcraft, belief in 17–18
withdrawal syndromes
alcohol 10, 123, 191–192, 193, 196, 298
drugs 199, 200, 204, 298
prescription medications 206, 207
prisoners 298
sleeping pills 176
women 34, 141
alcohol problem 193–194
domestic violence **216–222**
eating disorders 164
gender and mental health **308**
promoting mental health for **308–309**
reproductive and maternal health care **274–276**
sexual problems 182, 184, 185
see also **childbirth; pregnancy**
workplace, mental health in 294–296
worrying 79–83, 168, 169, **170–175**

Z
Z medications 177