THE

JOURNAL

OF

SYMBOLIC LOGIC

EDITED BY

WILFRIED BUCHHOLZ
GERHARD JÄGER
WILLIAM J. MITCHELL
HERBERT B. ENDERTON
RICHARD KAYE
PHILIP SCOWCROFT
MATTHEW FOREMAN
STEFFEN LEMPP
LOU VAN DEN DRIES
NEIL IMMERMAN
PENELOPE MADDY
ALBERT VISSER
DAVID MARKER

VOLUME 62 1997

PUBLISHED QUARTERLY BY THE ASSOCIATION FOR SYMBOLIC LOGIC, INC. WITH SUPPORT FROM ICSU AND FROM INSTITUTIONAL AND CORPORATE MEMBERS

The four numbers of Volume 62 were issued at the following dates:

Number 1, pages 1–336, April 8, 1997 Number 2, pages 337–688, August 5, 1997 Number 3, pages 689–1056, October 7, 1997 Number 4, pages 1057–1504, December 18, 1997

Numbers 1-4 of this volume are copyrighted ©1997 by the Association for Symbolic Logic, Inc. Reproduction of copyrighted numbers of the Bulletin by photostat, photoprint, microfilm, or like process is forbidden, except by written permission, to be obtained from the Secretary of the Association, C. Ward Henson, Department of Mathematics, University of Illinois, 1409 W. Green St., Urbana, IL 61801.

The paper used in this JOURNAL is acid-free and falls within the guidelines established to ensure permanence and durability.

This JOURNAL has been registered with the Copyright Clearance Center, Inc. The appearance of a code at the bottom of the first page of an article indicates the copyright owner's consent for copying beyond that permitted by Sections 107 or 108 of the U. S. Copyright Law, provided that the per-copy fee stated in the code is paid directly to Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. This consent does not extend to copying for general distribution, for advertising or promotion purposes, for creating new collective works, or for resale. Specific written permission for such copying must be obtained from the Association.

CONTENTS OF VOLUME 62

RESEARCH ARTICLES

ADÁMEK, J., JOHNSTONE, P. T., MAKOWSKY, J. A., and ROSICKÝ, J. Finitary
sketches 699
ASPERTI, ANDREA and CIABATTONI, AGATA. A sufficient condition for com-
pletability of partial combinatory algebras
BAGARIA, JOAN. A characterization of Martin's axiom in terms of absoluteness 366
Bagaria, Joan and Woodin, W. Hugh. Δ_n^1 sets of reals
Bell, J. L. Zorn's lemma and complete Boolean algebras in intuitionistic type
theories
Semënov Theorem
numbers by the exponential function and by the restricted sine function 1173
BONET, MARIA, PITASSI, TONIANN, and RAZ, RAN. Lower bounds for cutting planes proofs with small coefficients
Broda, Sabine and Damas, Luís. Compact bracket abstraction in combina-
tory logic
BURKE, DOUGLAS R. Precipitous towers of normal filters
BURKE, DOUGLAS and MATSUBARA, Yo. Ideals and combinatorial principles 117
Chapuis, Olivier. ∀-free metabelian groups
CIABATTONI, AGATA. See ASPERTI, ANDREA.
COQUAND, THIERRY. Minimal invariant spaces in formal topology 689
Damas, Luís. See Broda, Sabine.
DANOS, VINCENT, JOINET, JEAN-BAPTISTE, and SCHELLINX, HAROLD. A new
deconstructive logic: linear logic
Downey, Rodney G. and Lempp, Steffen. Contiguity and distributivity in
the enumerable Turing degrees
ERDÉLYI-SZABÓ, MIKLÓS. Decidability of Scott's model as an ordered Q-vectorspace
Foreman, Matthew and Magidor, Menachem. A very weak square princi-
ple
FRIEDMAN, SY D. Coding without fine structure
GILCHRIST, MARTIN and SHELAH, SAHARON. The consistency of ZFC + 2^{\aleph_0} >
$\aleph_{\omega} + \mathscr{I}(\aleph_2) = \mathscr{I}(\aleph_{\omega})$
GOLDRING, Noa. The entire NS ideal on $\mathscr{P}_{\gamma}\mu$ can be precipitous
GOTTLOB, GEORG. Relativized logspace and generalized quantifiers over finite
ordered structures
HAMKINS, JOEL DAVID. Canonical seeds and Prikry trees
HASKELL, DEIRDRE and MACPHERSON, DUGALD. A version of o-minimality for
the <i>p</i> -adics

HIRSCH, ROBIN and HODKINSON, IAN. Step by step – Building representations in algebraic logic	225
Complete representations in algebraic logic	816
HJORTH, GREG. Some applications of coarse inner model theory	337
HODKINSON, IAN. See HIRSCH, ROBIN.	
——— See Hirsch, Robin.	
HOLLY, JAN E. Prototypes for definable subsets of algebraically closed valued fields	
IOVINO, José. Definability in functional analysis	493
JÄGER, GERHARD. Power types in explicit mathematics?	
learning	1187
JIN, RENLING. Type two cuts, bad cuts and very bad cuts	
JOHNSTONE, P. T. See ADÁMEK, J.	
Joinet, Jean-Baptiste. See Danos, Vincent.	
KANOVEI, VLADIMIR. An Ulm-type classification theorem for equivalence	1333
KONTOSTATHIS, KYRIAKOS. The combinatorics of the splitting theorem	197
Krajíček, Jan. Interpolation theorems, lower bounds for proof systems, and independence results for bounded arithmetic	457
Kremer, Philip. On the complexity of propositional quantification in intuitionistic logic	529
——— Defining relevant implication in a propositionally quantified S4	1057
LAFONT, YVES. The finite model property for various fragments of linear logic	1202
LEMPP, STEFFEN. See DOWNEY, RODNEY G.	
LEONHARDI, STEVEN D. Generalized nonsplitting in the recursively enumerable degrees	397
LIFSCHES, SHMUEL and SHELAH, SAHARON. Peano arithmetic may not be interpretable in the monadic theory of linear orders	848
LIU, NIANZHENG. Analytic cell decomposition and the closure of <i>p</i> -adic semi-analytic sets	285
analytic sets	609
	009
Macpherson, Dugald. See Haskell, Deirdre.	
Magidor, Menachem. See Foreman, Matthew.	
MAKOWSKY, J. A. See ADÁMEK, J. MARTIN, ERIC and OSHERSON, DANIEL. Scientific discovery based on belief revision	1352
MARTIN, URSULA and Scott, ELIZABETH. The order types of termination orderings on monadic terms, strings and multisets	624
Matsubara, Yo. See Burke, Douglas.	
MAURIN, FRANÇOISE. The theory of integer multiplication with order restricted to primes is decidable	123
McGee, Vann. The complexity of the modal predicate logic of "true in every transitive model of ZF"	1371

McLeish, S. J. The forth part of the back and forth map in countable homogeneous structures
MILDENBERGER, HEIKE. Non-constructive Galois-Tukey connections 1179
MOERDIJK, IEKE and PALMGREN, ERIK. Minimal models of Heyting arithmetic 1448
NARENDRAN, PALIATH, PFENNING, FRANK, and STATMAN, RICHARD. On the
unification problem for Cartesian closed categories
NEGRI, SARA and VALENTINI, SILVIO. Tychonoff's theorem in the framework
of formal topologies
Niwiński, Damian. See Stolboushkin, Alexei.
Oikkonen, Juha. Undefinability of κ -well-orderings in $L_{\infty\kappa}$
OSHERSON, DANIEL. See MARTIN, ERIC.
PALMGREN, ERIK and STOLTENBERG-HANSEN, VIGGO. A logical presentation
of the continuous functionals
Palmgren, Erik. See Moerdijk, Ieke.
Parigot, Michel. Proofs of strong normalisation for second order classical
natural deduction
Pentus, Mati. Product-free Lambek calculus and context-free grammars 648
Peterson, Douglas. Cardinal functions on ultraproducts of Boolean alge-
bras
PFENNING, FRANK. See NARENDRAN, PALIATH.
PILLAY, ANAND. Remarks on Galois cohomology and definability
PILLAY, ANAND and Tsuboi, Akito. Amalgamations preserving №0-
categoricity
PINCUS, DAVID. The dense linear ordering principle
PITASSI, TONIANN. See BONET, MARIA.
PUDLÁK, PAVEL. Lower bounds for resolution and cutting plane proofs and
monotone computations
RAZ, RAN. See BONET, MARIA.
Rosický, Jiří. Accessible categories, saturation and categoricity
——— See ADÁMEK, J. Post and State and State at State and State an
ROSŁANOWSKI, ANDRZEJ and SHELAH, SAHARON. Simple forcing notions and forcing axioms
SCHEEPERS, MARION. Rothberger's property and partition relations 976 SCHEEPERS, MARION and WEISS, WILLIAM. Variations on a game of Gale (III):
remainder strategies
SCHELLINX, HAROLD. See DANOS, VINCENT.
Schilling, Kenneth and Živaljević, Boško. Louveau's theorem for the
descriptive set theory of internal sets
SCOTT, ELIZABETH. See MARTIN, URSULA.
Scowcroft, Philip. More on imaginaries in <i>p</i> -adic fields
SHARMA, ARUN. See JAIN, SANJAY.
Shavrukov, V. Yu. Undecidability in diagonalizable algebras

SHELAH, SAHARON and THOMAS, SIMON. The cofinality spectrum of the infinite	002
symmetric group	902
SHELAH, SAHARON. See LIFSCHES, SHMUEL.	
———— See GILCHRIST, MARTIN.	
——— See Rosłanowski, Andrzej.	60
SIMONETTA, PATRICK. Une correspondance entre anneaux partiels et groupes	60
STATMAN, RICHARD. See NARENDRAN, PALIATH.	
Stolboushkin, Alexei, and Niwiński, Damian. $y = 2x$ vs. $y = 3x$	661
STOLTENBERG-HANSEN, VIGGO. See PALMGREN, ERIK.	
STRAHM, THOMAS. Polynomial time operations in explicit mathematics	575
Thomas, Simon. See Shelah, Saharon.	
TITANI, SATOKO. Completeness of global intuitionistic set theory	
rings	1429
Tsuboi, Akito. See Pillay, Anand.	
Valentini, Silvio. See Negri, Sara.	
VAN DALEN, DIRK. How connected is the intuitionistic continuum?	1147
VAN DEN DRIES, LOU. T -convexity and tame extensions II	14
VARDI, MOSHE Y. Special selection in logic in computer science	608
VEDØ, ANNE. Asymptotic probabilities for second-order existential Kahr-Moore-Wang sentences	304
Weiss, William. See Scheepers, Marion.	
WOLTER, FRANK. Completeness and decidability of tense logics closely related	131
to logics above K4	131
Woodin, W. Hugh. See Bagaria, Joan.	025
WOODS, ALAN R. Counting finite models	925 950
model property	35
	280
Zapletal, Jindřich. Small forcings and Cohen reals	200
ŽIVALJEVIĆ, BOŠKO. See SCHILLING, KENNETH.	
REVIEWS	
Reviews	320
Reviews	673
Reviews	1035
Index of reviews	

ERRATA

VOLUME 58

Page 1529, column 1, line 21. In the entry for Alchourrón et al., for «LVII 1149», read «LVII 1479».

VOLUME 61

Page iii, line 1. For $(CONTENTS\ OF\ VOLUME\ 60)$, read $(CONTENTS\ OF\ VOLUME\ 61)$.

VOLUME 62

Page 330, line 3 from below. For $\langle\!\langle Adam's \rangle\!\rangle$, read $\langle\!\langle Adams' \rangle\!\rangle$.

The complexity of the modal predicate logic of "true in every transitive model of ZF", by Vann McGee	1371
Δ_n^1 sets of reals, by Joan Bagaria and W. Hugh Woodin	1379
Minimal models of Heyting arithmetic, by IEKE MOERDUK and ERIK PALM-	1429
GREN Proofs of strong normalisation for second order classical natural deduction,	10
by Michel Parigot	1461
Reviews	
Index of reviews	1497

The JOURNAL and the BULLETIN are the official organs of the Association for Symbolic Logic, an international organization for furthering research in logic and exchange of ideas among mathematicians, computer scientists, philosophers, linguists, and others interested in logic.

Individual membership in the Association is open to anyone interested in its work. Annual dues for members are \$52, or \$26 for students, and they include subscriptions to the current volumes of the JOURNAL and the BULLETIN.

Institutional membership in the Association is available to any academic institution or department. Annual institutional dues are \$450 for 1997. Membership privileges include choices of current subscriptions, of back volumes, and of student memberships.

Requests for information, applications for membership, orders for back volumes, and general business correspondence should be sent to the Secretary-Treasurer of the Association, C. Ward Henson, ASL, Department of Mathematics, University of Illinois, 1409 W. Green Street, Urbana, IL 61801, U.S.A. The Internet address of the Association's business office is asl@math.uiuc.edu. To see the ASL Homepage, point your browser to http://www.math.uiuc.edu/~asl.

Notices of change of address, dues, and subscriptions to the Journal should be sent to the Association for Symbolic Logic, Journals Division UIP, 1325 South Oak Street, Champaign, IL 61820-6903, U.S.A. All orders must be accompanied by payment in dollars; Visa and Mastercard are accepted. To receive a replacement copy of the Journal, please report damaged, defective, or missing issues within nine months of the date of publication.

The Journal invites submission of (1) original technical papers in logic or its applications; (2) expository papers; (3) papers whose main point is philosophical and which either bear upon logic or make use of its methods; and (4) studies in the history of logic.

Articles for publication in the Journal should be submitted in duplicate to one (and only one) of the following editors: Wilfried Buchholz, Mathematisches Institut, Universität München, Theresienstrasse 39, D-80333 München, Germany; or Neil Immerman, Department of Computer Science, University of Massachusetts, Amherst, MA 01003, US.A.; or Richard Kaye, School of Mathematics and Statistics, University of Birmingham, Edgbaston, Birmingham B15 2TT, England; or Steffen Lempp, Department of Mathematics, University of Wisconsin, Madison, WI 53706, U.S.A.; or David Marker, Department of Mathematics, m/c 249, University of Illinois at Chicago, 851 S. Morgan Street, Chicago, IL 60607, U.S.A.; or William J. Mitchell, Department of Mathematics, University of Florida, Gainesville, FL 32611, U.S.A.; or Lou van den Dries, Department of Mathematics, University of Illinois, 1409 W. Green Street, Urbana, IL 61801, U.S.A.; or Albert Visser, Department of Philosophy, Utrecht University, Heidelberglaan 8, P. O. Box 80126, 3508 TC Utrecht, The Netherlands.

Each manuscript should be typewritten neatly or prepared with a word processor, with wide margins, double spacing, and the footnotes numbered consecutively. After the paper is accepted in its final form, an electronic copy (preferably in IATEX or AMS-IATEX) will simplify and shorten the typesetting process. Fifty offprints of each article are supplied at no charge, and additional offprints may be purchased.

Books for review in the Journal should be sent to Herbert Enderton, The Journal of Symbolic Logic, U.C.L.A., Los Angeles, CA 90095, U.S.A. The other editors of reviews are Matthew Foreman, Gerhard Jäger, Penelope Maddy, and Philip Scowcroft.

