GLACIOLOGICAL LITERATURE

This is a selected list of glaciological literature on the scientific study of snow and ice and of their effects on the earth; for the literature on polar expeditions, and also on the "applied" aspects of glaciology, such as snow ploughs, readers should consult the bibliographies in each issue of the *Polar Record*. For Russian material the system of transliteration used is that agreed by the U.S. Board on Geographic Names and the Permanent Committee on Geographical Names for British Official Use in 1947. Readers can greatly assist by sending reprints of their publications to the Society, or by informing Dr J. W. Glen of publications of glaciological interest. It should be noted that the Society does not necessarily hold copies of the items in this list, and also that the Society does not possess facilities for microfilming or photocopying.

Conferences

Ōura, H., ed. Physics of snow and ice: international conference on low temperature science. I. Conference on physics of snow and ice. II. Conference on cryobiology. August 14-19, 1966, Sapporo, Japan. (Twenty-fifth anniversary, the Institute of Low Temperature Science.) Proceedings, Vol. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967. 2 parts: xxix, 711 p.; xiii, 713-1414 p. [For details of papers see elsewhere in this list.]

GENERAL GLACIOLOGY

ASTAPENKO, P. D., and Treshnikov, A. F. Inter-relationship between meteorology, oceanography and glaciology in Antarctic studies. *Annals of the International Geophysical Year*, Vol. 44, 1967, p. 96–121. [Survey of work done during I.G.Y. and interrelation of results of these three disciplines.]

Dubovskov, B. V. Kartograficheskiye issledovaniya SSSR v Antarktide za 10 let [Cartographic investigations of the U.S.S.R. in Antarctica for the past 10 years]. Antarktika. Doklady Komissii 1965 g. Moscow, Izdatel'stvo Akademii Nauk SSSR 1066 p. 100 feet [Details of activity and accuracy of programmer.]

Akademii Nauk SSSR, 1966, p. 130-67. [Details of activity and accuracy of programme.]

HARRISON, H., and SCHOEN, R. I. Evaporation of ice in space: Saturn's rings. Science, Vol. 157, No. 3793, 1967, p. 1175-76. [Estimate of rate of ice evaporation in space due to non-thermal processes and question of whether Saturn's rings could be ice.]

IVANOV, V. B. Osnovnyye itogi sovetskikh glyatsiologicheskikh issledovaniy v Antarktide za 10 let (1956–1966 gg.) [The main results of Soviet glaciological research in Antarctica over the past 10 years (1956–1966)]. Informatsionnyy Byulleten' Sovetskoy Antarkticheskoy Ekspeditsii, No. 60, 1967, p. 5–15.

Peschanskiy, I. S. Ledovedeniye i ledotekhnika. Izdaniye 2-ye, dopolnennoye i pererabotannoye [Glaciology and ice technology. 2nd edition, augmented and revised]. Leningrad, Gidrometeorologicheskoye Izdatel'stvo, 1967. 462 p. [Ice physics, with special reference to floating ice.]

SLUPETZKY, H., and others. 16. Kurs für Hochgebirgs- und Polarforschung (Obergurgl, Tirol, 18.–25. September 1966), [von] H. und W. Slupetzky, D. Resmann. Mitteilungen der Österreichischen Geographischen Gesellschaft, Bd. 108, Ht. 2–3, 1966, p. 309–13. [Account of this course and its numerous glaciological papers.]

[U.S.S.R.: GLACIOLOGY.] Soobshcheniye o nauchnykh rabotakh po glyatsiologii 1963–1966 gg. [Report on scientific work in glaciology, 1963–66]. Moscow, Sovetskiy Geofizicheskiy Komitet, 1967. 31 p. [Soviet work and publications.] Wood, P. H. Arctic research in western Europe; a directory of institutions. Washington, D.C., Arctic Institute of North America, 1967. vii, 296 p. [Listing of polar research institutions in 11 countries with brief descriptions of nature and scope of their interests.]

GLACIOLOGICAL INSTRUMENTS AND METHODS

BEAUMONT, R. T. Field accuracy of volumetric snow samplers at Mt. Hood, Oregon. (In Ōura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1007–13.) [Tests on different kinds of samplers.]

BILELLO, M. A., and PARROTT, W. H. Some new or experimental equipment for use on snow and ice. Proceedings of the Eastern Snow Conference, Vol. 12, 1967, p. 1-14. [Describes: (1) nuclear technique to measure snow density, (2) snow disaggregator, (3) ice chipper, (4) soniscope, (5) modified Rammsonde, and (6) snow permeameter.]
BOGORODSKIY, V. V., ed. Primeneniye radiofizicheskikh metodov v okeanograficheskikh i ledovykh issledovaniyakh [Use of

BOGORODSKIY, V. V., ed. Primeneniye radiofizicheskikh metodov v okeanograficheskikh i ledovykh issledovaniyakh [Use of radiophysical methods in oceanography and ice investigations]. Leningrad, Arkticheskiy Antarkticheskiy Nauchno-Issledovatel'skiy Institut, 1965. 106 p. [Includes following papers presented at the first All-Union Conference on the Use of Radiophysical Methods in Oceanography and Ice Observations held in Leningrad, 23–24 January 1964: E. P. Borisenkov, "First All-Union Conference on the Use of Radiophysical Methods in Oceanography and Ice Observations and its problems"; V. V. Bogorodskiy and V. N. Rudakov, "Use of polarization and interference of electromagnetic waves for determining the thickness of sea ice"; V. N. Rudakov, "Flaw detection in snow and ice cover with the aid of electromagnetic waves"; V. V. Bogorodskiy and V. N. Rudakov, "Electromagnetic parameters of snow, ice, fresh and sea water"; V. S. Loshchilov and V. I. Shil'nikov, "Use and prospects of the radar method in aerial reconnaissance of ice"; V. V. Bogorodskiy and others, "Electrical phenomena which arise during water crystallization"; V. N. Tsvetkov, "Investigation of micro-nonhomogeneities in the water layer just beneath the ice in the Arctic"; I. I. Chapurskiy, "Detection of clouds against a snow background"; F. I. Melkov and P. A. Rublev, "Use of infra-red equipment during observations of ice conditions".]

BRICHKIN, A. V., and others. Ognevoye bureniye lednikov v vysokogornykh usloviyakh [High temperature boring in glaciers under high-mountain conditions]. [By] A. V. Brichkin, S. V. Mikheyev [and] A. V. Boyev. Izvestiya Vsesoyuznogo Geograficheskogo Obshchestva, Tom 99, Vyp. 2, 1967, p. 147-48. [Method for deep drilling in glaciers in summer.]

CLOTHIER, W. C. Microscope for use at temperatures near - 190°C. Journal of Scientific Instruments, Vol. 44, No. 7,

1967, р. 535–36. [Microscope used for visual observation of ice formation.] Нідавні, А., and Одико, М. Hikiage-hō ni yoru hyō-tankesshō no seisaku (1). Kōgakuteki kanzen tankesshō to teni [Growth of large ice single crystals from water (1). Optically perfect crystals and dislocations]. Ōyō Butsuri, [Vol.] 36, [No.] 12, 1967, p. 988-94. [Method of growth avoiding bubbles, vapour figures, and low-angle grain boundaries. Determination of dislocation densities.]

HINDMAN, E. E., jr., and RINKER, R. L. Continuous snowfall replicator. Journal of Applied Meteorology, Vol. 6, No. 1,

1967, p. 126-33. [Method of studying individual snow crystals and their concentration.]

MARTINELLI, M., jr. New snow-measuring instruments. (In Sopper, W. E., and Lull, H. W., ed. Forest hydrology: proceedings of a National Science Foundation advanced science seminar held at the Pennsylvania State University . . Aug. 29-Sept. 10, 1965. Oxford and New York, Pergamon Press, 1966, p. 797-800.) [Brief discussion on eight instruments for measuring hydrological strength and mechanical properties of snow, on the basis of published reports.]
NARAMURA, T. Netsuban ni yoru sekisetsu usuita no sakusei [Preparation of thin layers of snow by means of

heated plates]. Teion-kagaku: Low Temperature Science, Scr. A, [No.] 24, 1966, p. 133-37. [Method for making

thin sections for structural studies.

Sekurov, A. V. Osobennosti razrabotki elektrotermoburovogo kompleksa dlya bureniya l'da i rezul'taty yego ispytaniy v Mirnom v 1965-66 [Characteristics of electrothermal boring unit for ice drilling and results of its use at Mirry in 1965-66]. Informatsionnyy Byulleten' Sovetskoy Antarkticheskoy Ekspeditsii, No. 60, 1967, p.59-62.
SMITH, J. L., and WILLEN, D. W. Gamma-transmission profiling radioisotope snow density and depth gage.

Proceedings of the Western Snow Conference, 34th annual meeting, 1966, p. 69-77. [Apparatus described. Easily portable and may be remote-controlled.]

WARNER, O. R. Precipitation gages-types, methods and uses. Proceedings of the Western Snow Conference, 34th annual meeting, 1966, p. 78-81. [Describes gauges used by U.S. Weather Bureau, and mentions new developments.]

WATANABE, Z. Mould of deposited snow. (In Oura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 741-50.) [Method of making a plaster

of Paris mould around snow to allow its structure to be studied later at room temperature.

Yosida, Z. Free water content of wet snow. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 773-84.) [History of development of calorimeter now in use to measure this, and details of the instrument.]

PHYSICS OF ICE

Barduhn, A. J. Desalination by crystallization processes. Chemical Engineering Progress, Vol. 63, No. 1, 1967, p. 98-103. [Review of progress since 1965 in desalination of sea-water by freezing and hydrate processes.] Влягучня, H., and Schulte-Frohlinde, D. On the nature of the electron traps in alkaline ice. Zeitschrift für Naturforschung, Bd. 22a, Ht. 12, 1967, p. 2131–32. [Nature of electron traps formed by γ-irradiation in frozen

NaOH solutions. The effect is large only in amorphous solids.]

Beaubouef, R. T., and Chapman, A. J. Freezing of fluids in forced flow. International Journal of Heat and Mass Transfer, Vol. 10, No. 11, 1967, p. 1581–87. [Theoretical study of freezing of ice from water flowing past a cold

surface. French, German and Russian abstracts.]

BENNETT, J. E., and others. Trapped electrons produced by the deposition of alkali metal atoms on ice and solid alcohols at 77°K. I. Optical spectra and electron spin resonance spectra, by J. E. Bennett, B. Mile and A. Thomas. *Journal of the Chemical Society*, Sect. A, 1967, No. 9, p. 1393–99. [Deposition yields intensely coloured deposit whose spectra show structure due to interaction of electron with H atoms.]

Bondor, P. Étude du spectre de diffraction des rayons X par une glace vitreuse. Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences (Paris), Tom. 265, Sér. B, No. 5, 1967, p. 316-18. [Comparison between

X-ray diffraction pattern of vitreous ice and that of water.]

BREY, W. S., jr., and WILLIAMS, H. P. Dielectric properties of ice and water clathrates. Journal of Physical Chemistry, Vol. 72, No. 1, 1968, p. 49-52. [Measurement in audio-frequency range between -30° and +2°C. Clathrates show distribution of relaxation times and higher frequency loss maximum.]

BRIAN, P. L. T., and others. Vapor-flow limitations in a melter-condenser, [by] P. L. T. Brian, K. A. Smith, and

L. W. Petri. Industrial and Engineering Chemistry. Process Design and Development, Vol. 7, No. 1, 1968, p. 21-25. [Model for melting of ice crystals by direct contact with a condensing vapour.]

BROMER, D. J., and Kingery, W. D. Flow of polycrystalline ice at low stresses and small strains. Journal of Applied Physics, Vol. 39, No. 3, 1968, p. 1688–91. [Tests on columnar ice in tension perpendicular to column axis. Results interpreted in terms of Nabarro-Herring creep with diffusion enhanced by grain-boundaries.]

BULLEMER, B., and RIEHL, N. Hall-Effekt an Protonen in Eis. Physik der kondensierten Materie, Bd. 7, Ht. 3, 1968,

p. 248-60. [Allowing for surface conductivity, the Hall coefficient for protons in ice has been measured. The

high mobility is interpreted in terms of correlated jumps.]

Camp, P. R., and Spears, D. L. Conductivity changes produced in ice by optical irradiation 0.8 to 2.7 µ. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 181–206.) [Experiments showing that optical irradiation applied to ice did not create electrical point defects.]

De Michell, S. M. de, and Licenblat, A. R. Experimental study of the evaporation of ice in controlled conditions of subsaturation. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 259-66.) [Study of evaporation rate and surface morphology of ice evaporating under controlled conditions.]

DILLON, H. B., and Andersland, O. B. Deformation rates of polycrystalline ice. (In Oura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967. p. 313-27.) [Compressive creep and constant strain-rate tests. Deduction of flow law and activation energy.]

- Drake, J. C. Electrification accompanying the melting of icc particles. Quarterly Journal of the Royal Meteorological Society, Vol. 94. No. 400, 1968, p. 176–91. [Laboratory observation of convection currents in partly frozen droplets and of electric charging due to bubbles bursting after transference to the surface.]
- Dyr, J. E., and Hobbs, P. V. The influence of environmental parameters on the freezing and fragmentation of suspended water drops. *Journal of the Atmospheric Sciences*, Vol. 25, No. 1, 1968, p. 82-96. [Discussion of factors which might affect freezing behaviour, and laboratory experiments to show when splintering and shattering occur.

EDWARDS, G. R., and EVANS, L. F. Ice nucleation by silver iodide. III. The nature of the nucleating site. Journal of the Atmospheric Sciences, Vol. 25, No. 2, 1968, p. 249-56. [Number of sites nucleating ice by freezing mechan-

ism and by sorption at water saturation found experimentally.]

EIBEN, K., and TAUB, I. A. Solvated electron spectrum in irradiated ice. Nature, Vol. 216, No. 5117, 1967,

p. 782-83. [Observation after intense γ-irradiation at 77°K.]

Gabarashivili, T. G., and Gliki, N. V. Vozniknoveniye ledyanoy fazy v pereokhlazhdennoy vode pod vliyaniyem elektricheski zaryazhennykh kristallov kholesterol i naftalina [The origin of the ice phase in supercooled water under the influence of electrically charged cholesterol and naphthalene crystals]. Izvestiya Akademii Nauk SSSR. Fizika Atmosfery i Okeana, Tom 3, No. 5, 1967, p. 570-74. [Experiment to show that charged crystals are more effective nuclei, and theory of effect. English translation in Izvestiya. Academy of Sciences, U.S.S.R. Atmospheric and Oceanic Physics, Vol. 3, No. 5, 1967, p. 324-27.]
Genadiev, N. Interdependence between cooling rate and freezing temperature of waterdrops on metal plate.

Comptes Rendus de l'Académie Bulgare des Sciences, Tom. 20, No. 12, 1967, p. 1271-74. [Experimental results,

comparison with work of Gokhale, and theoretical discussion.]

- GHORMLEY, J. A. Enthalpy changes and heat-capacity changes in the transformations from high-surface-area amorphous ice to stable hexagonal ice. Journal of Chemical Physics, Vol. 48, No. 1, 1968, p. 503-08. [Measurements indicate that ice Ic has higher heat capacity, and may be stable form of ice at low temperatures.]
- GILRA, N. K., and others. Ultrasonic absorption by ice crystals in supercooled water, [by] N. K. Gilra, N. Dass and N. C. Varshneya. Journal of the Physical Society of Japan, Vol. 24, No. 2, 1968, p. 380-82. [Theoretical study of variation of absorption with frequency, crystal size and kinematic viscosity, and effect of ultrasound on
- Glen, J. W., and Jones, S. J. The deformation of ice single crystals at low temperatures. (In Oura, H., ed. Physics of snow and ice... Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 267-75.) [Tensile creep tests on ice single crystals from -50° to -70°C. Deduction of flow law
- and slip direction.]
 Gold, L. W. Time to formation of first cracks in icc. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 359-70.) [Observations used to determine activation energy. Results consistent with dislocation pile-up theories of crack nucleation.]
- HIGASHI, A. Mechanisms of plastic deformation in ice single crystals. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 277-89.) [Dislocation mechanism of slip of ice single crystals. Difference of behaviour in basal and non-basal glide.]
- HIGUCHI, K., and YOSIDA, T. Crystallographic orientation of frozen droplets on ice surfaces. (In Oura, H., ed. Physics of snow and ice... Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 79-93.) [Photogrammetric measurements on snow particles consisting of several single crystals show crystallographic relations between orientations.]

Hill, M. J., and Wyard, S. J. Low frequency electron spin resonance of irradiated ice and frozen solutions of hydrogen peroxide. Journal of Physics B, Ser. 2, Vol. 1, No. 2, 1968, p. 289-94. [Study at 280 MHz and

comparison with other data of spectrum attributed to OH in ice.] Hogan, A. W. Ice nuclei from direct reaction of iodine vapor with vapors from leaded gasoline. Science, Vol. 158, No. 3802, 1967, p. 800. [Large numbers of ice nuclei active at <-15°C generated by mixing iodine vapour with vapours from petrol if, and only if, the petrol contains lead.]

Iтадакі, K. Particle migration on ice surfaces. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 233-46.) [Observations of small glass beads on ice surfaces show migration and clustering when atmosphere is unsaturated.]

JACCARD, C. Electrical conductivity of the surface layer of ice. (In Oura, H., ed. Physics of snow and ice . . Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 173-79.) [Measurement of surface conductivity and effect of an air stream on it.]

KOBAYASHI, T. On the variation of ice crystal habit with temperature. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 95-104.) [Experiments on surface migration of water molecules on ice agree with Mason's results rather than Hallett's.]

Krastanov, L., and others. On the ice-forming activity of the walls of an ice crystal, [by] L. Krastanov, G. Miloshev [and] L. Levkov. Comptes Rendus de l'Académie Bulgare des Sciences, Tom. 20, No. 9, 1967, p. 915-18. [Theory of nucleation of 2-dimensional ice embryos on plane ice surfaces.]

LANGER, G., and others. Ice nucleation efficiency of silver iodide at -20C on a particle count basis, [by] G. Langer, A. Lieberman and J. Rosinski. Journal of Applied Meteorology, Vol. 6, No. 5, 1967, p. 963-65. [Results show anomalously low number of particles are active as nuclei.]

LEVI, L. Electrical properties of ice doped with different electrolytes. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 159-72.) [Study of d.c. conductivity of ice doped with HF and other hydracids, NH₃ and also NH₃ and HF together. Interpretation in terms of defect mobility.]

LEVI, L., and GAVANOVICH, S. Helical whiskers of ice. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 43-50.) [Observation of

whiskers formed in cold formvar solutions.]

LUYET, B. Attacks from different fronts on some complex cases of instability in aqueous solutions solidified at low temperatures. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 71-78.) [Use of differential thermal analysis, dielectric measurements and X-ray diffraction.]

LUYET, B. Various modes of recrystallization of ice. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 51-70.) [Description of

various structural changes occurring in aqueous solutions solidified at low temperatures.]

Macklin, W. C., and Payne, G. S. Some aspects of the accretion process. Quarterly Journal of the Royal Meteorological Society, Vol. 94, No. 400, 1968, p. 167-75. [Experimental and theoretical studies of process of ice accretion from supercooled water droplets.]

MACKLIN, W. C., and RYAN, B. F. Growth velocities of ice in supercooled water and aqueous sucrose solutions. Philosophical Magazine, Eighth Ser., Vol. 17, No. 145, 1968, p. 83-87. [Measurement of component velocities

of growth parallel and perpendicular to basal plane with up to 10 deg of supercooling.]

MAENO, N. Air bubble formation in ice crystals. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 207-18.) [Investigation of formation of air bubbles in natural and artificial ice crystals and mode of their formation and metamorphosis.] MAENO, N. Nuclei of Tyndall figures and surface melting of ice. Canadian Journal of Physics, Vol. 46, No. 4, 1968,

p. 313–15. [Attempt to identify nuclei. Submicroscopic gaseous inclusions are favoured.]

MAENO, N. Suihyōkaimen ni okeru kihō no hassei to hosoku [Air bubbles in ice, nucleated and trapped at an ice water interface]. Teion-kagaku: Low Temperature Science, Ser. A, [No.] 24, 1966, p. 91-109. [Microscopic

observations. English summary.

MAGONO, C., and Shio, H. Frictional electrification of ice and change in its contact surface. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 137-50.) [Explanation of frictional electrification when ice is rubbed on ice. Above - 5°C the sign of the effect changes.]

MASCARENHAS, S., and ARGUELLO, C. Studies on HF-doped ice thermo-electrets. Journal of the Electrochemical Society, Vol. 115, No. 4, 1968, p. 386-88. [Electrets prepared at -10° to -135°C and stored charge

measured.] Mellor, M., and Smith, J. H. Creep of ice and snow. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 843–55.) [Constant load compressive creep tests on sintered snow and bubbly polycrystalline ice.]

MICHEL, B. From the nucleation of ice crystals in clouds to the formation of frazil ice in rivers. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 129-36.) [Use of heterogeneous nucleation theory to explain supercooling of water droplets and large water bodies.]

NAKAMURA, T. A water-like film produced by pressure on the surface of ice crystals. (In Oura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 247-58.) [Observation of glass plate pressed against ice showed water-like film down to -30° C.] ODENCRANTZ, F. K. Modification of habit and charge of ice crystals by vapor contamination. *Journal of the*

Atmospheric Sciences, Vol. 25, No. 2, 1968, p. 337–38.

Onaka, R., and Takahashi, T. Vacuum UV absorption spectra of liquid water and ice. Journal of the Physical

Onaka, K., and Takahashi, I. Vacuum CV ausorption spectra of inquid water and ice. Journal of the Physical Society of Japan, Vol. 24, No. 3, 1968, p. 548-50. [Cubic ice has a well-defined absorption band near 8.7 eV while hexagonal and amorphous ice show only a gradual rise of absorption from 7 to 10 eV.]

Onsager, L. Ferroelectricity of ice? (In Weller, E. F., ed. Ferroelectricity. Proceedings of the Symposium on Ferroelectricity, General Motors Research Laboratories, Warren, Michigan, 1966. Amsterdam, etc., Elsevier Publishing Co., 1967, p. 16-19.) [Discussion of mechanism producing electrical properties of ice at low temperature.]

Parungo, F. P., and Wood, J. Freezing of aqueous solutions of macromolecules. Journal of the Atmospheric Sciences, Vol. 25, No. 1, 1968, p. 154-55. [Attempts to pucleate ice with macromolecules holding water showed no.

Vol. 25, No. 1, 1968, p. 154-55. [Attempts to nucleate ice with macromolecules holding water showed no marked correlation with nuclear magnetic resonance line width.]

PRUPPACHER, H. R., and others. On the electrical effects that accompany the spontaneous growth of ice in supercooled aqueous solutions, [by] H. R. Pruppacher, E. H. Steinberger and T. L. Wang. Journal of Geophysical Research, Vol. 73, No. 2, 1968, p. 571-84. [Measurements of potentials developed. Discussion of connection with Workman-Reynolds effect and thunderstorm electricity.]

ROBERTS, P., and HALLETT, J. A laboratory study of the ice nucleating properties of some mineral particulates. Quarterly Journal of the Royal Meteorological Society, Vol. 94, No. 399, 1968, p. 25-34. [Results for kaolinite and

montmorillonite and other natural substances including surface glacier debris.]
ROHATGI, P. K., and Adams, C. M., jr. Effect of freezing rates on dendritic solidification of ice from aqueous solutions. Transactions of the Metallurgical Society of AIME, Vol. 239, No. 11, 1967, p. 1729-36. [Spacing between ice platelets related to freezing time and freezing rate.]

ROHATGI, P. K., and others. Dendritic crystallization of ice from aqueous solutions, [by] P. K. Rohatgi, S. M. Jain and C. M. Adams, Jr. Industrial and Engineering Chemistry. Fundamentals, Vol. 7, No. 1, 1968, p. 72-79. [Spacing of ice platelets as function of distance, freezing rate and solute concentration, including effects in ternary and quaternary solutions.]

Schaefer, V. J. Ice nuclei from auto exhaust and organic vapors. Journal of Applied Meteorology, Vol. 7, No. 1, 1968, p. 148-49. [Observation shows lead from automobile exhaust forms lead iodide and acts as efficient

ice nucleator.]

Shubin, V. N., and others. Spektry opticheskogo pogloshcheniya kristallicheskogo l'da i zamorozhennykh kristallicheskikh vodnykh rastvorov [The absorption spectra of crystalline ice and of frozen crystalline aqueous solutions]. [By] V. N. Shubin, V. I. Zhigunov, V. I. Zolotarevskiy, [and] P. I. Dolin. Doklady Akademii Nauk SSSR, Tom 174, No. 2, 1967, p. 416-18. [Absorption spectra of ice and frozen LiClO₄ and KOH solutions subjected to pulse radiolysis.]

SILVER, E. G. Pulsed neutron measurement of the diffusion parameters in ordinary ice as a function of temperature. (In Pulsed neutron research. Proceedings of the Symposium on Pulsed Neutron Research held by the International Atomic Energy Agency at Karlsruhe, 10-14 May 1965. Vol. 1. Vienna, International Atomic Energy Agency,

1965, p. 35–48.) [Measurement of parameters for diffusion of neutrons in ice.]

Stehle, N. S. Migration of bubbles in ice under a temperature gradient. (In Oura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 219– [Observation of velocity of migration of vapour and air bubbles and its theoretical interpretation.]

Suzuki, Y. On disorder entropy of ice. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 21-41.) [Estimate of entropy of finite

- Suzuki, Y. Seihōkōshi mokei no kōri no Pauling entoropii no keisanhō [A method of evaluating the Pauling entropy of two-dimensional ice]. Teion-kagaku: Low Temperature Science, Scr. A, (No.] 24, 1966, p. 41-56. [English summary.]
- Suzuki, Y. Yūgenhyō no Pauling entoropii [Pauling entropy of a finite ice crystal]. Teion-kagaku: Low Tembera-
- ture Science, Ser. A. [No.] 24, 1966, p. 19–39. [English summary.]

 Takahashi, T. Thermoelectric properties of ice. (In Oura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 151–58.) [Measurement on single crystal of glacier ice and in doped ice. Results differ from those of Latham and Mason.]
- Ushiki, H., and Yosida, Z. Köri no tan-kesshō ni yoru X-sen nijū hansha ni kansuru ichikansatsu [Å note on the double reflection of X-rays by single crystals of ice]. Teion-kagaku: Low Temperature Science, Ser. A, [No.] 25, 1967, p. 31-36. [Experimental observation of spots produced by beam emerging parallel to incident X-ray beam. English summary.]
- VOYTKOVSKIY, K. F. The relaxation of stresses in ice. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 329-37.) [Study of parameters which affect stress relaxation in ice. Importance of time for which stress has been applied.]
- Vyalov, S. S., and Yermakov, V. F. Simplified method of testing ice for creep and relaxation. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 339-47.) [Use of a test in which stress falls with time to determine creep behaviour of ice.]
 Wakahama, G. On the plastic deformation of single crystal of ice. (In Oura, H., ed. Physics of snow and ice
- Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 291-311.) [Stress-strain and stress-relaxation curves of ice single crystals interpreted in terms of dislocation theory.]
- WALDSTEIN, P., and RABIDEAU, S. W. ¹⁷O nuclear magnetic resonance of single crystals of D₂O ice. Journal of Chemical Physics, Vol. 47, No. 12, 1967, p. 5338–42. [Observations for two crystal orientations and attempt at
- Yosida, Z. Köri no kesshö no hyömen közö. II.—III [Surface structure of ice crystals. II.—III]. Teion-kagaku: Low Temperature Science, Ser. A, [No.] 25, 1967, p. 1–12, 13–30. [II: recalculation, correcting an error, of statistical mechanics of (0001) and (1010) surfaces of ice crystals. III: similar calculation for (1120). English sum-
- Yosida, Z. Surface structure of ice crystal and its equilibrium form. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1-19.) [Theoretical study of roughness of ice crystal surfaces and explanation of rounding of old snow grains.]

LAND ICE. GLACIERS. ICE SHELVES

Ambach, W. The formation of crevasses in relation to the measured distribution of strain-rates and stresses. Archiv für Meteorologie, Geophysik und Bioklimatologie, Ser. A, Bd. 17, Ht. 1, 1968, p. 78-87. [Detailed measurements of strains over area on Hintereisferner and Langtaufererjochferner and comparison with crevasse patterns.]

Ambach, W., and Eisner, H. Klimatologische Interpretation eines Firnpollenprofiles. Veröffentlichungen der Schweizerischen Meteorologischen Zentralanstalt, Nr. 4, 1967, p. 25-31. [Pollen profiles used to determine net annual accumulation on Kesselwandferner accumulation area 1945-65. Correlation with climatic elements.

English and French abstracts.]

AVER'YANOV, V. G. K voprosu o nakoplenii snega i o prichinakh sushchestvovaniya rayona tayaniya na shel'fovom lednike Lazareva [On the problem of snow accumulation and on reasons for the existence of an ablation area on the Lazarev Ice Shelf]. Informatsionnyy Byulleten' Sovetskoy Antarkticheskoy Ekspeditsii, No. 56, 1966, p. 21-25.

[Dronning Maud Land.]

AVSYUK, G. A., and KOTLYAKOV, V. M. Mountain glaciation in the U.S.S.R.: extension, classification and ice storage in glaciers. (In Ōura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 389-94.) [Estimate of ice thickness for various kinds of glaciers used to calculate total ice storage in glaciers of the U.S.S.R.]

BARDIN, V. I., and Suyettova, I. A. Basic morphometric characteristics for Antarctica and budget of the Antarctic ice cover. (In Nagata, T., ed. Proceedings of the symposium on Pacific-Antarctic sciences. Tokyo, Department of

Polar Research, National Science Museum, 1967, p. 92-100. (Japanese Antarctic Research Expedition. Scientific Reports, Special Issue No. 1.)) [New data on area and volume of Antarctic ice sheet used to estimate mass balance.]

Bender, J. A. Deformation of excavations in a high polar névé. (In Ōura, H., ed. Physics of snow and ice . Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 973-82.) [Ten years of measurements on horizontal tunnel. Interpretation shows inadequacy of present theories.]

BRYAN, R. Temperature studies in a bore hole at southern Adelaide Island. British Antarctic Survey Bulletin, No. 15. 1968, p. 47-57. [Temperatures in hole in ice shelf interpreted in terms of annual temperature fluctuations.] BUDD, W. F. Ablation from an Antarctic ice surface. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1.

[Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 431-46.) [Ablation, consisting mainly of evaporation at sub-zero temperatures, measured at Mawson and related to meteoro-

logical parameters.]

Budd, I. [H.] Landon-Smith and E. [R.] Wishart.

(In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 447-67.) [Accumulation, velocity, strain-rate, elevated and said the strain of th

and ice front changes observed over three successive summer visits. Mass balance deduced.]

BULL, C. B. B., and MARANGUNIC, C. The carthquake-induced slide on the Sherman Glacier, south-central Alaska, and its glaciological effects. (In Ōura, H., ed. Physics of snow and ice Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 395–408.) [Effect of very large rock slide on balance and flow of this glacier.]

Bur, I. V. O vozmozhnom effekte vliyaniya fenov na ablyatsiyu gornykh lednikov [Possible effect of the influence of föhn winds on ablation of mountain glaciers |. Meteorologiya i Gidrologiya, 1966, No. 8, p. 16-22. [Based on

observations on Tien-Shan glaciers in 1958.]

Dolgushin, L. D. Novyye dannyye o skorostyakh lednikov Antarktidy [New data on the rate of movement of Antarctic glaciers]. Informatsionnyy Byulleten' Sovetskoy Antarkticheskoy Ekspeditsii, No. 56, 1966, p. 17-20.

[Surveys recent Soviet and foreign research.]

EPSTEIN, S., and SHARP, R. P. Oxygen- and hydrogen-isotope variations in a firn core, Eights station, western Antarctica. Journal of Geophysical Research, Vol. 72, No. 22, 1967, p. 5595-98. [Object of study was to determine if any consistent relationship exists between isotope variations and cyclical distribution of particulate matter found within firn of core.]

Gall, H. Gletscherkundliche Beobachtungen im Hochgebirge von Lasistan. Mitteilungen der Österreichischen Geographischen Gesellschaft, Bd. 108, Ht. 2-3, 1966, p. 261-86. [Description of glaciers, rock glaciers and moraines in this region of Turkey. Deduction of recent retreat of glaciers.]

Gemini, F. de. Il Ghiacciaio Grande di Verra e le sue variazioni negli ultimi decenni. Bollettino del Comitato Glaciologico Italiano, 2 Scr., No. 12, Pt. 1, 1962, [pub.] 1966, p. 23-40. [Variations in the Grande di Verra glacier (Valle di Ayas, Monte Rosa) are discussed. Lower part of glacier tongue has detached from higher part, becoming dead ice.

GLEN, J. W. The physics of the flow of glaciers. Bulletin. Institute of Physics and the Physical Society, Vol. 18, May

1967, p. 135-40. [Review of history and present state of knowledge.]

HAEFELI, R. Some results of the international glaciological expedition to Greenland 1957-60. Concerning the rheological behaviour of snow and ice. (In Oura, H., ed. Physics of snow and ice. . . . Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 983-91.) [Plastic deformation of

Institute of Low Temperature Science, Hokkaido Chiversity, 1907, p. 903-917 [Traste destination of firn under its own weight at station "Jarl Joset".]

HALLGRÍMSSON, M., and PORBERGSSON, P. Mælingar á Vatnajökli sumarið 1965. Jökull, [Vol.] 3, Ár 16, 1966, p. 226-28. [Survey work on Vatnajökull, Iceland, in summer of 1965.]

HEINSHEIMER, G. J. La formacion de agua de mar más fria en el mar de Weddell y sus causa. Boletin del Servicio de Hidrografia Naval (Buenos Aires), Vol. 4, No. 1, 1968, p. 17-39. [Effect of ice shelves, and particularly Filchner Ice Shelf, in cooling sea-water and forming oceanic bottom water.]

HIGASHI, A. Ice crystal growth in a temperate glacier in Alaska. (In Oura, H., ed. Physics of snow and ice Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 409-30.) [Observations of crystal orientation and size in Mendenhall Glacier. Connection with observed strain-rates.]

JAWOROWSKI, Z. Stable lead in fossil ice and bones. Nature, Vol. 217, No. 5124, 1968, p. 152-53. [Letter. Comparison of lead content of ice from two glaciers in the Tatra mountains and of old bones to assess dangers of

lead poisoning due to atmospheric pollution.]

KAPITSA, A. P. Antarctic glacial and subglacial topography. (In Nagata, T., ed. Proceedings of the symposium on Pacific-Antarctic sciences. Tokyo, Department of Polar Research, National Science Museum, 1967, p. 82-91. (Japanese Antarctic Research Expedition. Scientific Reports, Special Issue No. 1.)) [Analysis of all traverse

data and deductions about ice flow and isostasy.]

KASSER, P. Fluctuations of glaciers, 1959–1965. A contribution to the International Hydrological Decade. [Gentbrugge], International Commission of Snow and Ice of the International Association of Scientific Hydrology, 1967. [128] p., tables, maps. [Continues previous reports, including data for Alps, Scandinavia, and Iceland, and also presents results of selected investigations of glacier mass budgets, as examples for surface budget, geodetic, and hydrological methods.]

KNIZHNIKOV, Yu. F., and KRAVTSOVA, V. I. Atlas lednikov El'brusa. Chast' 1. Fotosnimki lednikov [Atlas of El'brus glaciers. Part 1. Photographs of glaciers]. Moscow, Izdatel'stvo Moskovskogo Universiteta, 1965. [44 p.], illus. Lang, H. Über den Tagesgang im Gletscherabfluss. Veröffentlichungen der Schweizerischen Meteorologischen Zentralanstalt, Nr. 4, 1967, p. 32-38. [Study of correlation of run-off from a glacier and meteorological elements.

English and French abstracts.]
LIBBY, W. F. Ice caps on Venus? Science, Vol. 159, No. 3819, 1968, p. 1097-98. [Data from space vehicles interpreted as evidence for giant polar ice sheets. Life possible at their edges.]

LOEWE, F. The water budget in Antarctica. (In Nagata, T., ed. Proceedings of the symposium on Pacific-Antarctic sciences. Tokyo, Department of Polar Research, National Science Museum, 1967, p. 101-10. (Japanese Antarctic Research Expedition. Scientific Reports, Special Issue No. 1.)) [New estimate of mass balance of Antarctic ice sheet.]

Losey, K. S. The role of avalanches in mass budget of glaciers. (In Oura, H., ed. Physics of snow and ice . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 385–88.)

[Importance of avalanche terms in accumulation and ablation of some glaciers.]

Mellor, M. Mass economy of Antarctica: measurements at Mawson, 1957. ANARE Scientific Reports. Series A(IV). Glaciology. Publication No. 97, 1967, [vi], 102 p. [Analysis of I.G.Y. results at Mawson to give mass balance of this region of Antarctica.]

Model, Yu. M. O soderzhanii ponyatiya "Antarkticheskiy oazis" [The meaning of the term "Antarctic oasis"].

- Materialy Glyatsiologicheskikh Issledovaniy. Khronika. Obsuzhdeniya, 12, 1966, р. 255-57. [Proposed definition.] Picciotto, E. E., and others. Lead-210 and strontium-90 in an alpine glacier by E. [E.] Picciotto and G. Crozaz and W. Ambach and H. Eisner. Earth and Planetary Science Letters, Vol. 3, No. 3, 1967, р. 237-42. [Measurements on Kesselwandferner, Austria, show ⁹⁰Sr to be selectively lost in firn but ³¹⁰Pb in the ice gives ages consistent with surface velocity measurements and can be used to date ice.]
- Pytte, R. Glasio-hydrologiske undersøkelser i Norge 1966. Rapport fra Hydrologisk Avdeling, 1967, Nr. 2, 83 p., map (separate folded). [Mass balance measurements from 9 Norwegian glaciers continued in 1966. Studies also initiated on Tunsbergdalsbreen. English summary, p. 76-82.]

Revyakin, V. S. Ledniki Belukhi v 1965 godu [Belukha glaciers in 1965]. Izvestiya Vsesoyuznogo Geograficheskogo Obshehestva, Tom 99, Vyp. 1, 1967, p. 70-75. [Retreat of these glaciers in the Altay mountains since 1895.]

- Shumskiy, P. A. The distribution of stress, velocity and temperature in glaciers. (In Oura, H., ed. Physics of snow Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 371-84.) [Improvement of theory to allow for energy dissipation and temperature dependence of flow law for one-dimensional problem, and using linear viscous law for two-dimensional problem.]
- Slupetzky, H. Die hochalpinen Forschungen in der Granatspitz- und westlichen Glocknergruppe in den Hohen Tauern. Mitteilungen der Österreichischen Geographischen Gesellschaft, Bd. 109, Ht. 1–3, 1967, p. 89–99. [Report of glaciological research on glaciers in this region of Austria starting with retreat measurements and working up to mass balance studies.]

Stenborg, T. Glacier drainage connected with ice structures. Geografiska Annaler, Vol. 50A, No. 1, 1968, p. 25-53. [Systematic study of glacier mills on Mikkaglaciären, Sweden, and discussion of surface and sub-surface drainage.]

Troll, C., and Schweinfurth, U. Die Karte des Khumbu-Himalaya (Ostnepal) 1:50 000. Erdkunde, Bd. 22, Ht. 1, 1968, p. 29-33. [Description of new map of this region of Himalaya around Mt. Everest. Description of glacier mapping. English abstract.]

Vanni, M. Il Vatnajökull—il più grande ghiacciaio d'Europa—appunti di viaggio. Bollettino del Comitato Glaciologico Italiano, 2 Ser., No. 14, Pt. 1, 1964, [pub.] 1967, p. 33-73. [Various problems: the formation of such an important ice cap on ground which is largely below the snow line; the site of the biggest glaciers, in the southern part of the island; and the fluctuations in glacier snouts.]

VIVIAN, R., and BRAVARD, Y. Fiches des glaciers français. Le glacier des Balmes. Revue de Géographie Alpine, Tom.

56, Fasc. 2, 1968, p. 417–20. [General description.] Vivian, R., and Bravard, Y. Fiches des glaciers français. Les glaciers du Mont Pourri. Revue de Géographie Alpine,

Tom. 56, Fasc. 2, 1968, p. 421-24. [General description.]
VIVIAN, R., and GABBERO, J.-C. Fiches des glaciers français. Le glacier des sources de l'Isère. Revue de Géographie Alpine, Tom. 56, Fasc. 1, 1968, p. 209-11. [General description.]

VIVIAN, R., and JAIL, M. Fiches des glaciers français. Le glacier des sources de l'Arc. Revue de Géographie Alpine, Tom. 56, Fasc. 1, 1968, p. 205-07. [General description.] Voloshina, A. P. Teplovoy balans poverkhnosti vysokogornykh lednikov v letniy period (na primere El'brusa) [Heat balance

- of the surface of mountain glaciers in summer (on the basis of El'brus)]. Moscow, Izdatel'stvo "Nauka", 1966. 150 p. VYALOV, S. S. On theory of flow of glaciers. (In Oura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 349–56.) [Theory taking into account effect of hydrostatic pressure on flow law.]
- Watanabe, O., and others. Himaraya no hyōga ni tsuite. I. Nepaaru Himaraya no futatsu no hyōga. Tsuki: hyōga no yōgo ni tsuite [Glaciers and glaciations in the Nepal Himalaya. I. Two glaciers in the Nepal Himalaya. Appendix: on the terminology of glaciers]. [By] O. Watanabe, Y. Endo [and] T. Ishida. Teion-kagaku: Low Temperature Science, Ser. A. [No.] 25, 1967, p. 197–217. [Studies of Gustang Glacier and Takpu Glacier and discussion of their classification. English summary. Appendix gives Japanese terms for different kinds of glacier terminology.]

WEERTMAN, J. Comparison between measured and theoretical temperature profiles of the Camp Century, Greenland, borchole. Journal of Geophysical Research, Vol. 73, No. 8, 1968, p. 2691-700.

WENDLER, G. Die Vergletscherung in Abhängigkeit von Exposition und Höhe und der Gebietsniederschlag im Einzugsgebiet des Pegels Vent in Tirol. Archiv für Meteorologie, Geophysik und Bioklimatologie, Ser. B, Bd. 15, Ht. 3, 1967, p. 260-73. [Study of glacierization as function of aspect and altitude. Deduction of total precipitation in the basin. English and French summaries.]

ZOTIKOV, I. A., and Gow, A. J. The thermal and compositional structure of the Koettlitz ice tongue, McMurdo Sound, Antarctica. (In Oura, H., ed. Physics of snow and ice... Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 469–78.) [Core studies near Dailey Islands show that ice moves upwards due to ablation at surface and freezing at bottom of ice of lower salinity which overlays sea-water.]

ICEBERGS. SEA, RIVER AND LAKE ICE

ADDISON, J. R., and POUNDER, E. R. The electrical properties of saline ice. (In Oura, H., ed. Physics of snow and Vol. 1, Pt. 1. [Sapporo]. Institute of Low Temperature Science, Hokkaido University, 1967, p. 649-60.) [Measurements of dielectric constant and resistivity of laboratory-grown saline ice from 20 Hz to 10 kHz and various salinities.]

Assur, A. Flexural and other properties of sea ice sheets. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 557-67.) [Outlines mathematical treatment of composite properties of sea ice to permit computer or nomogram methods of predicting

properties to be developed.]

CAREY, K. L. Observed configuration and computed roughness of the underside of river ice, St. Croix River, Wisconsin. U.S. Geological Survey. Professional Paper 550-B, 1966, p. B192-98. [Description and theory of formation, followed by computation of the Manning roughness coefficient for the underside of ice.]

DUNBAR, MOIRA. The monthly and extreme limits of ice in the Bering Sea. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 687-703.) [Main features of ice conditions described, and reasons for extreme limit discussed. Changes since late eighteenth century discussed.]

Dykins, J. E. Tensile properties of sea ice grown in a confined system. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 523-37.) [Tests on laboratory-grown sea ice compared with natural sea ice. Grain structure is most important para-

meter.

FUJINO, K. Electrical properties of sea ice. (In Ōura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 633–48.) [Measurements of permittivity and conductivity of sea ice 100 Hz–50 kHz from -5° to -70°C. Relation with geometrical arrangement of brine cells.]

FUJINO, K. Kaihyō no yūdenteki seishitsu ni kansuru kenkyū [Dielectric properties of sea ice]. Teion-kagaku: Low Temperature Science, Ser. A, [No.] 25, 1967, p. 127-69. [Measurements of permittivity and equivalent parallel conductivity of sea ice from 0.1 to 500 kHz and -5° to -70°C. English summary.]
ISHIDA, T. Kaihyōban no hakai ni tomonau shindō [Vibrations of a sea-ice sheet on the occasion of its breaking].

Teion-kagaku: Low Temperature Science, Ser. A, [No.] 24, 1966, p. 239-48. [Experimental study. English summary.]

ISHIDA, T. Rupture and vibrations of sea ice sheets. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 551-56.) [Observations of

vibrations of sea-ice beam after fracture related to internal cracking of beam.]

Kagan, B. A. Model' vertikal'nogo stroyeniya prilivnogo potoka v odnorodnom more, pokrytom l'dom [A model of vertical structure of a tidal flow in a homogeneous ice-bound sea]. Doklady Akademii Nauk SSSR, Tom 167, Vyp. 2, 1967, p. 338-41. [Theoretical study of effect of ice cover on tidal flow.]

KHEYSIN, D. YE. Dinamika ledyanogo pokrova [Dynamics of ice cover]. Leningrad, Gidrometeorologicheskoye

Izdateľstvo, 1967. 215 p. [Theory of waves in floating ice cover.]

KUDRYAVTSEV, N. F. Opyt izmereniya denivelyatsiy urovennoy poverkhnosti na dreyfuyushchikh ľdakh tsentral'noy Arktiki [Experiment in measuring undulation of sea-level surface on drifting ice of the central Arctic]. Problemy Arktiki i Antarktiki, Vyp. 24, 1966, p. 20-29.

KUSUNOKI, K. A gigantic iceberg in Lützow-Holm Bay, Antarctica. Nankyoku Shiryō: Antarctic Record, No. 30,

1967, p. 25-29. [Tabular iceberg observed and its origin discussed.]

Kusunoki, K. Measurements of drift of ice island ARLIS-II in 1965. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 705.) [Abstract only. Measurements of drift during final stages into Denmark Strait.]

LEAHEY, D. M. Heat exchange and sea ice growth in Arctic Canada. Arctic Meteorology Research Group, Department of Meteorology, McGill University, Montreal. Publication in Meteorology No. 82, 1966, [viii], 48 p. [Stefan's equation for ice accretion modified to take into account effects of snow depth and density. Applied satisfactorily in presence of light snow cover with climatic estimates of heat loss.]

LEWIS, E. L. Heat flow through winter ice. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 611-31.) [Detailed temperature measurements used to determine heat flow at lower surface and to relate it to heat flow from upper surface

at earlier time.]

Lyon, W. Under surface profiles of sea ice observed by submarine. (In Oura, H., ed. Physics of snow and ice . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 707-11.) [Description of methods used and of data available from submarine voyages under Arctic Ocean.]

MICHEL, B. Les métamorphoses du frasil en rivière. Transactions of the Engineering Institute of Canada, Vol. 8, No.

A-5, 1965, 9 p. [Study of evolution of frazil ice in rivers.]

Michell, B. Morphology of frazil ice. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 105-18.) [General examination of different morphological aspects of frazil ice in rivers.]

Ono, N. Kaihyō no netsuteki seishitsu no kenkyū. III. Kaihyō no hinetsu ni tsuite [Thermal properties of sea ice. III. On the specific heat of sea ice]. Teion-kagaku: Low Temperature Science, Ser. A, [No.] 24, 1966, p. 249-58.

[Two methods of calculating specific heat. English summary.]

Ono, N. Specific heat and heat of fusion of sea ice. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 599-610.) [Deduction of values on basis of thermal and phase equilibrium, and laboratory tests to see whether such equilibrium is established, and with what time-lag.]

Panin, G. N. Vliyaniye solenosti na prochnost' I'da [Influence of salinity on ice strength]. Vestnik Moskovskogo

Universiteta. Ser. 5. Geografiya, God 22, [No.] 5, 1967, p. 108-11.
PISSART, A. Les modalités de l'écoulement de l'eau sur l'île Prince Patrick (76° lat. N. 120° long. O, Arctique Canadien). Biuletyn Peryglacjalny, No. 16, 1967, p. 217-24. [Effect of snow and ice on stream flow in Arctic. English summary.]

Rist, S. Skriðskeri. Jökull, [Vol.] 3, Ár 16, 1966, p. 228-29, 236. [Description of method for measuring discharge

of floating slush in rivers. English summary.]

Ross, B. Penetration and fracture of sea ice due to impact loading. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University. 1967. p. 499–521.) [Tests in which variously shaped objects were projected against laboratory-grown sea ice and the mode of penetration studied.]

Spiciikis, V. A. O skoplenii morskoy vody na antarkticheskom pripaye [Accumulation of sea-water on Antarctic fast ice]. Informatsionny Byulleten' Sovetskoy Antarkticheskoy Ekspeditsii, No. 59, 1966, p. 73-75. [The different

effects of fresh- and salt-water accumulations with reference to over-ice transport problems.]

SPICHKIN, V. A. Uchet al'bedo pri raschetakh tayaniya l'da [Accounting for albedo in calculating ice thaw]. Trudy Arkticheskogo i Antarkticheskogo Nauchno-Issledovatel' skogo Instituta, Tom 269, 1966, p. 71-78. [Derivation of formula and nomogram for computation of ablation.]

Suzuki, Y. Wind- and water-drag of an ice floe. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 661-66.) [Simple method

of determining wind drag with preliminary results; brief description of method of measuring water drag.] Тавата, Т. Kaihyō no rikigakuteki seishitsu no kenkyū. IX. Genjō ni okeru mage kyōdo no sokutei (3) [Studies of the mechanical properties of sea ice. IX, Measurement of flexural strength in situ (3)]. Teion-kagaku: Low

Temperature Science, Ser. A, [No.] 24, 1966, p. 259-68. [English summary.]

Tabata, T. Studies of the mechanical properties of sea icc. X. The flexural strength of small sea ice beams. (In Oura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 481-97.) [Laboratory tests at constant rate of bending. Strength depends on temperature and rate of stress increase.]

TABATA, T., and others. Studies of the mechanical properties of sea ice. XI. The flexural strength of sea ice in situ, by T. Tabata, K. Fujino and M. Aota. (In Oura, H., ed. Physics of snow and ice... Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 539-50.) [Tests at various rates of

stressing.]

Treshnikov. A. F. The ice of the southern ocean. (In Nagata, T., ed. Proceedings of the symposium on Pacific-Antarctic sciences. Tokyo, Department of Polar Research, National Science Museum. 1967, p. 113-23. (Japanese Antarctic Research Expedition. Scientific Reports, Special Issue No. 1.)) [Results of Soviet observations of Antarctic sea ice. Differences from Arctic ice. Effect of icebergs.]

UNTERSTEINER. N. Natural desalination and equilibrium salinity profile of old sea ice. (In Oura, H., ed. Physics of snow and ice... Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967.

p. 569-77.) [Discussion of various possible mechanisms of salt ungration in old sea icc.]

Walmsley, J. L. Ice cover and surface heat fluxes in Balfin Bay. Arctic Meteorology Research Group, Department of Meteorology, McGill University, Montreal. Publication in Meteorology No. 84, 1966, [xiv]. 94 p. [Latent and sensible] heat fluxes calculated throughout year using values of ice cover corresponding to three different periods of years.l

WATANABE, K. Summary of drift ice in the Okhotsk Sea. (In Oura, H., ed. Physics of snow and ice . . . Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 667-86.) [General

description of development of sea ice, its drift and retreat.]

Weeks, W. F., and Lofgren, G. The effective solute distribution coefficient during the freezing of NaCl solutions. (In Oura, H., ed. Physics of snow and ice... Vol. 1. Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 579-97.) [Variation of effective solute distribution coefficient as a function of growth velocity is in agreement with theoretical predictions.]

WILLIAMS, G. P. Adhesion of frazil ice to underwater structures. Proceedings of the Eastern Snow Conference, Vol. 12, 1967, p. 82-91. [Results of laboratory and field tests on formation of frazil ice discussed, and usefulness of

protective coatings on underwater structures assessed.)

Yeskin, L. I., and Sleptsov-Shevlevich, B. A. Dvukhletniye tsiklicheskiye kolebaniya ledovykh usloviy v rayone Yuzhnykh Sandvichevykh ostrovov [Two-year cyclical variations of ice conditions in the vicinity of the South Sandwich Islands]. Informatsionny Byulleten' Sovetskov Antarkticheskov Ekspeditsii. No. 60, 1967, p. 47-50. [Data 1891-1964, suggesting correlation between westerly atmospheric circulation and Antarctic ice conditions.

GLACIAL GEOLOGY

BARNETT, D. M., and PETERSON. J. A. Comments on "Sur le lieu de fonte sur place de la calotte glacière [sic] de Scheffer". Canadian Geographer. Vol. 12. No. 1, 1968, p. 53-54. [Criticisms of paper by Laverdière, ibid., Vol. 11, No. 2, 1967, p. 86-95.]
Bennett, R. G. Lateral benches of glacial valleys in the Svartisen area of north Norway. Norsk Geografisk

Tidsskrift, Bd. 21, Ht. 4, 1967-68, [pub.] 1967, p. 254-68. [Study of valley benches to identify which are

structural and which are glacial or extra-glacial erosion features.]

Birot. P. Les développements récents des théories de l'érosion glaciaire. Annales de Géographie, 78º An., No. 419, 1968, p. 1-13. [Review of recent theories of glacial crosion and light they throw on classically held views.]

Blake, W., jr. End moraines and deglaciation chronology in northern Canada with special reference to southern Baffin Island. Canada. Geological Survey. Paper 66-26, 1966, v, 31 p., map (in end-pocket). [Extensive system

of end moraines near Frobisher Bay and on Foxe Peninsula described for first time.]
BOND, G., and STOCKLMAYER, V. R. C. Possible ice-margin fluctuations in the Dwyka Series in Rhodesia. Palaeogeography, Palaeoclimatology, Palaeoecology, Vol. 3, No. 4, 1967, p. 433–46. [Rock succession interpreted as due to sediments controlled by fluctuations of glaciers during Upper Carboniferous glaciation of Gondwanaland.]

BOSTROM, R. C. Oceanward spreading of the continental crust in the fjord region of northwest America. Trend in Engineering (Seattle), Vol. 20, No. 2, 1968, p. 4-9, 32. [Effect of ice load on stress state of Earth's crust and resulting spreading.]

CARRYER, S. J. The glacial deposits along the northern flank of the Mount Hutt Range. New Zealand Journal of

Geology and Geophysics, Vol. 10, No. 4, 1967, p. 1136–44.
Chizhov, O. P. Problema vzaimodeystviya materikovogo i morskogo oledeneniya severnogo polushariya [The problem of the interaction of continental and marine glaciation in the northern hemisphere]. Geofizicheskiy

Byulleten', No. 17, 1966, p. 20–24. [Towards a theory of the cause of ice ages.]

Gerhold, N. Zur Glazialgeologie der westlichen Ötztaler Alpen. Unter besonderer Berücksichtigung des Blockgletscherproblems. Veröffentlichungen des Museum Ferdinandeum in Innsbruck, Bd. 47, 1967, 52 p. [Observations on the examination of the glacial deposits of the western part of the Ötztal Alps.]

GRIPP, K. Der Abbau des würmzeitlichen Eises im Bereich des Kattegat. Meddelelser fra Dansk Geologisk Forening, Bd. 17, Ht. 1, 1967, p. 58-75. [Deglaciation and moraine formation during latest glaciation in Kattegat region. English summary. Critical comment by S. A. Andersen and answer by Gripp in ibid., p. 138-45.]
Hammen, T. van der, and others. Stratigraphy, climatic succession and radiocarbon dating of the last glacial in

the Netherlands, [by] T. van der Hammen, G. C. Maarleveld, J. C. Vogel and W. H. Zagurijn. Geologie en Mijnbouw, Jaarg. 46, Nr. 3, 1967, p. 79-95. [Field data, pollen analysis and 14C dating used to construct climatic curve.]

HATTERSLEY-SMITH, G., and LONG, A. Postglacial uplift at Tanquary Fiord, northern Ellesmere Island, Northwest Territories. Arctic, Vol. 20, No. 4, 1967, p. 255-60. [Radiocarbon dating of date of retreat of ice from head of fjord and of subsequent rate of uplift.]

HILLEFORS. Å. Die Glazialschrammen auf Hallands Svartskär und der Verlauf des würmzeitlichen Eisrandes längs der Küste Nordhallands, Westschweden. Meddelelser fra Dansk Geologisk Forening, Bd. 17, Ht. 1, 1967, p. 76-89. [Study of striated rocks in Halland, west Sweden, in 1966. Former ice movements discussed. English summary.]

HOPPE, G. Grimsey and the maximum extent of the last glaciation of Iceland. Geografiska Annaler, Vol. 50A, No. 1, 1968, p. 16-24. [This island 40 km north of the mainland is shown to have been glaciated, probably during the Würm.]

LAMB, H. H., and Bloch, M. R. Volcanic dust, melting of ice caps, and sea levels. Palaeogeography, Palaeoclimatology, Palaeoecology, Vol. 4, No. 3, 1968, p. 219–26. [Criticism by Lamb of paper by Bloch, ibid., Vol. 1, 1965, p. 127–42, and reply by Bloch.]

LAVERDIÈRE, C. Sur le lieu de fonte sur place de la calotte glaciaire de Scheffer. Canadian Geographer, Vol. 11, No. 2, 1967, p. 86-95. [Interest of Labrador-Ungava as one of final refuges of Wisconsin ice sheet.]

Maksimov, Ye. V. Absolyutnaya khronologiya stadiy sokrashcheniya gornykh lednikov [Absolute chronology of the stages of retreat of mountain glaciers]. Sovetikaya Geologiya, 1966, No. 3, p. 84-96. [Comparison of data from many parts of world since last glaciation.]

Mercer, J. H. Variations of some Patagonian glaciers since the Late-glacial. American Journal of Science, Vol. 266, No. 2, 1968, p. 91-109. [Glacier fluctuations have been broadly in phase with those in northern hemisphere, but advance in recent centuries was relatively weaker.]

Parry, J. T. Geomorphology. Canadian Geographer, Vol. 11, No. 4, 1967, p. 280-311. [History of geomorphological study in Canada, including considerable amount of study of glaciers and glacial and periglacial geomorphology.]

Péwé, T. L. Quaternary climatic variations in Antarctica as suggested by glacial fluctuations. (In Pleistocene and post-Pleistocene climatic variations in the Pacific area. Honolulu. Bishop Museum Press, 1966, p. 57-82.) [Study of glacial chronology in ice-free areas surrounding McMurdo Sound, 1957-58, enables possible glacial events and climatic changes in region to be outlined.] PORTER, S. C. Glaciation of Chagvan Bay area, southwestern Alaska. Arctic, Vol. 20, No. 4, 1967, p. 227-46.

[Interpretation of morphologic and stratigraphic evidence in this region.]

PORTMANN, J.-P. Pétrographie des formations glaciaires à l'est du lac de Bienne (Suisse). Eclogae Geologicae

Helvetiae, Vol. 59, No. 2, 1966, p. 697-722.

PORTMANN, J.-P. Qu'attendre de la géologie du Quaternaire? Bulletin de la Société Neuchâteloise des Sciences Naturelles, Tom. 90, 1967, p. 285-90. [The practical applications of the Quaternary geology and the perspective for the future.]

ROED, M. A., and others. The Athabasca Valley erratics train, Alberta, and Pleistocene ice movements across the Continental Divide, by M. A. Roed, E. W. Mountjoy and N. W. Rutter. Canadian Journal of Earth Sciences, Vol. 4, No. 4, 1967, p. 625–32. [In late (?) Wisconsin time, Cordilleran ice in Jasper National Park area partly derived from west of Continental Divide.]

Schulz, W. Über glazigene Schrammen auf dem Untergrund und sichelförmige Marken auf Geschieben in Norddeutschland. Geographische Berichte, 12. Jahrg., Ht. 43, 1967, p. 125-42. [Compilation of observations of striae on bed-rock and crescentic marks on boulders in north Germany. Russian and English summaries.]

SWEIZER, G. Le tardiglaciaire et le niveau des neiges permanentes dans les hautes montagnes des Alpes Maritimes. L'exemple du bassin supérieure de la Tinéc. Méditerranée, 9º An., No. 1, 1968, p. 23-40. [Study of Lateglacial stages in western Alps and corresponding snow line.]

Tremblay, G. Observations et mesures sur les blocs glaciels du cap à l'Orignal. Cahiers de Géographie de Québec, 11e An., No. 23, 1967, p. 402-11. [Study of erratic boulders on a beach of St. Lawrence River. Method of their movement by ice discussed. English summary.]

VEYRET, P. L'épaulement de la vallée glaciaire. A partir de la vallée de Chamonix, une nouvelle conception du problème. Revue de Géographie Alpine, Tom. 56, Fasc. 1, 1968, p. 43-64. [Discussion of form of upper part of

glacial valley wall.]

VIERS, G. Le modelé quaternaire dans le bassin du Rio Tordillo (République Argentine, province de Mendoza). Revue Géographique des Pyrénées et du Sud-Ouest, Tom. 38, [Fasc.] 4, 1967, p. 351-55, maps at back. [Description of present-day glaciers and Quaternary ones which did not descend much further but were more numerous.]

Frost action on rocks and soil. Frozen ground. Permafrost

Angély, G. Anciens glaciers rocheux dans l'est des Pyrénées centrales. Revue Géographique des Pyrénées et du Sud-Ouest, Tom. 38, [Fasc.] 1, 1967, p. 5–28. [Description of three very different rock glaciers.]

ARISTOV, I. F. Nekotoryye dannyye o moroznom vyvetrivanii i soliflyuktsii v nizkogornov i srednegornoy zonakh khrebta Kirgizskiy Ala-Too [Some data on frost weathering and solifluction in the low and intermediate mountain zones of the Kirgiz Ala-Too range]. Izvestiya Akademii Nauk Kirgizskoy SSR. Geograficheskoye Obshchestvo, Vyp. 6, 1966, p. 105-06.

ATAKANOV, U. A. O mnogoletnemerzlykh gornykh porodakh na Sary-Dzhazskikh syrtakh [Permafrost on Sary-Dzhaz high altitude watersheds]. Izvestiya Akademii Nauk Kirgizskoy SSR. Geograficheskoye Obshchestvo, Vyp. 6, 1966, p. 77-83. [Conditions of occurrence and development of permafrost in this region of Tien-Shan.]

Ball, D. F., and GOODIER, R. Large sorted stone-stripes in the Rhinog mountains, North Wales. Geografiska Annaler, Vol. 50A, No. 1, 1968, p. 54-59. [Description of patterns 5 to 8 m wide formed during periglacial

Brown, J. Tundra soils formed over ice wedges, northern Alaska. Proceedings. Soil Science Society of America, Vol. 31, No. 5, 1967, p. 686-91. [Study of these soils and discussion of the role of the ice wedges in their formation and development.]

Brown, R. J. E. Permafrost investigations in British Columbia and Yukon Territory. Canada. National Research Council. Division of Building Research. Technical Paper No. 253, 1967, 115 p. [Investigation of conditions in

which permafrost forms.]

CAILLEUX, A., and HAMELIN, L.-E. Périglaciaire actuel sur le littoral du Bic (Bas-Saint-Laurent), Cahiers de Géographie de Québec, 11e An., No. 23, 1967, p. 361-78. [Study of various periglacial processes in the lower St. Lawrence estuary.]

CORTE, A. E. Soil mound formation by multicyclic freeze-thaw. (In Oura, H., ed. Physics of snow and ice . . Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1333–38.) [Laboratory studies of mound formation following many cycles of freezing and thawing.]

Crampton, C. B., and Taylor, J. A. Solifluction terraces in South Wales. Biuletyn Peryglacjalny, No. 16, 1967, p. 15-36. [Interpretation of terraces as formed by thin layers of surface debris moving by frost action over

permafrost.

DIONNE, J.-C. Modelé periglaciaire de la région de Mont-Joli, Québec. Cahiers de Géographie de Québec, 11º An., No. 23, 1967, p. 398-401. [Description of periglacial landforms in this region of the St. Lawrence estuary.] Donner, J. J., and others. Ice wedges in south-eastern Finland, by J. J. Donner, V. Lappalainen and R. G. West.

Geologiska Föreningens i Stockholm Förhandlingar, Vol. 90, Pt. 1, No. 532, 1968, p. 112-16. [Ice wedge casts in the

Salpausselkä I end moraine attributed to Younger Dryas.]

DUTKIEWICZ, L. The distribution of periglacial phenomena in NW-Sörkapp, Spitsbergen. Biuletyn Peryglacjalny, No. 16, 1967, p. 37-83. [Study of various frost forms, of the efficacy of frost action and of the different zones, leading to a detailed map of frost phenomena in this region.]

DYLIK, J. The main elements of Upper Pleistocene paleogeography in central Poland. Biuletyn Peryglacjalny, No. 16, 1967, p. 85-115. [Includes discussion of periglacial deposits and fossil structures.]

Elsasser, H. Der Strukturboden auf der Fuorcla da Fäller (Fallerfurka). Die Alpen, 44. Jahrg., 1. Quartal, 1968, p. 38-42. [Popular introduction to patterned ground and description of the different types found in this part of Switzerland.]

EVERETT, K. R. The morphology of the slopes of Ogotoruk Creek Valley, northwest Alaska. Biuletyn Peryglacjalny, No. 16, 1967, p. 117-31. [Interpretation of structure and movement of these slopes from trenches cut through

Goździk, J. S. Fauchage des sentes en coin dû aux mouvements de masses sur des pentes douces. Biuletyn Peryglacialny, No. 16, 1967, p. 133-46. [Study of frost wedges on very slight slopes shows that the upper layers are undergoing downhill displacements. English summary.

Grave, N. A. Temperature regime of permafrost under different geographical and geological conditions. (In

Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1339-43.) [Discussion of what determines temperature regime.]

Guillen, Y., and Pinot, J.-P. Formations glaciaires et interglaciaires autour des Grands Lacs. Bulletin de l'Association Française pour l'Étude du Quaternaire, 3º An., No. 6, 1966, p. 31-39. [Report on glacial and interglacial deposits around the Great Lakes of North America based on the excursions of seventh Congress of INQUA.]

HOLMES, G. W., and others. Pingos in central Alaska, by G. W. Holmes, D. M. Hopkins and H. L. Foster. U.S. Geological Survey. Bulletin 1241-H, 1968, iv, 40 p. [Study of distribution, form, vegetation, hydrology, microrelief, evolution and age.] Horiguchi, K. Shimobashira no seichō katei no kansatsu [Growth process of frost columns (shimobashira)].

Teion-kagaku: Low Temperature Science, Scr. A. [No.] 25, 1967, p. 171-77. [Ciné film observation of growth of needle ice from soil in laboratory. English summary.]

IVANOV, N. S., and GAVRIL'YEV, R. I. Teplofizicheskiye svoystva merzlykh gornykh porod [Thermophysical properties of frozen ground]. Moscow, Izdatel'stvo "Nauka", 1965. 72 p. [Compilation of data on properties of frozen ground and discussion of theory.]

Jahn, A. Some features of mass movement on Spitsbergen slopes. Geografiska Annaler, Vol. 49A, Nos. 2-4, 1967, p. 213-25. [Description of solifluction, rock falls and avalanches. Field work in Hornsund area, Vestspits-

bergen.]

JUMIKIS, A. R. Upward migration of soil moisture by various mechanisms upon freezing. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1387–99.) [Conditions under which different transfer mechanisms act.]

Kinosita, S. Heaving force of frozen soils. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 2, [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1345–60.) [Field and laboratory

measurements.1

Kinosita, S., and others. Dennetsu de atatameta tochi no shimobashira [Formation of frost columns (shimobashira) on the surface of electrically heated ground]. [By] S. Kinosita, G. Wakahama [and] K. Horiguchi. Teionkagaku: Low Temperature Science, Scr. A, [No.] 25, 1967, p. 185-95. [By heating the surface, needle ice can be induced to form there instead of only at depth. Study of the formations. English summary.]

Kinosita, S., and others. Tojoryoku. II. Genjo sokutci kekka ni tsuite [Heaving force of frozen ground. II. On the results of field researches]. [By] S. Kinosita, T. Ono [and] M. Oguro. Teion-kagaku: Low Temperature Science, Scr. A, [No.] 24, 1966, p. 285-97. [Measurement of force on rigid iron disc. English summary.]

MACKAY, J. R. Underwater patterned ground in artificially drained lakes, Garry Island, N.W.T. Geographical

Bulletin (Ottawa), Vol. 9, No. 1, 1967, p. 33-44. [Vertical heaving under winter ice cover may help to form patterned ground under lakes on island on rim of Mackenzie Delta.]

MARTINI, A. Preliminary experimental studies on frost weathering of certain rock types from the West Sudetes. Biuletyn Peryglacjalny, No. 16, 1967, p. 147-94. [Laboratory study of frost weathering compared with field

Moign, A., and Guilcher, A. Une flèche littorale en milieu périglaciaire arctique: la flèche de Sars (Spitsberg). Norois, 14° An., No. 56, 1967, p. 549-68. [Evolution of the Sars spit, Vestspitsbergen, described, including

influence of sea ice and glacial origin of material.]

MUDROV, YU. V., and TUMEL!, N. V. Le rôle de la tixotrophie dans l'évolution du microrelief des pays du nord et des hautes montagnes. Biuletyn Peryglacjalny, No. 16, 1967, p. 195-201. [Under certain physical influences, without changing its water content, a soil may become liquid and flow, returning to the solid state when the influence is removed. Role of this process in development of microrelief in cold climates.]

MYCIELSKA-Dowgiałło, E. Formy szczelinowe i inwolucyjne w piaskach i żwirach doliny Wisły koło Tarnobrzega [Frost fissures in sands and gravels of the Vistula valley near Tarnobrzeg]. Biuletyn Peryglacjalny, No. 16,

1967, p. 203-15. [English summary p. 213-15.]

Penner, E. Pressures developed during the unidirectional freezing of water-saturated porous materials. Experiment and theory. (In Oura, H., ed. Physics of snow and ice... Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1401–12.) [Theory of origin of pressures in ice lens growth and experiments with glass bead pads to test this.]

ROBERTS, D. Occurrences of weathering pits from Sørey, northern Norway. Geografiska Annaler, Vol. 50A, No. 1, 1968, p. 60-63. [Description of these pits and discussion of their origin; microgelivation thought to be most

important causative factor.]

Rohdenberg, H. Eiskeilhorizonte in südniedersächsischen und nordhessischen Lössprofilen. Biuletyn Peryglacjalny, No. 16, 1967, p. 225-45. [Ice wedges identified in loess profiles in this part of Germany interpreted in terms of climatic variations.]

Soons, J. M., and RAINER, J. N. Micro-climate and erosion processes in the Southern Alps, New Zealand. Geografiska Annaler, Vol. 50A, No. 1, 1968, p. 1-15. [Includes discussion of importance of needle ice as agent

Svensson, H., and others. Polygonal ground and solifluction features. Photographic interpretation and field studies in northernmost Scandinavia, by H. Svensson, H. Källander, A. Maack and S. Ohrngren. Lund Studies in Geography, Ser. A. No. 40, 1967, 67 p. [Four papers: H. Svensson, "A tetragon patterned block field", p. 8–23; H. Källander, "Patterned ground and solifluction at North Cape, Magerøy", p. 24–40; A. Maack, "Fossil ice-wedge polygons in the Kunes and Båtsfjord areas", p. 41–57; S. Ohrngren, "Polygon fields on the Laksefjord, Finnmark", p. 58-67.]

TANUMA, K. Tōjōryō to gansui-hi no kankei. I [The relation between the heave amount and water content. I]. Teion-kagaku: Low Temperature Science, Ser. A, [No.] 25, 1967, p. 179-84. [Study of amount of frost heaving during unidirectional freezing in an "open system". English summary.]

Turbin, L. I., and Konyukhov, A. G. Merzlotnyye obrazovaniya vnutrennego Tyan' Shanya [Cryogenic formations of inner Tien-Shan]. Izvestiya Akademii Nauk Kirgizskoy SSR. Geograficheskoye Obshchestvo, Vyp. 6, 1966,

p. 107-10. [General description of features observed.]

UHLMANN, D. R., and JACKSON, K. A. Frost heave in soils. The influence of particles on solidification. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1361-73.) [Theoretical study of frost heave rate in various soils and comparison with observations.]

WILLIAMS, R. E. Ground water flow systems and related highway pavement failure in cold mountain valleys. Journal of Hydrology (Amsterdam), Vol. 6, No. 2, 1968, p. 183-93. [Includes study of formation of ice lenses

in valleys and effect of highways on them.]

Yefimov, A. I., and Dukhin, I. Ye. Maksimal'nyye glubiny zaleganiya mnogoletnemerzlykh gornykh porod [Maximal depths of permafrost]. Geologiya i Geofizika, 1966, No. 7, p. 92-97. [Calculated and observed depths from various parts of northern hemisphere.]

YONG, R. N. On the relationship between partial soil freezing and surface forces. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 2, [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1375-85.) [Role of surface forces in determining amount of unfrozen water in frozen soils, and effect of this on strength.]

METEOROLOGICAL AND CLIMATOLOGICAL GLACIOLOGY

Aufdermaur, A. N., and Joss, J. A wind tunnel investigation on the local heat transfer from a sphere, including the influence of turbulence and roughness. Zeitschrift für angewandte Mathematik und Physik, Vol. 18, Fasc. 6, 1967, p. 852-66. [Model experiments on heat transfer from objects shaped like natural hailstones.]
Browning, K. A., and Beimers, J. G. D. The oblateness of large hailstones. Journal of Applied Meteorology, Vol. 6,

No. 6, 1967, p. 1075-81. [Study of sections of large hailstones to show how shape changes with time.]
Gensler, G. A. Typische Schnee- und Witterungsverhältnisse im Sommer in den Alpen. Les Alpes. Revue du Club Alpin Suisse, 42e An., No. 2, 1966, p. 81-85. [Relationship between Alpine snow line and summer

GITLIN, S. N., and others. The liquid water content of hailstones, [by] S. N. Gitlin and G. G. Goyer and T. J. Henderson. Journal of the Atmospheric Sciences, Vol. 25, No. 1, 1968, p. 97-99. [Calorimetric measurements of

hailstones in Kenya, Colorado and South Dakota.]

LIST, R., and DUSSAULT, J.-G. Quasi steady state icing and melting conditions and heat and mass transfer of spherical and spheroidal hailstones. Journal of the Atmospheric Sciences, Vol. 24, No. 5, 1967, p. 522-29. [Theory of heat and mass exchange of hailstones. Axial ratio shown to be unimportant.]

MACCREADY, P. B., jr., and BAUGHMAN, R. G. The glaciation of an AgI-seeded cumulus cloud. Journal of Applied

Meteorology, Vol. 7, No. 1, 1968, p. 132-35. [Direct observation of cloud particles shows seeded cloud to

consist entirely of ice particles.]

Ohtake, T. Alaskan ice fog. I. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 1. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 105–18.) [Electron-microscope study of nuclei in ice fog particles and study of conditions of formation of ice fog.]

Rosinski, J. Insoluble particles in hail and rain. Journal of Applied Meteorology, Vol. 6, No. 6, 1967, p. 1066-74.

[Includes study of particles in hailstones.]

Vittori, O. A., and Prodi, V. Scavenging of atmospheric particles by ice crystals. Journal of the Atmospheric Sciences, Vol. 24, No. 5, 1967, p. 533-38. [Ice crystals growing in supercooled clouds studied to determine their ability to include foreign particles.]

Weller, G. E. Radiation fluxes over an Antarctic ice surface, Mawson, 1961-62. ANARE Scientific Reports. Series A(IV). Glaciology. Publication No. 96, 1967, [vi], 106 p. [Measurement for two years of upwards and downwards flux of both short and long wavelength radiation. Radiation balance deduced.]

SNOW

AGER, B. Snow cover properties and winter climate in north Sweden. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 2, [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1029-36.) [Grain-size and density distributions for different snow types, hardness of snow, and effect of winter climate.]

AKITAYA, E. Shimo zarame yuki no kenkyū. II [Studies of depth hoar. II]. Teion-kagaku: Low Temperature Science, Ser. A, [No.] 25, 1967, p. 37–47. [Laboratory study of conditions under which depth hoar crystals form. English summary.

AKITAYA, E. Some experiments on the growth of depth hoar. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 713-23.) [Labora-

tory study. Depth hoar classified into two types.]

Ambühl, E. 25 ans de mensuration de la neige à la cabane Rotondo CAS (2 585 m) (1940-1965). Les Alpes. Revue du Club Alpin Suisse, 42º An., No. 2, 1966, p. 91-102. [Account of 25 years of snow surveying from station "cabane Rotondo CAS" at the base of the Witenwasserental.]

ANDERSON, E. A. Development and testing of snow pack energy balance equations. Water Resources Research, Vol. 4, No. 1, 1968, p. 19-37. [Method of computing energy balance on a continuous basis described and

tested with 5 years of data from Central Sierra Snow Laboratory.]

Anderson, H. W., and West, A. J. Snow accumulation and melt in relation to terrain in wet and dry years.

Proceedings of the Western Snow Conference, 33rd annual meeting, 1965, p. 73-82. [Analysis of data from 163] snow courses in central Sierra Nevada, California, followed by recommendations for selection of sites for snow courses, depending on nature of terrain.]

AVER'YANOV, V. G. Temperaturnyy rezhim mnogoletnego snezhnika v oazise Shirmakhera [Temperature regime of old snow bed at Schirmachervatna]. Informatsionnyy Byulleten' Sovetskoy Antarkticheskoy Ekspeditsii, No. 60, 1967, p. 16–24. [Observations made from "Novolazarevskaya" in 1963.]
BARKOV, N. I., and PETROV, V. N. Izmenchivost' snegonakopleniya i nekotoryye osobennosti klimata i atmosfernoy

tsirkulyatsii Antarktidy [Variations of snow accumulation and some peculiarities of the climate and atmospheric circulation of Antarctica]. Informatsionnyy Byulleten' Sovetskoy Antarkticheskoy Ekspeditsii, No. 59, 1966, p. 1-13. [Analysis based on stratigraphic study of snow and firn thickness in deep pits, late nineteenth to mid-twentieth century.]

Benson, C. S. Polar regions snow cover. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1039-63.) [General discussion of the different phenomena which occur in snow, both seasonal and perennial, as products and indicators of climate.]

BILELLO, M. A. Relationships between climate and regional variations in snow-cover density in North America. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1015-28.) [Analysis of observations shows four main categories. Nomograph

using air temperature and wind speed.

Bradley, C. C., and Bowles, D. Strength-load ratio. An index of deep slab avalanche conditions. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1243-53.) [Use of snow resistograph and sampling tube to anticipate deep slab avalanches.]

BRYUKHANOV, A. V., and others. On some new approaches to the dynamics of snow avalanches, by A. V. Bryukhanov, S. S. Grigoryan, S. M. Myagkov, M. Ya. Plam, I. Ya. Shurova, M. E. Eglit and Yu. L. Yakimov. (In Oura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1223-41.) [Theoretical study of avalanche motion and experimental methods used for testing these theories.]

CHAE, Y. S. Frequency dependence of dynamic moduli of, and damping in snow. (In Oura, H., ed. Physics of snow and ice . . . Vol. i, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967,

p. 827-42.) [Theory of dynamic properties and results of tests on snow 800 to 6 000 kHz.]

CLEMENT, P., and VAUDOUR, J. Observations on the pH of melting snow in the southern French Alps. (In Wright, H. E., jr., and Osburn, W. H., ed. Arctic and alpine environments. Bloomington, Indiana University Press, 1967, p. 205-13.) [Variations with time and type of snow. Study of erosion produced by the melt water.]

DAVIES, L. B., and ROCKWOOD, D. M. A hydrometeorological analysis of a maximum probable flood for the Portage Mountain Project, Peace River, British Columbia. Proceedings of the Western Snow Conference, 34th annual meeting, 1966, p. 57-68. [Maximum probable snowmelt and snowmelt-rain floods for Peace River basin alone and for Peace River basin augmented by McGregor River diversion are computed.]

DOUMANI, G. A. Surface structures in snow. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1119–36.) [Observations of large- and small-scale snow surface structures, both depositional and erosional, during Antarctic traverse.]

DYUNIN, A. K. Fundamentals of the mechanics of snow storms. (In Oura, H., ed. Physics of snow and ice.... Vol. 1,

Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1065-73.) [Theory of turbulent transfer of snow particles in snow-storms. Importance of evaporation from snow particles under these conditions.]

Endo, Y. Sekisetsu enchu no asshuku hakai [The destructive contraction of a cylindrical column of snow]. Teionkagaku: Low Temperature Science, Scr. A, [No.] 25, 1967, p. 63-72. [Study of specimen-length dependence of critical velocity for snow compression. English summary.]

Furukawa, I. Notch-type step construction for prevention of avalanches. (In Oura, H., ed. Physics of snow and ice... Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1291-

94.) [Theory of use of steps cut into the ground for avalanche prevention.]

HAEFELI, R. Some mechanical aspects on the formation of avalanches. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1199-213.) Theory of stresses in snow layers and formation of both loose snow and snow slab avalanches. Includes discussion of viscosity of snow and firn as function of porosity.]

HANAGUD, S. Snow as a locking material. High pressure properties of snow. (In Oura, H., ed. Physics of snow and Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 807-

26.) [Theory of behaviour of snow under high pressure.]

HERRMANN, M. K., and Stehle, N. S. Protective coverings for ice and snow. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 797-806.) [Use of sawdust and polyurethane foam.]

Huzioka, T., and others. Hokudai Teshio chihō enshū rinsanchi sekisetsu no sesshitsu chōsa hokoku. I [Report on the study of the characteristics of snow cover in the Hokkaido University forest and mountain study area in the Teshio district. I. Winter 1963-64 and 1964-65]. [By] T. Huzioka, H. Shimizu, E. Akitaya [and] H. Narita. Teion-kagaku: Low Temperature Science, Scr. A, [No.] 24, 1966, p. 177-99. [Snow studies in an avalanche hazard area. English summary.]

HUZIOKA, T., and others. Observation of creep rate of snow on mountain slopes, Teshio district, Hokkaido, [by] T. Huzioka, H. Shimizu, E. Akitaya and H. Narita. (In Oura, H., ed. Physics of snow and ice Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1177-83.) [Observa-

tions of snow creep on two selected sites used to deduce stress distribution.]

JAYAWEERA, K. O. L. F., and Mason, B. J. The falling motions of loaded cylinders and discs simulating snow crystals. Quarterly Journal of the Royal Meteorological Society, Vol. 92, No. 391, 1966, p. 151-56.

Judson, A. Snow cover and avalanches in the high alpine zone of western United States. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1151-68.) [Analysis of avalanche tracks in Colorado, studies of snow-cover characteristics and avalanche forecasting.]

Keeler, C. M., and Ramseier, R. O. Some physical properties in dry snow as seen in laboratory experiments. Proceedings of the Western Snow Conference, 34th annual meeting, 1966, p. 25-31. [Investigations into nature of

sintering.

Kern, H. Untersuchung des Wasserhaushalts der Schneedecke. Umschau, Bd. 67, Ht. 8, 1967, p. 258. [Results of

measurements with weighed test area to determine water budget of snow cover.]

KINOSITA, S. Compression of snow at constant speed. (In Oura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 911-27.) [Experiments at widely varying compression rates show critical transition speed from plasticity to brittleness.]

- Kinosita, S., and others. Daisetsu-yama no sekkei chōsa (daini nendo) [Studies of firn on Mt. Daisetsu (second year)]. [By] S. Kinosita [and 11 others]. Teion-kagaku: Low Temperature Science, Ser. A, [No.] 24, 1966, p. 201–10. [Studies of metamorphism, melting and creep in this permanent snow-patch. English summary.]
- 10. [Studies of metamorphism, melting and creep in this permanent snow-patch. English summary.]

 Kojima, K. Densification of seasonal snow cover. (In Ōura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 2.

 [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 929–52.) [Theory of densification under varying accumulation conditions when Sorge's law does not hold. Experimental check.]
- KOJIMA, K. Sckisetsu no jõhatsu no yūsetsu ni oyobosu eikyö ni tsuite no ichijikken [A field experiment on the influence of evaporation of snow cover upon snow melt]. Teion-kagaku: Low Temperature Science, Ser. A, [No.] 25, 1967, p. 119–26. [Study of increase in snow melt when evaporation is artificially prevented. English summary.]
- Kojima, K., and others. Sapporo no ryūdo bumpu no motomekata ni tsuite [Report on the sectional measurement material for snow cover in the Sapporo plain, winter 1964-65]. [By] K. Kojima, G. Wakahama, T. Nakamura, E. Akitaya, D. Kobayashi, Y. Endo [and] H. Narita. Teion-kagaku: Low Temperature Science, Ser. A, [No.] 24, 1966, p. 159-75. [Routine observations during year of exceptionally high snowfall. English summary.]
- KOPANEV, I. D. K obosnovaniyu metodiki snegos''yemok [Methodological basis for snow surveys]. Meteorologiya i Gidrologiya, 1966, No. 8, p. 12–15.
- KRASSER, L. M. A. Sound phenomena of deposited snow. (In Oura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1261–67.) [Includes study of audibility of sounds coming from snow pack, and of release of avalanches by sound waves.]
- of audibility of sounds coming from snow pack, and of release of avalanches by sound waves.]

 KURODA, M. Classification of snow avalanches. (In Ōura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 2.

 [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1277–90.) [Classification based on avalanche mechanism.]
- Kuroiwa, D. Yuki no kesshō no fushoku [On etching of snow crystals]. Teion-kagaku: Low Temperature Science, Ser. A, [No.] 24, 1966, p. 57–80. [Observations of etch pits. English summary.]
- KUROIWA, D., and others. Micrometrical properties of snow, by D. Kuroiwa, Y. Mizuno and M. Takeuchi, (In Oura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 751–72.) [Definition of surface roughness for natural snow particles, and study of their angle of repose, internal friction, packing age hardening and capillary potential.]
- of their angle of repose, internal friction, packing, age hardening and capillary potential.]

 LACHAPELLE, E. R. The relation of crystal riming to avalanche formation in new snow. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 2. [Sapporo]. Institute of Low Temperature Science, Hokkaido University, 1967, p. 1169–75.) [Importance of riming of crystals when predicting new snow avalanches.]
- MACKAY, J. R., and MATHEWS, W. H. Observations on pressure exerted by creeping snow, Mount Seymour, British Columbia, Canada. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1067, p. 1185-07.)
- Low Temperature Science, Hokkaido University, 1967, p. 1185–97.)

 MAENO, N., and KUROIWA, D. Yuki no kesshō no naka no kihō [Air bubbles in snow crystals], Teion-kagaku: Low Temperature Science, Ser. A, [No.] 24, 1966, p. 81–89. [Identification of air bubbles and observation of their shapes. English summary.]
- MARTINELLI, M., jr. Possibilities of snowpack management in alpine areas. (In Sopper, W. E., and Lull, H. W., ed. Forest hydrology: proceedings of a National Science Foundation advanced science seminar held at the Pennsylvania State University . . . , Aug. 29–Sept. 10, 1965. Oxford and New York, Pergamon Press, 1966, p. 225–31.) [Research is recommended on wind-flow and snow-drift patterns in irregular terrain as a basis for model studies, and on procedure and techniques for accumulating snow by intentional avalanching.]
- MIZUNO, Y., and KUROIWA, D. Sekisetsu ryūshi no tappingu asshuku [Compression of snow particles by tapping]. Teion-kagaku: Low Temperature Science, Ser. A, [No.] 24, 1966, p. 111-31. [Densification of snow when shaken down. English summary.]
- MORGAN, G. M., jr., and ROSINSKI, J. A field technique for detecting silver iodide in snow. Journal of Applied Meteorology, Vol. 6, No. 4, 1967, p. 656-61.
 MOSER, E. H., and SHERWOOD, G. E. The load-carrying capacity of depth-processed snow on deep snowfields.
- Moser, E. H., and Sherwood, G. E. The load-carrying capacity of depth-processed snow on deep snowfields. (In Ōura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 993-1005.) [Description of methods of testing snow, methods of accelerating its consolidation, and resultant ways of making roads and runways.]
- Moskalev, Yu. D. The stability of snow cover on mountain slopes. (In Oura, H., ed. Physics of snow and ice Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1215–22.) [Analysis of main factors of avalanching and deduction of nomograph for instability.]
- Mullian, J. C. Model for heat transfer in frost and snow. Journal of Geophysical Research, Vol. 73, No. 8, 1968, p. 2663–68. [Theory of temperature distribution in ventilated and unventilated material. Effects of water vapour diffusion and density stratification.]
- NAKAYA, U., and Kuroiwa, D. Physical properties and internal structure of Greenland snow. (In Ōura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 953–71.) [Elastic modulus, air permeability, unconfined compressive strength and creep tests on snow from "Site 2", Greenland. Analysis of densification process.]
- NARITA, H. Sanjiku asshuku ni okeru yuki no henkei [Deformation of snow under triaxial compression]. Teion-kagaku: Low Temperature Science, Scr. A, [No.] 25, 1967, p. 49-61. [Constant strain-rate tests with fixed lateral pressure. English summary.]
- ÖNUMA, T. Studies on heat balance on natural snow surfaces and promotion of melting of snow. (In Oura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 785–96.) [Study of heat balance at surface of snow over half-month period; study of how snow melt is affected by black powder.]

Öura, H. Studies on blowing snow. I. (In Oura, H., ed. Physics of snow and ice... Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1087-97.) [Study of amount of snow transported and of particle size and shape distribution at "Syowa" base, Antarctica.]

[No.] 25, 1967, p. 89-97. [Photography used to study mechanism of snow transport. Saltation confirmed as main mechanism. English summary.]

Oura, H., and others. Kanayama damu oyobi Shumarinai-ko fukin ni okeru yüsetsu no kenkyü [Studies on the melting of snow in the neighbourhood of the Kanayama dam and the Shumarinai lake]. [By] H. Ōura, K. Kojima, D. Kobayashi [and] S. Kobayashi. *Teion-kagaku: Low Temperature Science*, Ser. A, [No.] 25, 1967, p. 99-117. [I.H.D. project on heat balance of melting snow surface. English summary.]

Oura, H., and others. Studies on blowing snow. II, [by] H. Oura, T. Ishida, D. Kobayashi, S. Kobayashi and T. Yamada. (In Oura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1099–117.) [Observations in a wind tunnel and in the field of threshold speed needed for blowing snow and of mechanism of blowing snow.]

Picciotto, E. E. International activities—geochemical investigations of snow and firm samples from East

Antarctica. Antarctic Journal of the United States, Vol. 2, No. 6, 1967, p. 236-40.

QUICK, M. C. A comparison of measured and theoretical snow-pack temperatures. Journal of Hydrology (Amsterdam), Vol. 5, No. 1, 1967, p. 1-20. [Theoretical and experimental study of heat exchange at surface of snow cover.]

Salm, B. An attempt to clarify triaxial creep mechanics of snow. (In Oura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 857-74.) [Theoretical analysis in terms of invariants and experiments to determine how shear and bulk viscosities depend on the invariants.]

SATTERLUND, D. R., and HAUPT, H. F. Snow catch by conifer crowns. Water Resources Research, Vol. 3, No. 4, 1967, p. 1035-39. [Study of interception storage of snow by two species of sapling conifers in northern Idaho

revealed that cumulative snow catch follows the classical law of autocatakinetic growth.]

SCHAERER, P. A. The amount of snow deposited at avalanche sites. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1255-60.)

[Study of quantity of material brought down by avalanches.]

Shimizu, H. Magnitude of avalanche. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1269–76.) [Three possible measures of

avalanche magnitude.]

SHIMIZU, H. Nadare no kaikyū [The magnitude of avalanches]. Teion-kagaku: Low Temperature Science, Ser. A,

 [No.] 24, 1966, p. 211–20. [Proposed scale of avalanche magnitude. English summary.]
 Shimizu, H., and others. 1965-nen Satsunai-Gawa nadare chosa hokoku [Study report on the Satsunai-Gawa avalanche, 1965]. [By] H. Shimizu, Y. Endo, O. Watanabe [and] T. Yamada. Teion-kagaku: Low Temperature Science, Ser. A, [No.] 24, 1966, p. 221-38. [Study of avalanche which caused six deaths. English summary.]

Shinojima, K. Study on the visco-elastic deformation of deposited snow. (In Oura, H., ed. Physics of snow and ice.... Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 875–907.) [Uniaxial compression extension and torsion tests at constant load or constant rate.]

SHIOTANI, M., and ARAI, H. On the vertical distribution of blowing snow. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1075-[Measurement of snow up to 6 m, and results discussed in relation to wind profile.]

SHODA, M. Aerial observations and thin section studies on avalanches. (In Oura, H., ed. Physics of snow and ice . . . Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1137-49.) [Use of helicopters and aeroplanes to observe avalanches and sample their micrographical stratification.]

[SNOW.] Setsugai Jikken Kenkyūjo Hōkoku: Report of the Institute of Snow and Ice Studies, 1967, [iv], 136 p. [Contents: H. Saitō "On the theory of melting snow by sprinkling subterrangen water on readways", p. 1-16: A. Fukui H. Saitō, "On the theory of melting snow by sprinkling subterranean water on roadways", p. 1-16; A. Fukui and others, "On the snowfall intensity-meter using the scattering of infra-red rays", by A. Fukui, M. Shimizu, K. Kimura, T. Igarashi and K. Kemmotsu, p. 17-28; T. Igarashi and others, "Studies of the properties of snow cover in the plains of Hokuriku district (II). On the deposited snow in Nagaoka in 1965 and 1966", by T. Igarashi, M. Shimizu and K. Kemmotsu, p. 29-70; T. Nakamura and M. Yamada, "Some measurements of snow cover on an experimental slope with a tunnel" (in English), p. 71–92; Y. Tanaka and S. Takahashi, "Snow pressure acting upon a fixed beam under the snow", p. 93–107; Y. Tanaka and S. Kobayashi, "Snow removal capacity of gutter systems", p. 109–28; H. Saitō, "Heavy snowfall in January 1967", p. 129–31; H. Saitō, "Predicting the last day of the 'snow season' according to the depth of snow in early April", p. 133– 36. All papers in Japanese except where otherwise stated, English abstracts except for last two.]

H., ed. Physics of snow and ice Vol. 1, Pt. 2. [Sapporo], Institute of Low Temperature Science, Hokkaido University, 1967, p. 1295–309.) [Presentation of map of avalanche regions of U.S.S.R.]
Vinogradov, O. N., and Model, Yu. M. Izmeneniye rel'yefa snezhnoy poverkhnosti v Mirnom s 1956 po 1964 g.

[Changes in the relief of the snow surface at Mirny from 1956 to 1964]. Informatsionnyy Byulleten' Sovetskoy Antarkticheskoy Ekspeditsii, No. 59, 1966, p. 15-19.