

EXPERIMENTAL AGRICULTURE

Editor

PROFESSOR J. P. HUDSON

Editorial Board

PROFESSOR SIR J. B. HUTCHINSON (CHAIRMAN)

PROFESSOR D. K. BRITTON

D. RHIND

DR. E. E. CHEESMAN


PROFESSOR E. W. RUSSELL

PROFESSOR J. D. IVINS

DR. G. WATTS PADWICK

SIR G. W. NYE

DR. C. C. WEBSTER



CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, N.W. 1

American Branch: 32 East 57th Street, New York, N.Y. 10022

Annual Subscription £5 net (U.S.A. \$16.50)

Single parts 35s. net (U.S.A. \$5.00)

Expl Agric.

OVERSEAS ADVISORS

DR. J. A. ANDERSON (*Canada*)

DR. M. A. A. ANSARI (*Pakistan*)

DR. M. F. CHANDRARATNE (*Ceylon*)

DR. K. B. LAL (*F.A.O.*)

DR. J. MELVILLE (*Australia*)

DR. A. H. MOSEMAN (*United States*)

PROFESSOR M. A. NOUR (*Sudan*)

DR. B. P. PAL (*India*)

DR. S. J. DU PLESSIS (*South Africa*)

Experimental Agriculture publishes the results of research on crop production and animal husbandry, with the main emphasis on field experiments carried out in the warmer climates of the world. It also includes accounts of new experimental techniques, discussions of specific problems met in countries where agricultural production is developing rapidly, review articles on new developments in scientific agriculture, and occasional papers on technical, economic and sociological aspects of farming systems. The journal is the successor to *The Empire Journal of Experimental Agriculture*.

Experimental Agriculture is published quarterly. Four parts form a volume.

Subscriptions may be sent to any bookseller or subscription agent or direct to Cambridge University Press, P.O. Box 92 London, N.W. 1. Subscriptions in the U.S.A. and Canada should be sent to the American branch of the Press, 32 East 57th Street, New York, N.Y. 10022. The subscription price is £5 net (including postage) for an annual volume (\$16.50 in the U.S.A.), payable in advance; separate parts cost 35s. net or \$5.00 each (plus postage).

Second class postage paid at New York, N.Y.

Back Volumes. Inquiries for Vols. 1-32 of *The Empire Journal of Experimental Agriculture* should be addressed to Wm Dawson & Sons Ltd, Cannon House, Folkestone, Kent. Previously published parts of *Experimental Agriculture* are available from the London or New York offices of Cambridge University Press.

NOTES FOR CONTRIBUTORS

Contributions will be welcomed from scientists of all nationalities, particularly those working in tropical and sub-tropical countries where up-to-date techniques of agricultural experimentation are helping in the rapid development of more modern methods of farm production. Contributions, which must be written in English, should be sent to the **Editor, Professor J. P. Hudson, Orchard House, Long Ashton, Bristol.**

Conditions of acceptance. Submission of a paper will be taken to imply that the material has not previously been published, and is not being considered for publication elsewhere. Papers published in *Experimental Agriculture* may not be reprinted or published in translation without permission from the Editor, given on behalf of the Editorial Board.

General lay-out. Before having their manuscripts typed contributors are asked to look carefully at the lay-out of other papers published in this journal, to ensure that their own papers, as submitted, conform as closely as possible to

the accepted pattern. This very much facilitates the work of the Editor and may often result in a paper being published earlier than if it requires a great deal of detailed editorial attention. Numerical data, which should only be included if they are essential to the argument, can be presented either in the form of tables or diagrams, but should never be shown in both ways. It is not the normal custom of the Journal to publish notes shorter than about 2000 words (4 pages) or longer than about 6000 words (12 pages including illustrations).

Typescripts. A top copy and one carbon copy of the script should be submitted, typed with double spacing, on one side of the paper only and with margins of about 1½ inches at the left-hand side and head of each sheet. Quarto size is preferred to foolscap.

Title. The development of automatic bibliographic methods, based on single-word indexing of the significant words in the title, makes it essential that the title of each paper should contain the maximum of relevant informa-

Azodrin

does its job inside out-outside in

... and that means double trouble for cotton pests, because Shell's powerful new organo-phosphorus insecticide Azodrin works *two* ways.

By contact, immediately destroying insects on the plant surface. And systemically, by penetrating foliage rapidly where it kills sucking and chewing pests as they try to eat.

This sophisticated dual action makes Azodrin by far the most wide-ranging insecticide yet devised giving *continuing* control over *more* pests *more* effectively.

Azodrin has already been employed with outstanding success in the United States and

Central America, and is now proving world-wide to be one of the cotton grower's most powerful allies.

Suddenly pests that took a bite out of profits are losing their appetite.

For further information or supplies of Azodrin contact your Shell company or Shell chemicals distributor. Shell works today for your more profitable tomorrow.

Shell Chemicals



TROPICAL AGRICULTURE

THE JOURNAL OF THE
IMPERIAL COLLEGE OF TROPICAL AGRICULTURE
and
FACULTY OF AGRICULTURE

UNIVERSITY COLLEGE OF THE WEST INDIES

*General Editor: H. K. ASHBY, M.A., DIP.AGRIC., A.I.C.T.A.
7. Linton Road, Oxford*

Established in 1925, this illustrated journal of the Imperial College of Tropical Agriculture, Trinidad, is essential to agricultural research workers, and to all concerned with the science of agriculture in the tropics. Published quarterly during January, April, July and October, it serves ninety countries and holds the unique position of being the only journal, printed in English, which is devoted solely to agriculture within the tropical zone. In bringing it to your attention, we are introducing a method of ensuring that you are kept well informed and up-to-date on the latest developments and advances in agricultural research and its application in the tropics.

*Annual Subscription £4 10s. (\$10.00) post free
Single issues 22s. 6d. post free*

A Quarterly Publication from
BUTTERWORTHS
88 Kingsway, London, WC2


from the
University
of Michigan
Press



JUST PUBLISHED
 A Fascinating and Controversial
 Study of the Human Factor in
 Farming by the Author of
BLOSSOMS IN THE DUST

KUSUM NAIR

The Lonely Furrow

Farming in the United States, Japan, and India

Is American farming efficiency a myth? Is the Japanese farmer the most efficient in the world? Kusum Nair sought the answers to these questions in scores of interviews and in extensive scholarly research. The vital human portraits of individual farmers, and the revolutionary conclusions regarding agricultural development in a country such as India, make Kusum Nair's latest work a most rewarding and significant study.

\$7.95

Through your bookseller or order direct



The UNIVERSITY OF MICHIGAN PRESS
 ANN ARBOR

ANIMAL PRODUCTION

Journal of the British Society of Animal Production

Contents of Volume 11, Part 1, February 1969 include the following:

- OWEN, DAVIES and RIDGMAN. The effects of varying the quantity and distribution of liquid feed in lambs reared artificially.
- LEAVER, CAMPLING and HOLMES. The effect of level of feeding on the digestibility of diets for sheep and cattle.
- MILES, WALTERS and EVANS. Dry-matter intake and live-weight gain of cattle and sheep offered different grass varieties with and without clover.
- SUZUKI, SHOZO, FUJITA, HIROSHI and SHINDE, YOZO. Change in the rate of eating during a meal and the effect of the interval between meals on the rate at which cows eat roughages.
- HINKS and ANDERSON, BECH. Genetic aspects of growth and carcass quality in veal calves.
- KING and GAJIC. The repeatability of maternal performance in inbred, outbred and linecross Large White sows.
- KING. The distribution of sheep B-lactoglobulins.
- SPOONER and OLIVER. Albumin polymorphism in British cattle.
- SYKES and SLEE. Cold exposure of Southdown and Welsh Mountain sheep. 1. Effects of breed, place of nutrition and acclimatization to cold upon resistance to body cooling.
- SYKES and SLEE. Cold exposure of Southern and Welsh Mountain sheep. 2. Effects of breed, place of nutrition and previous acclimatization to cold upon skin temperature, heart rate, shivering and respiration rate.
- SYKES, FIELD and SLEE. Cold exposure of Southdown and Welsh Mountain sheep. 3. Changes in plasma calcium, phosphorus, magnesium, sodium and potassium levels.
- WINFIELD, BROWN and LUCAS. Sheltering behaviour at lambing by Welsh Mountain ewes.
- TOMOV. A note on commercial crossing of Bulgarian fine-wool ewes with rams of English short-wool breeds.
- ROLLINS, JULIAN and CARROLL. A note on the body compositions of a double muscled female and a normal female from a linebred Aberdeen Angus herd.
- THE BRITISH SOCIETY OF ANIMAL PRODUCTION
 MAULE, J. P. 25 years in retrospect.
 PROCEEDINGS OF THE 48TH MEETING, ABERDEEN, 9-12 SEPTEMBER 1968.

OLIVER & BOYD LTD.

Tweeddale Court, 14 High Street, Edinburgh 1

Aldrin

makes the earth a healthy place for crops to grow in

Aldrin is a highly effective Shell insecticide.

It works *underground* to destroy the full range of soil insect pests, which attack the vital root system of your crop. For the major groups of soil pests, wireworms, cutworms, white grubs and mole-crickets, it is recognised as the most efficient insecticide there is. It can be applied to any type of soil in the world, and is harmless to beneficial organisms in the soil.

Used for row treatment, as an overall application, as a root dip, or as a seed-treatment, aldrin is especially suited for use with maize and other cereals, sugar cane, sugar beet, potatoes and tobacco.

Aldrin has excellent residual action. It is stable in the presence of other agricultural chemicals, does not affect germination, and has no taint. Used as directed, aldrin is harmless to both farmers and consumers. It is available as the technical material and high

concentrate dusts for further formulation, and also in forms suitable for the grower: emulsifiable concentrates, wettable powders, field strength dusts and granules.

For details of approved uses and advice on application of aldrin consult your Shell company or Shell chemicals distributor.

Shell Chemicals

