

The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

Metastatic carcinoma in cervical lymph nodes with occult primary tumour—diagnosis and treatment	H. J. SHAW	249 ✓
Oat cell carcinoma of the trachea	CAROL WENGRAF	267 ✓
The treatment of chronic subglottic stenosis by long-term intubation	D. FINNEY, T. TORDA and P. WINKLER	275 ✓
The bacteriology of ear, nose and throat diseases	I. WRIGHT	283 ✓
Malignancy in nasal papillomata	D. WORGAN and R. HOOPER	309 ✓
Temporary threshold drift in myxoedema	S. D. G. STEPHENS	317 ✓
Clinical records—		
Long-standing laryngeal foreign body	JOHN A. POLLARD and PETER W. MORRIS	323 ✓
Pharyngeal leiomyosarcoma	R. C. MANKODI, S. S. SHAH, M. S. KANVINDE and J. S. JOSHI	327 ✓
Otogenous tetanus and chronic otorrhoea	S. DE and S. K. DE	331 ✓
Relapsing polychondritis	N. H. MAHINDRAKAR and L. J. LIBMAN	337 ✓
General notes		

Headley Brothers Ltd
Ashford, Kent

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR

LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951), *Journal of Laryngology and Otology*, 65, 33. The titles of all Journals should be given without abbreviation.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.

7. As from January 1970, the annual subscription is £8 (eight pounds sterling) post free; U.S.A. \$23 post free, and payable in advance.

8. Single copies of current or back numbers (when available) will be on sale at £1 (including postage) each.


9. All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.

HEADLEY BROTHERS LTD.

The Invicta Press, ASHFORD, Kent.

© *Journal of Laryngology and Otology Ltd.*, 1970

Complicated clinical audiometry is easy..



If you have this knob!

Clinical diagnostic audiometry does not need to be difficult and it certainly is not in the Model 103 from Amplivox. The brains are inside, and with a Model 103 all the tests can be selected easily by turning the function knob and there is no need to have to look up how to do it in the instruction book first.

Just turn this knob to select the following 18 functions:

- Pure Tone Air Conduction
- Pure Tone Bone Conduction
- Narrow Band Masking
- Wide Band (White Noise) Masking
- Alternate Binaural Loudness Balance
- Simultaneous Binaural Loudness Balance
- Speech, Live Voice
- Speech, Recorded
- Speech with Masking
- SISI Test
- Lüscher DL Test
- Audiometer Weber Test
- SAL Test
- Rainville Test
- Shifting Voice
- Stenger Test
- Modified Stenger Test
- Tone Decay Test


Make complicated clinical audiometry simple with a Model 103. Write to Amplivox Hearing Centres today for the detailed comprehensive leaflet and ask for a demonstration.

To Amplivox Hearing Conservation Ltd.
Beresford Avenue, Wembley, Middx.
Tel. 01-902 8991

NAME _____

ADDRESS _____

Please send demonstrator leaflet JLO 3



PETERS CLINIC AUDIOMETERS AND BÉKÉSY
ARE THE IDEAL TOOLS FOR MORE ADVANCED AUDIOMETRY

The Audiometers offer :

- Two continuously variable attenuators accurate to 1 db.
- SISI Test (built-in) and automatic alternate loudness balance switching.
- Maximum attenuation of 120 db for loudness discomfort level tests.
- Narrow band SYNCHRONOUS masking (a new semi-automatic masking technique).
- Full speech test facilities with white noise masking.
- Plug-in circuit boards and operator output checks.
- Conversion to a true BÉKÉSY AUDIOMETER at will.
- Extra features not listed are offered by the AP/6 compared to the AP/5 AUDIOMETER.

write for full details to:

ALFRED PETERS AND SONS LTD
GELL STREET SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

What clinicians say about ORBENIN

Clinicians have frequently testified to the success of Orbenin in the treatment of Gram-positive infections. World Literature now contains over 400 references to Orbenin.

Pneumonia Lung Abscess Tonsillitis Pharyngitis Acute bronchitis

Septicaemia

Boils Carbuncles Infected dermatoses

Osteomyelitis Osteitis

Post-operative wound infections Burns Skin graft protection

Acute endocarditis

Staphylococcal enterocolitis Staphylococcal urinary tract infections
Staphylococcal meningitis

Dosage

Adults: 500mg (2 capsules) four times daily, by mouth. 250mg (1 vial) by intramuscular injection, four times daily.

Children: Under 2 years—quarter adult dose. 2-10 years—half adult dose.

In severe infections the dosage may be increased.

Contra-indications

Orbenin should not be given to patients with a penicillin allergy or administered by subconjunctival injection.

Side-effects

As with other penicillins.

Additional information is available on request.



Orbenin (Regd.) (cloxacillin sodium BP) is a product of British research at **Beecham Research Laboratories** Brentford, England, originators of the new penicillins.



Specifically designed for you and your patients. Precision-engineered, functionally-built equipment for the Ear, Nose and Throat and other Specialists.

S.M.R. keeps you and your patients' comfort and satisfaction in mind. Whatever your needs . . . whether they be for one unit or a completely equipped treatment room, you are assured of the finest . . . a room that reflects professional good taste.



Picture shows what can be done with small treatment room areas. The rooms are complete from the compact treatment unit to the physician's stool. Yet, this equipment fits easily and functionally into a small area. This is just one of many room arrangements available from S.M.R.




STAINLESS STEEL POLISH

SMR Stainless Steel Polish cleans and preserves with superior results—ends fingerprints, watermarks and surface stains.
22 oz. economy size . . . \$2.75

SURGICAL MECHANICAL RESEARCH INC.


P.O. Box 1185, Newport Beach, Calif. 92663
FACTORY DIRECT SALES

Knott's Barry Farm



Please send for our new catalog
Direct factory sales, F.O.B. Newport Beach, Calif.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



the drop that soothes and clears infected ears

soothes by reducing inflammation with hydrocortisone
clears by rapidly destroying virtually all bacteria commonly
found in ear infections

*
OTOSPORIN drops contain polymyxin B sulphate, neomycin sulphate
and hydrocortisone in a bland suspension designed to facilitate penetration.
Supplied in dropper bottles of 5 ml. Full information is available on request.


*Trade Mark

OTOSPORIN



Burroughs Wellcome & Co.
(The Wellcome Foundation Ltd.) Dartford, Kent

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



Any earache, any age new **AUDAX Ear Drops** relieves pain in minutes

AUDAX* formulation is unique providing choline salicylate—a very effective local analgesic anti-inflammatory and anti-pruritic agent with its own spectrum of anti-microbial action together with a penetrant to assure direct contact with the painful area.

analgesic, antimicrobial
anti-inflammatory, anti-pruritic

AUDAX Ear Drops are indicated in the following clinical conditions - acute and chronic otitis media, acute and chronic otitis externa, inflammation in the external auditory canal, and for the relief of pruritus and pain of boils and furuncles in the external auditory canal.


AUDAX Ear Drops contain no sensitising or irritant constituents.



Full information on request
H R Napp Limited, Watford, England

*AUDAX is a regd. trade mark. A new product of Napp Group Research—dedicated to Physician and Patient.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



A Product from the Sea for E.N.T. Surgeons

*calgitex

Calgitex calcium alginate E.N.T. Gauze is made from highly purified specially processed calcium alginate, derived from seaweed. This product is used extensively by E.N.T. surgeons throughout the world, it has a slow absorption rate, and can be easily removed from the nose without effecting or damaging the tissue.

In the field of aural surgery Calgitex is highly suitable for packing procedures due to its solubility, soft texture, and discouragement of haemorrhage.

Packed in vials containing one metre of ribbon gauze.
Obtainable from your usual Surgical or Pharmaceutical Supplier

MEDICAL ALGINATES LTD.

Wadsworth Road, Perivale, Middlesex. Tel. 01-997 4441

A member of the Optrex Group

*Reg'd Trade Mark

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*

Price \$22.00 per year Canada \$23.00 per year
Foreign \$23.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D.
EDITOR

222 PINE LAKE ROAD, COLLINSVILLE,
ILLINOIS 62234

For advertisement space in this Journal


apply to

HEADLEY BROTHERS LTD.

Ashford, Kent

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

New for the infected ear OTOSEPTIL eardrops



Containing a broad spectrum antibiotic and possessing antifungal properties

Candida and aspergillus are found in about 20% of cases of otitis externa.

Otoseptil ear drops destroy both pathogenic bacteria and fungi commonly found in ear infections.

Otoseptil ear drops contain:

Neomycin Undecylenate – antibacterial and antifungal.

Tyrosolicin – active against gram-positive cocci.

(Containing gramicidin and tyrocin).

Hydrocortisone alcohol – anti-inflammatory.

Ethylene oxide polyoxypropylene glycol condensate –
to ensure rapid tissue contact.

Otoseptil ear drops control infection, relieve pain, erythema and itching.

Neomycin Undecylenate was researched by H R Napp Ltd.

Presentation : 8 ml bottle with separate dropper.

Samples and full information available to the medical profession upon request.

H R Napp Ltd Watford WD2 7RA England




A new product by Napp—Developed by International Research Group. Dedicated to Physician and Patient for over 40 years.



instrumentation for laryngeal surgery

A selection from the
KLIENSSASSER INSTRUMENTS SET



Details of complete
range of laryngeal micro-surgery
instruments available on request.

DOWN'S

DOWN BROS. AND MAYER & PHELPS LIMITED

IN ENGLAND

Down Bros. and Mayer & Phelps Ltd., Church Path, Mitcham, Surrey, England

IN CANADA

Down Bros. and Mayer & Phelps Ltd., 261 Davenport Road, Toronto 5, Ontario

IN U.S.A.

Downs Surgical Inc., 655 73rd Street, Niagara Falls, N.Y. 14304

JOL 370

Please mention *The Journal of Laryngology and Otology* when replying to advertisements