JUNE, 1915.

THE

JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY:


A RECORD OF CURRENT LITERATURE

RELATING TO


THE THROAT, NOSE, AND EAR.

Printed and Published Monthly by

ADLARD & SON, Bartholomew Press, Bartholomew Close, London, E.C.



Rotary Blower with Electric Motor.



Etherization Apparatus.

AN IMPROVED
PORTABLE APPARATUS

FOR THE

Intra-Tracheal Administration of Ether.

Made after the design of Mr. R. E. KELLY, F.R.C.S. Liverpool.

DOWN BROS.,

LTD.,

Surgical Instrument Makers,

21 & 23, St. Thomas's Street

(OPPOSITE GUY'S HOSPITAL),

LONDON, S.E.

LUNDON, SIL

"DOWN, LONDON,"

Telephone: Hop 4400 (4 lines),

GRANDS PRIX: Paris 1900, Brussels 1910, Buenos Aires 1910,



Gold Medal (Highest Award), Allahabad 1910.

Prepaid Annual Subscription, £1 (5 dollars) post free. Single Copies, Two Shillings.

ENTERED AT STATIONERS' HALL.

We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions.—*British Medical Journal*, May 3, 1890.

ANTISEPTIC of known and definite power, prepared in a form convenient for immediate use.

It is a saturated solution of boric acid, reinforced by the antiseptic properties of ozoniferous oils.

It is unirritating, even when applied to the most delicate tissue.

It does not coagulate serous albumen.

It is quite generally accepted as the standard antiseptic preparation for use where a poisonous or corrosive disinfectant can not be safely used.

It is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle or douche in catarrhal conditions of the nose and throat.

In proper dilution, it may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

There is no possibility of poisonous effect through the absorption of Listerine

A pamphlet descriptive of the antiseptic, and indicating its utility in medical, surgical and dental practice, may be had upon application to the manufacturers, Lambert Pharmacal Co., Locust and Twenty-first Streets, St. Louis, Missouri, U.S.A., or to their British Agents, Messrs. S. Maw, Son & Sons, 7–12, Aldersgate Street, London, Eng., but the best advertisement of Listerine is

LAMBERT

HARMACAL TOMPAN

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN.

PUBLISHED UNDER THE DIRECTION OF THE EDITORIAL COMMITTEE:

A. CHEATLE, F.R.C.S.
(Pres. Otol. Sect. Internat. Cong.).
DUNDAS GRANT, M.A., M.D., F.R.C.S. (London).
ALBERT A. GRAY, M.D. (Glasgow).
(Pres. Otol. Sect. R.S.M.)
WILLIAM HILL, M.D. (London).
(Pres. Laryng. Sect. R.S.M.)

OF THE EDITORIAL COMMITTEE:

J. MACINTYRE, M.B., C.M. (Glasgow).
Sir W. MILLIGAN, M.D., M.Ch. (Manchester).
Sir StCLAIR THOMSON, M.D., F.R.C.S.(London).
LOGAN TURNER, M.D. (Edinburgh).
P. WATSON-WILLIAMS, M.D. (Bristol).
MACLEOD YEARSLEY, F.R.C.S. (London).

EDITOR:

DAN McKENZIE, M.D., F.R.C.S.E. (London),

To whom all communications should be addressed.

DRS. J. STODDART BARR(Glasgow), H. S. BIRKETT(Montreal), BRADY (Sydney, N.S.W. JOHN DARLING (Edinburgh), DONELAN (London), CLAYTON FOX (London), J. S. FRASER (Edinburgh), PERRY GOLDSMITH (Toronto), THOS. GUTHRIE (Liverpool), A. HUTCHISON (Brighton), J. D. LITHGOW (Edinburgh), A. MCCALL (Bournemouth), CHICHELE NOURSE (London), W. G. PORTER (Edinburgh),

KNOWLES RENSHAW (Manchester), ARCHER RYLAND (London),
LINDLEY SEWELL (Manchester), ALEX. R. TWEEDIE (Nottingham),
C. E. WEST (London), G. HAROLD L. WHALE (London),
WRIGHT (Bristol), and WYLIE (London).

AND THE ASSISTANCE OF

Mr. George Badgerow (London), Drs. J. Barr (Glasgow), Hugo Frey (Vienna), Grazzi (Florence), Middlemass Hunt (Liverpool).

A. BROWN KELLY (Glasgow), E. LAW (London), MASSEI (Naples),
D. PATERSON (Cardiff), URBAN PRITCHARD (London), F. A. ROSE (London),
A. SANDFORD (Cork), SENDZIAK (Warsaw), H. TILLEY (London),
RAYMOND VEREL (Aberdeen), E. WAGGETT (London), R. WOODS (Dublin).

CONTRIBUTORS TO THIS NUMBER. ER. | DR. BIRKETT. | SIR ST

DR. A. LOGAN TURNER. MR. J. S. FRASER.

MR. J. S. FRASER.
MR. MACLEOD YEARSLEY.
DR. A. J. BRADY.

Dr. Rogers. Dr. Price Brown. Dr. D. R. Paterson. SIR STCLAIR THOMSON. DR. WYATT WINGRAVE. MR. THOMAS GUTHRIE.

Mational Relief Fund.



To H.R.H. THE PRINCE OF WALES,
BUCKINGHAM PALACE, LONDON.

I beg to enclose £ National Relief Fund.	<i>:</i>	s.	d. a	is a donai	tion to	the
Name						
A ddress						

The envelope containing this coupon need not be stamped.

CONTENTS.

Special Article—	PAGE
Reports for the Year 1914 from the Ear and Throat Department of the Royal Infirmary, Edinburgh. Part III.—Tuberculosis of the Middle-ear Cleft in Children: A Clinical and Pathological Study.— A. LOGAN TURNER AND J. S. FRASER	209
Societies' Proceedings—	
ROYAL SOCIETY OF MEDICINE.—OTOLOGICAL SECTION.—Discussion on Tuberculosis of the Auditory Apparatus. Communications by WYATT WINGRAVE, ARTHUR CHEATLE, W. STUART-LOW, C. E. WEST, E. D. DAVIS	
Abstracts—	
PHARYNX.—A Hiding-place for Fish-bones in the Throat	258
Nose.—Variations of Sphenoidal Sinus Disease.—Accessory Nasal Sinus Suppuration	258
LARYNX.—Spindle-cell Sarcoma of the Larynx.—Intrinsic Cancer of the Larynx	259
EAR.—Further Remarks on the Use of Nitrate of Silver applied within the Mouth of the Eustachian Tube for the Relief of Tinnitus.— Latent Mastoiditis complicated by Toxic and Irritative Cerebral Symptoms, accompanied by Blindness and a Streptococcemia caused by Trauma; Operation; Recovery.—How the Patient can help himself in Cases of Chronic Catarrhal Otitis Media.—On the Cellular Reactions induced by Local Deposits of Cholesterin	
MISCELLANEOUS.—Tuberculosis of the Bronchial Glands and Lung Hilus: a Clinical and Radiographic Study.—Observations on the Treatment of Cancer and Sarcoma by Means of Pyraloxin, etc	
Review—	· -
The Tonsils. By HARRY A. BARNES, M.D	262
Obituary	263
Notes and Queries	964

Cerebro-spinal Meningitis.

MENINGOCOCCUS VACCINE

for preventive inoculation

Prepared from several strains of the *Diplococcus intracellularis meningitidis* (Weichselbaum) isolated during the present epidemic of cerebrospinal meningitis.

Supplied in sets of 2 bulbs (affording prophylactic treatment for one adult), also in bottles of 25 c.c. (sufficient for 16 adults).

MENINGOCOCCUS VACCINE

for use in treatment

Prepared from several strains of the *Diplococcus intracellularis meningitidis* (Weichselbaum) isolated during the present epidemic of cerebrospinal meningitis.

Issued in a dilution containing 25 million meningococci per c.c., and supplied in bulbs of I c.c., also in bottles of 25 c.c.

ANTIMENINGITIC SERUM

for use in treatment

Obtained from the blood of horses which have been immunised to the Diplococcus intracellularis meningitidis (Weichselbaum).

The mortality from epidemic cerebro-spinal meningitis has been greatly reduced since the introduction of serum treatment.

Supplied in bulbs of 15 c.c.

Further particulars will be supplied on request by

PARKE, DAVIS & Co., So, Beak Street, London, W.

Telegraphic and Cable Address: "Cascara, London."

Telephones: Regent 3260 (six lines).

Medical Temperance Review.

Edited by H. J. PATERSON, M.B.

QUARTERLY. Sixpence per Number net.

ADLARD & SON, BARTHOLOMEW CLOSE, LONDON, E.C.

SCHOOL HYGIENE.

Published under the auspices of The Medical Officers of Schools Association.

OUARTERLY. ANN. SUB. 4/6 post free.

ADLARD & SON, BARTHOLOMEW CLOSE, LONDON, E.C.

HOSPITAL FOR DISEASES OF THE THROAT

GOLDEN SOUARE, LONDON, W.

HONORARY MEDICAL STAFF.

Consulting Surgeons { MR. MARK HOVELL. DR. LAMBERT LACK.

Surgeons.	OUT-PATIENTS.	OPERATIONS.			
Dr. J. W. BOND	Wednesday, 2.0 P.M.	Friday, 10.15 A.M.			
MR. CHARLES PARKER	{ Tuesday, 2.0 P.M. { Friday, 2.0 P.M.	} Thursday, 2.0 P.M.			
Dr. FITZGERALD POWELL	Monday, 2.0 P.M.	Thursday, 10.0 A.M.			
Mr. FRANK ROSE	Thursday, 2.0 P.M.	Friday, 2.0 P.M.			
Mr. JEFFERSON FAULDER	{ Tuesday, 6.30 P.M } Saturday, 2.0 P.M.	} Tuesday, 9.30 A.M.			
Mr. GEORGE BADGEROW	{ Monday,	} Wednesday, 9.0 A.M.			
Assistant Surgeons, Attendances.					
MR. NORMAN PATTERSON	Tuesday, 2.0 P.M., Friday,	2.0 P.M.			
MR. LIONEL COLLEDGE	Wednesday, 2.0 P.M., Thursday,	2.0 Р.м., Friday, б.о р.м.			
DENTAL SURGEON.					
Mr. PITTS	Thursday, 9.30 A.M.				

CLINICAL INSTRUCTION.

A Clinical Demonstration on the Diagnosis and Treatment of Selected Cases

(Larynx, Nose, Ear) will be given each Monday at 5 p.m.

A Course in Surgical Anatomy and Physiology will be given each Thursday at 5 p.m. These Courses are free to Students of the Hospital. Others a fee of 2 guineas for each Course.

Practical Instruction in the Diagnosis and Treatment is given **daily** in the Out-patient Department from 2 to 5 p.m., on Tuesdays and Fridays from 6.30 p.m. to 9 p.m., and Mondays at 9.30 a.m.

Major Operations are performed at 10 a.m. on Tuesday, Wednesday. Thursday, Friday, and Saturday, and Fridays at 2 p.m.

Minor Operations daily (Mondays excepted) at 9.30 a.m.

Operative Surgery Classes can be formed at any time on application.

Practice in Direct Laryngoscopy, Tracheoscopy, Bronchoscopy, and Esophagoscopy will be given to Students, to enable them to become familiar with the use and manipulation of the instruments.

Practitioners and Medical Students are admitted to the Practice of the Hospital at a fee of five guineas for three months, eight guineas for six months, or ten guineas for a Perpetual Studentship. Each course may commence at any date. Special terms to men in actual practice who can only attend the hospital once or twice a week.

The Hospital contains 60 beds for In-patients. There s also an Out-patient attendance of nearly 50,000 yearly.

Gentlemen may enter to the practice of The Throat Hospital at any time, and on certain conditions eligible for appointment as Clinical Assistants, whose duty it is to Assist the Member of the Staff to whom they are appointed.

GEORGE W. BADGEROW, F.R.C.S., Hon. Med. Sec.