April 1945

The Journal of Laryngology and Otology

EDITED BY WALTER HOWARTH

WITH THE ASSISTANCE OF W. M. MOLLISON

Contenter TO BE TAKEN AWAY

THE GENESIS OF TYPICAL AND ATYPICAL CYSTS OF THE NASAL FLOOR

K. BERNFELD

BILATERAL PERFORATE NASOPALATINE COMMUNICA-TION IN THE HUMAN ADULT

W. C. OSMAN HILL and H. M. DARLOW

LIERARY PL

CLINICAL RECORDS-

London Headley Brothers 109 Kingsway, W.C.2

Monthly, 4/ - net post free

Annual Subscriptions 40/- net

ADVERTISEMENTS

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY WALTER HOWARTH

ASSISTED BY W. M. MOLLISON

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter added.

4. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.

5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

6. Editorial Communications may be addressed to THE EDITOR, Journal of Laryngology, c/o HEADLEY BROTHERS, 109 Kingsway, London, W.C.2.

7. The Annual Subscription commencing with the January issue is Two Pounds sterling, post free, and is payable in advance.

8. Single copies, both of the present and the previous series, are on sale at Four Shillings each.

9. All Subscriptions, advertising and business communications should be sent to the Publishers, HEADLEY BROTHERS, 109 Kingsway, London, W.C.2.

United States of America

Orders for this Journal may be sent either through a local bookseller, or to Messrs. G. E. STECHERT & Co., 31-33 East 10th Street, New York, or may be sent direct to the Publishers, HEADLEY BROTHERS, 109 Kingsway, London, W.C.2, England.



antiseptic throat lozenges

in stomatitis


'Planacrine' lozenges are a useful adjunct in the prevention and treatment of various types of stomatitis.


Their most useful application is probably in the prevention of stomatitis occurring during treatment with metals such as bismuth, gold and arsenic. In aphthous stomatitis the use of 'Planacrine' will destroy the fungi and lead to rapid improvement in the condition.

SUPPLIES:

"Vest Pocket" containers of 40 lozenges

Our Medical Information Department will be glad to supply you with further details





PRESCRIBE THE EASY EFFECTIVE METHOD

When spraying, the patient can hold his head in a natural position, yet the solution spreads throughout the nasal cavity, assuring thorough treatment. Effective dropper-application, on the other hand, requires a complicated posture technique which patients are apt to neglect in home treatment.




DeVilbiss ATOMIZERS



CVS--- 140

Mail Your Order Now! PROBLEMS OF THE DEAF By MAX A. GOLDSTEIN, M.D., F.A.C.S. 610 Pages-273 Illustrations-Leather Bound \$6.00 Postage prepaid An unusual, authoritative and comprehensive volume of XIX chapters, covering every phase of work with the Deaf, Deafened and Speech Defective, by an otologist and teacher of 40 years' experience, including : Chronological History of Deafness-Anatomy and Physiology-Mechanics of Speech - Speech Defects - Cerebral Localization - Hearing Tests - Methods of Instruction-The Acoustic Method-Training of Teachers-The Deaf Child-Hardof-Hearing Child-Physician and Deaf Child-Parent of Deaf Child-Deafened Adult-Hearing Aids-Schools for the Deaf-Quacks and Quackeries-Research. Published by THE LARYNGOSCOPE PRESS 640 South Kingshighway ST. LOUIS, MO.





"Diseases are cured not by eloquence, but by remedies well and truly applied."

CORNELIUS CELSUS, A.D. 25

Although in the days of Roman physician Celsus surgery was in its embryonic


stages, his admonition is pertinent even in these enlightened times.

Often today "remedies well and truly applied" include electro-surgical measures, increasingly favoured as a means of reducing operative and post-operative complications. In this field the Marconi Therator Major Diathermy, type MME 10, has contributed more than a little to the achievements of surgical therapeutics.

MARCONI INSTRUMENTS LTD. Electro-Medical Apparatus ST. ALBANS, HERTS. Telephone : St. Albans 4323-6 Northern Office : 30 ALBION STREET, HULL Telephone : Hull 16144

Please mention Tte Journal of Laryngology when replying to advertisements

v



(A suspension of micro-crystalline (' Mickraform ') sulphathiazole, 5%, in an isotonic solution of ' Paredrinex,' 1%).

'Sulfex'* has proved strikingly effective, both with adults and children, in the treatment of nasal and sinus infections especially those secondary to common colds. Nasopharyngeal sore throat often responds to 'Sulfex' within twenty-four hours. The suspension has the following advantages :—

(1) **PROLONGED BACTERIOSTASIS.** The 'Mickraform '***** crystals of free sulphathiazole are not quickly washed away, but form an even frosting over the nasal mucosa, thus providing prolonged bacteriostasis precisely where it is needed most.

(2) NON-STIMULATING VASOCONSTRICTION. While 'Paredrinex '* exerts a rapid and complete shrinking action, it does not produce nervous side-effects such as restlessness and insomnia.

(3) THERAPEUTICALLY IDEAL pH (5.5 to 6.5). 'Sulfex' does not cause stinging or irritation. Its slightly acid pH range is identical with that of normal nasal secretions.

Available, on prescription only, in 1-oz. bottles with dropper. Price 5/1 including P.T. Special 8-oz. pack for hospitals.

Samples and further details on *signed* request of physicians.


MENLEY & JAMES LIMITED 123, COLDHARBOUR LANE, LONDON, S.E. 5

PS 2

For Smith, Kline & French Laboratories, owners of the Trade Marks*

CONTENTS

| | PAGE |
|--|------|
| THE GENESIS OF TYPICAL AND ATYPICAL CYSTS OF THE NASAL | |
| FLOOR. K. Bernfeld (Jerusalem) | 145 |
| BILATERAL PERFORATE NASOPALATINE COMMUNICATION IN THE | |
| HUMAN ADULT. W. C. Osman Hill and H. M. Darlow | |
| (Edinburgh) | 160 |
| The Conservative Treatment of Chronic Suppurative Otitis | |
| MEDIA. R. Scott Stevenson (Major, R.A.M.C.) and | |
| J. Chalmers Ballantyne (Capt., R.A.M.C.) | 166 |
| Clinical Record- | |
| Results of Treatment of Carcinoma of the Larynx by X-ray | |
| at Operation. T. A. Watson (Liverpool) and Victor | |
| Lambert (Manchester) | 174 |
| Societies' Proceedings- | |
| Royal Society of Medicine-Section of Otology . | 178 |



Please mention The Journal of Laryngology when replying to advertisements