GEOLOGY DEPARTMENT BIRKBECK COLLEGE W.C. 1 1954

Vol. XCI. No. 6.

GEOLOGICAL MAGAZINE

Edited by

O. M. B. BULMAN and S. R. NOCKOLDS

assisted by

PROFESSOR W. G. FEARNSIDES PROFESSOR LEONARD HAWKES PROFESSOR W. J. PUGH PROFESSOR C. E. TILLEY

CONTENTS

| REYNOLDS, D. L., and A. HOLMES. The Superposition of Caledonoid Folds on an Older Fold-System in the Dalradians of Malin Head. | PAGE |
|---|------------|
| Co. Donegal | 417 |
| HARKER, R. I. Further Data on the Petrology of the Pelitic Hornfelses of the Carn Chuinneag-Inchbae Region, Ross-shire, with Special | |
| Reference to the Status of Almandine | 445 |
| near Glenfinnan, Inverness-shire | 463 |
| OLIVER, R. L. Welded Tuffs in the Borrowdale Volcanic Series, English Lake District, with a Note on Similar Rocks in Wales. | 473 |
| GINDY, A. R. The Plutonic History of the Aswan Area, Egypt . ALLEN, P. Geology and Geography of the London-North Sea Uplands | 484 |
| in Wealden Times | 498 |
| STRACHAN, I. The Structure and Development of <i>Peiragraptus fallax</i> . gen. et sp. nov. A New Graptolite from the Ordovician of Canada | 509 |
| DROOGER, C. W. The Oligocene-Miocene Boundary on both sides of the Atlantic | 514 |
| CORRESPONDENCE | |
| The Usk Monchiquite—A "Pipe Intrusion" | 519 519 |
| REVIEWS pp. 520–1 | |
| PUBLICATIONS RECEIVED pp. 522–4 | |
| INDEX pp. 525–8 | |

STEPHEN AUSTIN & SONS, LTD. CAXTON HILL, WARE ROAD, HERTFORD, HERTS

GEOLOGICAL MAGAZINE

founded in 1864

by the late Dr. H. Woodward, F.R.S., with which

is incorporated

THE GEOLOGIST

(founded 1858)

Published every two months, price 40/- per annum (single numbers, 8/6).

Subscriptions for 1954, inquiries relating to back stock, advertising, etc., should be sent to Stephen Austin & Sons, Ltd., Caxton Hill, Ware Road, Hertford, Herts.

The Editors are directed to make it known to the public that the authors alone are responsible for the facts and opinions contained in their respective papers and for the correctness of their references.

Instructions to Contributors.

Articles submitted for publication in the Geological Magazine should be addressed to the Editors at the Sedgwick Museum, Cambridge, not to the Publishers.

Manuscripts should be typewritten, double-spaced, and preferably with a wide margin, and should be carefully revised; they should be as concise as possible and should not exceed 10,000 words. In the case of a long article allowance must be made for text-figures at the rate of approximately twenty words per sq. in. MS. must be accompanied by a short abstract, 50–100 words. References should not be given in footnotes, but arranged in alphabetic order of author's names at the end of the article; the author's name should be followed by date of publication, and the title of each paper should be given in addition to volume and page numbers of the Journal, thus:—

LAPWORTH, C. 1878. The Moffat Series. Quart. Journ. Geol. Soc., xxxiv, 240-343.

References should be cited in the text by author's name and date, with page reference if necessary, in brackets :---(Lapworth, 1878, p. 339).

Illustrations should be so drawn as to allow reduction to a maximum size of $6\frac{3}{4} \times 3\frac{3}{4}$ inches (the type-area of the Magazine) and originals must not exceed 40×22 inches. Map lettering should be such as to be clearly legible after reduction (equivalent to 5-point as a *minimum* on reduction), while lettering on text-figures should in general be left in pencil for printing.

Authors will receive 25 reprints free of cost.

THE

GEOLOGICAL MAGAZINE

VOL. XCI OF WHOLE SERIES

JANUARY-DECEMBER, 1954

GEOLOGICAL MAGAZINE

with which is incorporated

THE GEOLOGIST

FOUNDED IN 1864 BY THE LATE DR. HENRY WOODWARD, F.R.S.

Edited by

O. M. B. BULMAN, Ph.D., A.R.C.Sc., F.R.S.

and

S. R. NOCKOLDS, Ph.D.

assisted by

PROFESSOR W. G. FEARNSIDES, M.A., F.R.S. PROFESSOR LEONARD HAWKES, D.SC., F.R.S. PROFESSOR O. T. JONES, M.A., D.SC., F.R.S. PROFESSOR W. J. PUGH, O.B.E., D.SC., F.R.S. PROFESSOR C. E. TILLEY, Ph.D., F.R.S.

Vol. XCI of Whole Series JANUARY-DECEMBER, 1954

49658

STEPHEN AUSTIN & SONS, LTD CAXTON HILL, WARE ROAD, HERTFORD, HERTS

HERTFORD

STEPHEN AUSTIN AND SONS, LTD.

CONTENTS OF VOLUME XCI, 1954

| No. | 1 JANUARY-FEBRUARY | PAGE |
|---------------------|---|---------|
| Q A. Kn R. J. | PHEMISTER and D. H. WILLIAMSON. "Flattening" in Dalradian uartz-Schist north of Stonehaven, Kincardineshire NGSLEY WELLS. Mugearites and Oligoclase-basalts MURRAY. The Clinopyroxenes of the Garbh Eilean Sill, Shiant les | 1 14 |
| G. M. | BENNISON. A New Species of Carbonicola from near the Base of | |
| | ne Namurian in Ayrshire JOYSEY. The Structure of the Plastron of the Echinoid Somaliaster | 32 |
| Н | lawkins | 45 |
| | MOUR and MAX F. CARMAN. Petrofabric Analyses of the Loch ay Limestone from Strachur, Argyll | 49 |
| O. F. | TUTTLE and M. L. KEITH. The Granite Problem: Evidence | |
| | om the Quartz and Feldspar of a Tertiary Granite BAILEY. Relations of Torridonian to Durness Limestone in the | 61 |
| В | roadford-Strollamus district of Skye | 73 |
| | HARRY. The Clinopyroxene-hornblende Equilibrium in Thermal fetamorphism: Some Data from Carlingford, Eire | 79 |
| Corri | ESPONDENCE.—"Hutton's Unconformity", 85. | |
| | ws.—Geologie der Schweizer Alpen, 86; Geology of Australian | |

Ore Deposits, 87. PUBLICATIONS RECEIVED.—88.

No. 2

March-April

| NO. 2 MARCH-AFRIL | |
|--|-----|
| J. B. AUDEN. Erosional Patterns and Fracture Zones in Peninsular India | 89 |
| W. A. CUMMINS. An Arenig Volcanic Series near Charlestown, Co. | |
| Mayo | 102 |
| E. B. BAILEY. Contact of Tertiary Lavas with Torridonian near Broadford, Skye | 105 |
| G. P. LEEDAL and G. P. L. WALKER. Tear Faults in the Barnesmore | 110 |
| area, Donegal | 116 |
| R. H. CLARK. A Study of Calcite Twinning in the Strathavon Marble, Banffshire | 121 |
| R. I. HARKER. The Occurrence of Orthoclase and Microcline in the | |
| Granitic Gneisses of the Carn Chuinneag-Inchbae Complex, E. Ross-shire | 129 |
| M. S. SADASHIVAIAH. The Form of the Eastern End of the Insch | 12/ |
| Igneous Mass, Aberdeenshire | 137 |
| L. D. SANDERS. The Status of Sillimanite as an Index of Metamorphic | |
| Grade in the Kenya Basement System | 144 |
| F. HODSON. The Carboniferous Rocks of Foynes Island, County | 150 |
| Limerick | 153 |
| P. C. GILMOUR and D. B. MCINTYRE. The Geometry of the Ben Lui Fold (S.W. Highlands) | 161 |
| J. WRIGHT. <i>Idosocrinus</i> gen. nov. and other Crinoids from Thornton | 101 |
| Burn, East Lothian | 167 |
| J. MYERS. On the Occurrence of Anthraconauta tenuis (Davies and | |
| Trueman) in North Staffordshire | 171 |
| CORRESPONDENCE.—Lugeon's Unpublished Interpretation of the Strath | |
| Oykell Mullions, 174; Rules of Nomenclature, 174; Comments on | |
| the Caribbean Oligocene, 175. | |
| PUBLICATIONS RECEIVED.—176. | |

PAGE

.

| F. SMITHSON and G. BROWN. The Petrography of Dickitic Sandstones | |
|--|-----|
| in North Wales and Northern England | 177 |
| G. BOND. Lamellibranchia and Plants from the Lower Karroo Beds | |
| of Northern Rhodesia | 189 |
| C. T. TRECHMANN. Thrusting and other movements in the Durham | |
| Permian | 193 |
| W. PULFREY. Alkaline Syenites at Ruri, South Nyanza, Kenya . | 209 |
| T. M. THOMAS. Solution Subsidence Outliers of Millstone Grit on the | |
| Carboniferous Limestone of the North Crop of the South Wales | |
| Coalfield | 220 |
| J. D. LAWSON. The Silurian Succession at Gorsley (Herefordshire) | 227 |
| E. S. W. SIMPSON. On the Graphical Representation of Differentiation | |
| Trends in Igneous Rocks. | 238 |
| T. U. JOHN and K. L. PAULO. A Note on the Occurrence of Columbite | |
| in the Younger Granites of the Jos Plateau, Nigeria | 245 |
| J. M. HANCOCK. A New Ampthill Clay Fauna from Knapwell, | |
| Cambridgeshire | 249 |
| P. M. KIER. A New Palaeechinus from Alberta | 252 |
| CORRESPONDENCE.—The Strollamus Area of Skye, 255. | |
| | |

| N | 0. | -4 |
|---|----|----|
| | | |

JULY-AUGUST

| G. P. BLACK. The Acid Rocks of Western | | 257 |
|---|-----------------------------|-----|
| K. F. G. HOSKING. The Pegmatites of Trol | lvis Quarry, Carnmenellis, | |
| Cornwall | 2 | 273 |
| M. S. SADASHIVAIAH. The Granite-Diorite | e Complex of the Insch | |
| Igneous Mass, Aberdeenshire . | | 286 |
| M. K. WELLS. The Structure of the Granophy | yric Quartz-Dolerite Intru- | |
| sion of Centre 2, Ardnamurchan, and th | e Problem of Net-Veining 2 | .93 |
| W. S. PITCHER, D. J. SHEARMAN, and D. | | |
| Pegwell Bay, Kent, and its Associated Fi | rost Soils 3 | 808 |
| J. T. TEMPLE. The Hypostome of Encrinurus | variolaris and its Relation | |
| to the Cephalon | | 15 |
| R. N. COPE. Cyrtograptids and Retiolitids f | rom County Tipperary . 3 | 19 |
| CORRESPONDENCERules of Nomenclature | e, 325; The Caribbean | |
| "Oligocene", 326. | | |
| REVIEWS.—Mountain Building, 327; The Co | oalfields of Great Britain, | |
| 331; Geology and Scenery in Britain, | , 333; Minerals for the | |
| Chemical and Allied Industries, 334; | Clay Mineralogy, 335; | |
| The Soils of Europe, 336. | | |
| , , | | |
| No. 5 September-Octo | OBER | |
| | ~===: | |

| | 337 |
|---|------|
| × J. HOSPERS. Magnetic Correlation in Volcanic Districts | 352 |
| P. K. SUTHERLAND. New Genera of Carboniferous Tetracorals from | |
| Western Canada | 361 |
| G. F. S. HILLS. The Distribution of Radioactivity with Depth in the | |
| Continents | 372 |
| M. H. P. BOTT. Interpretation of the Gravity Field of the Eastern | – |
| Alter a provide the second s | 0.87 |

| | Alps . | | | | | | | | | | 377 |
|----|----------|-------|-------|-------|--------|-------|-----|-----|------|---------|-----|
| T. | BARNARD. | Hantk | enina | alaba | mensis | Cushn | nan | and | Some | Related | |
| | Forms | | | | | | | | | | 384 |

| J. | SUTTON and J. | WATSON | . Ice-Bo | rne | Boulde | rs in | the | Macduff | Group | 0 | |
|----|---------------|-----------|-----------|-----|--------|-------|-----|---------|-------|---|-----|
| | of the Dalrad | dian of B | anffshire | | | | | | | | 391 |

M. S. AMIN. Notes on the Ultrabasic Body of Unst, Shetland Islands 399

Contents

CORRESPONDENCE.—On the Occurrence of Linnaeite in the Coal Measures of South Wales, 407; Angle Between the Principal Horizontal Stress and Transcurrent Faults, 407; Minerals for the Chemical and Allied Industries, 408; Proposed Neotype for *Pleurotomaria anglica* (J. Sowerby), 409; Rules of Nomenclature, 410; The Miocene/Oligocene Boundary in the Caribbean Region, 410.

REVIEWS.—Geochemistry, 415; Petrography, 416.

No. 6

NOVEMBER-DECEMBER

- D. L. REYNOLDS and A. HOLMES. The Superposition of Caledonoid Folds on an Older Fold-System in the Dalradians of Malin Head, 417 Co. Donegal
- R. I. HARKER. Further Data on the Petrology of the Pelitic Hornfelses of the Carn Chuinneag-Inchbae Region, Ross-shire, with Special Reference to the Status of Almandine
- G. P. L. WALKER and J. V. Ross. A Xenolithic Monchiquite Dyke R. L. OLIVER. Welded Tuffs in the Borrowdale Volcanic Series, 463
- English Lake District, with a Note on Similar Rocks in Wales 473 A. R. GINDY. The Plutonic History of the Aswan Area, Egypt 484
- P. ALLEN. Geology and Geography of the London-North Sea Uplands in Wealden Times 498
- I. STRACHAN. The Structure and Development of Peiragraptus fallax, 509
- gen. et sp. nov. A new Graptolite from the Ordovician of Canada C. W. DROOGER. The Oligocene-Miocene Boundary on both sides of 514
- the Atlantic . CORRESPONDENCE.—The Usk Monchiquite—A "Pipe Intrusion", 519; The Great Glen Fault, Co. Donegal, 519.
- REVIEWS .- Oil in the Middle East, 520; Albert Heim. Leben und Forschung, 520. PUBLICATIONS RECEIVED.—522.

INDEX.—525.

vii PAGE

445