## AS21-03 - EFFECT OF LOW-FREQUENCY RTMS ON ELECTROMAGNETIC TOMOGRAPHY (LORETA) AND REGIONAL BRAIN METABOLISM (PET) IN SCHIZOPHRENIA PATIENTS WITH AUDITORY HALLUCINATIONS

J.Horacek<sup>1</sup>, M.Brunovsky<sup>1</sup>, M.Klirova<sup>1</sup>, T.Novak<sup>1</sup>, J.Tintera<sup>2</sup>, C.Höschl<sup>1</sup>

<sup>1</sup>Prague Psychiatric Center and 3rd Medical Faculty of Charles University, <sup>2</sup>Department of Diagnostic and Interventional Radiology, MR Unit, Institute for Clinical and Experimental Medicine, Prague, Czech Republic

**Background:** It was repeatedly reported that low frequency ( $\leq$ 1Hz) repetitive transcranial magnetic stimulation (rTMS) diminishes treatment-resistant auditory hallucinations.

**Objectives:** To evaluate the distribution of neuronal electrical activity and the brain metabolism changes after low-frequency rTMS in patients with auditory hallucinations.

**Methods:** rTMS (0.9Hz, 100% of MT, 20 min.) applied to the left temporo-parietal cortex was used for ten days in the treatment of medication-resistant auditory hallucinations in schizophrenia (N=12). The effect of rTMS on the low resolution brain electromagnetic tomography (LORETA) and brain metabolism (<sup>18</sup>FDG PET) was measured before and after two weeks of treatment. In a subsequent double blind sham controlled cross-over study (N=15), the low frequency rTMS was applied using i) "neuronavigation" according to an individual metabolic local maxima of <sup>18</sup>FDG PET uptake; ii) "standard" positioning, and iii) inactive "sham".

**Results:** The rTMS decreased the brain metabolism in the left superior temporal gyrus and in interconnected regions and effected increases in the contralateral cortex. We detected a decrease of current densities (LORETA) for the beta-1 and beta-3 bands in the left temporal lobe whereas an increase was found for beta-2 band contralaterally. The PET neuronavigated rTMS compared to both standard and inactive rTMS, revealed better outcome.

**Conclusion:** The LORETA and PET indicate that the neuroplastic changes provide the substrate for a clinical effect. Congruently, <sup>18</sup>FDG PET navigated rTMS allows an individual approach to therapy of patient with treatment-resistant acoustic hallucinations.

This research was supported by the grants NT12024-5, NT11226 IGA MZCR and by the project 1M0517 MSMT CR.