

Index of Subjects

- Abortion material in cattle; the direct fluorescent antibody test for detection of *Brucella abortus* in, 123
- Abortion in cattle due to *Salmonella dublin*, I, 459; II, 471
- Aerobic bacteria occurring in the hind-gut of the cockroach, 1
- Aetiology of whooping cough, 139
- Age, time and cohort factors in mortality from cancer of the cervix, 253
- Air of submarines; studies on the microbial flora of, 761
- Airborne spread of Newcastle disease; the evidence for, 325
- Aminoadamantane-resistant strains of influenza A2 virus, 227
- Antarctic base, an outbreak of common colds at, after seventeen weeks of complete isolation, 657
- Antarctica, common colds in, 649.
- Antibiotic resistance, unstable, preserved in *Staphylococcus aureus* by drying, 411
- Antibiotic resistance; the incidence of amongst *Escherichia coli* strains causing fatal infection in chickens, 771
- Antibiotic sensitivity of bowel coliforms, effect of stay in hospital and oral chemotherapy on, 529
- Antibodies to pertussis in sera of children exposed to *Bordetella pertussis* by vaccination or infection, 193
- Antibody to streptococcal opacity factor in human sera, 35
- Antibody response to *Yersinia enterocolitica* serotype IX in cattle, the nature of, 309
- Antibody and immunoglobins, the sequential appearance of in nasal secretion after immunization of volunteers with live and inactivated influenza B virus vaccines, 433
- Antibody to a soluble antigen of myxoma virus, fluctuations in the titre of in field populations of rabbits in Australia, 487
- Anticoagulant resistance in wild Norway rats in New York, 217
- Antigenic analysis of prototype influenza A (H3N2) strains by the antiserum absorption method, 501
- Antigenicity, ultrastructure and isolation of *Mycoplasma gallisepticum* membranes, 725
- Antiserum absorption method for antigenic analysis of prototype influenza A (H3N2) strains, 501
- Aspergillus fumigatus* spores; effect of sub-lethal treatment with formalin on the germination of, 745
- Arizona, *Salmonella*, *Edwardsiella* and *Shigella*, enrichment procedures for the isolation of from faeces, 349
- Arizonas and salmonellas in reptiles in the Netherlands, 363
- Arizonas, isolations of in Cardiff, 1959–71, 481
- Bacon, vacuum-packaged, the fate of a toxigenic strain of *Staphylococcus aureus* in, 565
- Bacteriophage restriction in *Salmonella typhimurium* by R factors and transfer factors, 619
- Bacteriophage types, diphthericin types and serotypes of *Corynebacterium diphtheriae* strains isolated in Australia, 679
- Bacteriological evaluation of laminar-flow systems for orthopaedic surgery, 559
- Bacteriological study of endemic tuberculosis in birds, 549
- BHK-21 cells and macrophages, interactions of TRIC agents with, 515
- Birds, a bacteriological study of endemic tuberculosis in, 549
- Brucella abortus*, detection of in bovine abortion material by the direct fluorescent antibody test, 123
- '*Brucella suis* biotype 5', examination of two bacterial strains thus designated, 271
- Burned patients, transmission of *Staphylococcus aureus* in an isolation ward for, 171
- Burned patients, dispersal and transfer of *Staphylococcus aureus* in an isolation ward for, 787

- California encephalitis virus endemicity in the Yukon Territory, 1972, 391
- Cancer and cardiovascular diseases, mortality from in the county boroughs of England and Wales classified according to the sources and hardness of their water supplies, 1958–1967, 237
- Cancer of the cervix, age, time and cohort factors in mortality from, 253
- Carrier rate of salmonellas in sheep and goats and its public health significance, 43
- Coagulase-negative staphylococci and micrococci, phage typing of, 261
- Cockroach, *Blatta orientalis*, aerobic bacteria occurring in the hind gut of, 1
- Cockroach, *Blatta orientalis*, laboratory transmission of Enterobacteriaceae by, 9
- Coliforms in bowel, effect of stay in hospital and oral chemotherapy on the antibiotic sensitivity of, 529
- Common colds in Antarctica, 649
- Common colds, an outbreak of at an Antarctic base after seventeen weeks of complete isolation, 657
- Comparison of the virulence for mice of *Salmonella typhimurium* given by the intraperitoneal and subcutaneous routes, 223
- Contamination of cooked, ready-to-eat cured and uncured meats, 815
- Corynebacterium diphtheriae* strains isolated in Australia, diphthericin types, bacteriophage types and serotypes of, 679
- Corynebacterium diphtheriae*, variation among strains of during an outbreak in a restricted environment, 691
- Day schools and nurseries, Sonne dysentery in during eighteen years in Edmonton, 593
- Diphthericin types, bacteriophage types and serotypes of *Corynebacterium diphtheriae* strains isolated in Australia, 679
- Dispersal and transfer of *Staphylococcus aureus* in an isolation ward for burned patients, 787
- Drying as a means of preservation of *Staphylococcus aureus* with unstable antibiotic resistance 411
- Dysentery in general practice: a study of cases and their contacts in Enfield and an epidemiological comparison with salmonellosis, 373
- Ecology of Whataroa virus, an alphavirus, in South Westland, New Zealand, 701
- Edwardsiella* from faeces; enrichment procedures for the isolation of, 349
- Efficacy of live and inactivated vaccines of Hong Kong influenza virus in an industrial community, 641
- Elevated temperature technique for the isolation of salmonellas from sewage and human faeces, 49
- Enrichment methods for isolation of salmonellas from reptiles, 363
- Enrichment procedures for the isolation of *Salmonella*, *Arizona*, *Edwardsiella* and *Shigella* from faeces, 349
- Enterobacteriaceae transmitted in the laboratory by the oriental cockroach, 9
- Epstein-Barr virus antibody in cases and contacts of infectious mononucleosis; a family study, 151
- Escherichia coli* strains causing fatal infection in chickens, the incidence of antibiotic resistance in, 771
- Escherichia coli*, a single medium for the rapid detection of at 44° C., 783
- Examination of two bacterial strains designated 'Brucella suis biotype 5', 271
- Extraction of streptococcal T antigens, 131
- Eye irritation caused by swimming pool water, the effect of saline on, 587
- Farmer's lung disease and *Micropolyspora faeni*, 185
- Flea, European rabbit, introduced to Macquarie Island as a possible vector for myxomatosis, 299
- Flora, microbial, in the air of submarines, 761
- Fluorescent antibody test for detection of *Brucella abortus* in bovine abortion material, 123
- Fluorescent IgG, IgA and IgM antibody studies on necropsy blood for the post-mortem diagnosis of influenzal infection, 107
- Foot-and-mouth disease, the Hampshire epidemic of in 1967, 15

- Formalin, the effect of sub-lethal treatment with on germination of *Aspergillus fumigatus* spores, 745
- Frogs and tortoises in Istanbul, salmonella serotypes isolated from, 85
- Geographical distribution of *Salmonella typhi* and *Salmonella paratyphi A* and *B* phage types during the period 1 January 1966 to 31 December 1969, 59
- H phase change of *Salmonella thompson* at different temperatures, 55
- Ham, canned Parma, the microbiological flora of, 417
- Hampshire epidemic of foot-and-mouth disease, 1967, 15
- Hong Kong influenza in the Royal Air Force 1968–70, 535
- Human infection with *Yersinia enterocolitica*, 715
- Hygiene of meat mincing machines, 739
- Immunity to rubella in villages in the Fiji Islands, studied by the haemagglutination inhibition test, 825
- Immunoglobulin responses in nasal secretions in acute rubella, determined by the immunofluorescent technique, 603
- Inactivated influenza virus in adjuvant 65 for immunization of ferrets, 97
- Infectious drug resistance, transmission from animals to man, 209
- Infectious mononucleosis, Epstein–Barr virus antibody in cases and contacts of, 151
- Infectious mononucleosis and social class, 145
- Influenza in ferrets, immunity to. V. Immunization with inactivated virus in adjuvant 65, 97
- Influenza, Hong Kong, in the Royal Air Force 1968–70, 535
- Influenza epidemic on Tristan de Cunha, 89
- Influenza A (H3N2), antigenic analysis of prototype strains, 501
- Influenza A2 virus, aminoadamantane-resistant strains of, 227
- Influenza virus, live and inactivated vaccines tested in an industrial community, 641
- Influenza virus, skin tests with, 755
- Influenzal infection, the post-mortem diagnosis of by antibody studies on necropsy blood, 107
- Influenza B virus vaccines, the sequential appearance of antibody and immunoglobulins in nasal secretion after immunization with, 433
- Intensive-care unit, staphylococcal infection in, 341
- Isolation of salmonellas from sewage and human faeces by the elevated temperature technique, 49
- Isolation, ultrastructure and antigenicity of *Mycoplasma gallisepticum* membranes, 725
- Isolations of subgenus III salmonellas (arizonas) in Cardiff, 1959–1971, 481
- Laminar-flow systems for surgery, a bacteriological evaluation, 559
- Lymphocytes of children with measles, electron-microscopic study of measles virus in, 447
- Macquarie Island; the introduction of the European rabbit flea, *Spilopsyllus coniculi* (Dale) as a possible vector for myxomatosis, 299
- Macrophages and BHK-21 cells, interactions of TRIC agents with, 515
- Measles virus in lymphocytes of affected children, electron-microscopic study of, 447
- Meats, cooked ready-to-eat cured and uncured, sources of contamination of, 815
- Microbiological flora of canned Parma ham, 417
- Micropolyspora faeni* and farmer's lung disease, 185
- Mincing machines for meat, a note on the hygiene of, 739
- Mortality from cancer and cardiovascular diseases in the county boroughs of England and Wales classified according to the sources and hardness of their water supplies, 1958–1967, 237
- Mortality from cancer of the cervix, age, time and cohort factors in, 253
- Mycoplasma gallisepticum* membranes, isolation, ultrastructure and antigenicity of, 725
- Mycoplasmas, T-, isolated from various animal species, assayed for virulence by intramammary inoculation in cattle, 163
- Myxoma virus, fluctuations in the titre of antibody to, in field populations of rabbits in Australia. 487

- Myxomatosis; the introduction of the European rabbit flea to Macquarie Island as a possible vector, 299
- Nasal immunoglobulin responses in acute rubella determined by the immunofluorescent technique, 603
- Nasal secretion, the sequential appearance of antibody and immunoglobulins in, after immunization with live and inactivated influenza B virus vaccines, 433
- Newcastle disease, the evidence for its airborne spread, 325
- Nurses' uniforms and transfer of *Staphylococcus aureus*, 799
- Opacity factor, streptococcal, antibody to in human sera, 35
- Particle concentrations in patient rooms with various types of ventilation, 633
- Particle detector for use in ventilation engineering, 577
- Pertussis antibodies in the sera of children exposed to *Bordetella pertussis* by vaccination or infection, 193
- Phage procedure compared with the pyocine technique for typing of *Pseudomonas aeruginosa*, 403
- Phage types of *Salmonella typhi* and *Salmonella paratyphi A* and *B*, their geographical distribution during the period 1 January 1966 to 31 December 1969, 59
- Phage typing of coagulase-negative staphylococci and micrococci, 261
- Post-mortem diagnosis of influenzal infection by fluorescent IgG, IgA and IgM antibody studies on necropsy blood, 107
- Pseudomonas aeruginosa*, an epidemiological study of in cattle and other animals by pyocine typing, 113
- Pseudomonas aeruginosa* typing, a comparison of the phage procedure with the pyocine technique, 403
- Pyocine typing in an epidemiological study of *Pseudomonas aeruginosa* in cattle and other animals, 113
- Pyocine technique compared with the phage procedure for typing of *Pseudomonas aeruginosa*, 403
- Quokka, a marsupial associated with *Salmonella javiana* infection in an infant in Western Australia, 423.
- R factors and transfer factors causing bacteriophage restriction in *Salmonella typhimurium*, 619
- R factor mediated chloramphenicol resistance; studies on in typhoid fever imported from Mexico to Switzerland, 509
- Rats in New York, anticoagulant resistance in, 217
- Reactions to tetanus toxoid, 283
- Reptiles in the Netherlands, the occurrence of salmonellas and lactose-negative Arizonas in, 363
- Resistance to anticoagulants in wild Norway rats in New York, 217
- Royal Air Force, Hong Kong influenza in, 1968-70, 535
- Rubella, acute, nasal immunoglobulin responses in determined by the immunofluorescent technique, 603
- Rubella immunity studied in villages in the Fiji Islands using the haemagglutination inhibition test, 825
- Saline, the effect of on eye irritation caused by swimming-pool water, 587
- Salmonella dublin* abortion in cattle, I, 459; II, 471
- Salmonella javiana* infection in an infant associated with the quokka in Western Australia, 423
- Salmonella thompson*, H phase change of at different temperatures, 55
- Salmonella typhi* and *Salmonella paratyphi A* and *B* phage types, their geographical distribution during the period 1 January 1966 to 31 December 1969, 59
- Salmonella typhimurium*, bacteriophage restriction in by R factors and transfer factors, 619

- Salmonella typhimurium*, comparison of the virulence for mice when given by intraperitoneal and subcutaneous routes, 223
- Salmonella*, *Arizona*, *Edwardsiella* and *Shigella*, enrichment procedures for their isolation from faeces, 349
- Salmonella* serotypes isolated from tortoises and frogs in Istanbul, 85
- Salmonellas*, carrier rate of in sheep and goats, 43
- Salmonellas*, isolation by the elevated temperature technique from sewage and human faeces, 49
- Salmonellas* and lactose-negative *Arizonas* in reptiles in the Netherlands, and a comparison of three enrichment methods used in their isolation, 363
- Salmonellas* of subgenus III (*arizonas*) isolated in Cardiff, 1959-1971, 481
- Salmonellosis, an epidemiological comparison with dysentery in general practice, 373
- Schoolchildren, thermal sensations of in summer, 453
- Sensitivity to antibiotics of bowel coliforms; the effect of stay in hospital and oral chemotherapy, 529
- Shigella*, *Salmonella*, *Arizona* and *Edwardsiella*, enrichment procedures for their isolation from faeces, 349
- Skin tests with influenza virus, 755
- Social class and infectious mononucleosis, 145
- Sonne dysentery in day schools and nurseries: an eighteen-year study in Edmonton, 593
- Sources of contamination of cooked, ready-to-eat cured and uncured meats, 815
- Staphylococcal infection in an intensive care unit, and its relation to infection in the remainder of the hospital, 341
- Staphylococci, coagulase-negative, phage typing of, 261
- Staphylococcus aureus* in an isolation ward for burned patients, studies on transmission of, 171; dispersal and transfer of, 787
- Staphylococcus aureus* in vacuum-packaged bacon, the fate of a toxigenic strain of, 565
- Staphylococcus aureus* with unstable antibiotic resistance, preservation by drying, 411
- Staphylococcus aureus*, transfer via nurses' uniforms, 799
- Streptococcal opacity factor, antibody to in human sera, 35
- Streptococcal T antigens, two methods for extraction of, 131
- Submarines, the microbiological flora in the air of, 761
- T antigens, studies on two methods for their extraction from streptococci, 131
- Temperatures, the effect of differences in on H phase change of *Salmonella thompson*, 55
- Tetanus toxoid, reactions to, 283
- Thermal comfort zones obtained by two alternative methods: a note, 585
- Thermal sensations of secondary schoolchildren in summer, 453
- Tortoises and frogs in Istanbul, salmonella serotypes from, 85
- Transfer factors and R factors causing bacteriophage restriction in *Salmonella typhimurium*, 619
- Transfer of *Staphylococcus aureus* via nurses' uniforms, 799
- Transferability of trimethoprim-resistance in *E. coli* isolated from calves treated with trimethoprim-sulphadiazine, 669
- Transmission in the laboratory of Enterobacteriaceae by the oriental cockroach, *Blatta orientalis*, 9
- Transmission of infectious drug resistance from animals to man, 209
- Transmission of *Staphylococcus aureus* in an isolation ward for burned patients, 171
- TRIC agents, their interactions with macrophages and BHK-21 cells observed by electron microscopy, 515
- Trimethoprim-resistance and its transferability in *E. coli* isolated from calves treated with trimethoprim-sulphadiazine: a two year study, 669
- Tristan da Cunha, an epidemic of influenza on, 89
- Tuberculosis, endemic, in birds; a bacteriological study of, 549
- Typhoid fever imported from Mexico to Switzerland. Studies on R factor mediated chloramphenicol resistance, 509

- Vaccines, live and inactivated, of Hong Kong influenza virus in an industrial community, 641
- Vaccines, live and inactivated, of influenza B virus; the sequential appearance of antibody and immunoglobins in nasal secretion after immunization with, 433
- Variation among strains of *Corynebacterium diphtheriae* during an outbreak in a restricted environment, 691
- Ventilation of various types, particle concentrations in patient rooms with, 633
- Ventilation engineering, a particle detector for use in, 577
- Virulence for mice of *Salmonella typhimurium* given by the intraperitoneal and subcutaneous routes, 223
- Virulence of T-mycoplasmas isolated from various animal species, assayed by intramammary inoculation in cattle, 163
- Viruses: California encephalitis, 391; Epstein-Barr, 151; influenza, 97, 227, 433, 501, 641, 755; measles, 447; myxoma, 487; Whataroa, 701
- Water supplies classified according to sources and hardness, and the mortality from cancer and cardiovascular diseases in the county boroughs of England and Wales, 237
- Water in swimming pools; the effect of saline on the eye irritation caused by, 587
- Whataroa virus, an alphavirus; its ecology in South Westland, New Zealand, 701
- Whooping cough; on the aetiology of, 139
- Yersinia enterocolitica*, two community outbreaks of human infection with, 715
- Yersinia enterocolitica* serotype IX in cattle, the nature of the antibody response to, 309
- Yukon Territory, California encephalitis virus endemicity in, 1972, 391