

Notation Index: Thematic Order

Bilinear and Sesquilinear Forms:

- $(\cdot, \cdot)_I$ – scalar product on families of Dirac solutions, 283
- $(\cdot, \cdot)_{\mathcal{N}}$ – scalar product on Dirac solutions in curved spacetime, 78
- $(\cdot, \cdot)_{\rho}^{\Omega}$ – surface layer inner product, 183
- $(\cdot, \cdot)^t$ – softened surface layer inner product, 270
- $(\cdot, \cdot), (\cdot, \cdot)_m$ – scalar product on Dirac solutions in Minkowski space, 10, 280
- $\prec \cdot, \succ, \prec \cdot, \succ_x$ – spin inner product, 9, 70, 111
- $\langle \cdot, \cdot \rangle$ – spacetime inner product, 11, 78, 259
- $\langle \cdot, \cdot \rangle$ – complex scalar product, 25
- $\langle \cdot, \cdot \rangle_{L^2(\mathcal{F}, d\rho)}$ – L^2 -scalar product, 32
- $\langle \cdot, \cdot \rangle$ – Minkowski metric, 5
- $\langle \cdot, \cdot \rangle_{L^2(L)}$ – L^2 -scalar product in lens-shaped region, 273
- $\langle \cdot, \cdot \rangle_{\rho}^{\Omega}$ – commutator inner product, 180
- $\sigma_{\rho}^{\Omega}(\cdot, \cdot)$ – symplectic form on linearized solutions, 182
- $\sigma^t(\cdot, \cdot)$ – softened symplectic form, 270

Norms:

- $\|\cdot\|$ – norm, 24
- $\|\cdot\|, \|\cdot\|_{\mathcal{H}}$ – sup-norm, operator norm, 27, 107
- $\|\cdot\|^t$ – norm corresponding to softened surface layer inner product, 272
- $\|f\|_{p,q}$ – Schwartz norm of f , 36

Function Spaces:

- $(L(V, W), \|\cdot\|)$ – Banach space of linear bounded operators, 27
- $(\mathcal{H}, \langle \cdot, \cdot \rangle_{\mathcal{H}})$ – Hilbert space of causal fermion system, 102
- $C^0(M, SM)$ – continuous wave functions in spacetime M , 131
- $C_0^{\infty}(\mathcal{M}, S\mathcal{M})$ – spinorial wave functions of compact support, 15
- $L^p(\mathcal{F}, d\rho)$ – L^p -spaces with $1 \leq p \leq \infty$, 32
- $C_{sc}^{\infty}(\mathcal{M}, S\mathcal{M})$ – spatially compact spinorial wave functions, 14, 87, 297
- $C_{sc,0}^{\infty}(\mathcal{M} \times I, S\mathcal{M})$ – space of families of spinorial wave functions, 283
- Γ – space of smooth jets without scalar component, 166
- $\mathcal{H}^{\infty}$ – domain for mass oscillation property, 283
- $\mathfrak{J}$ – space of smooth jets, 151
- $\mathfrak{J}^{\text{diff}}, \Gamma^{\text{diff}}$ – Space of jets for which ℓ is differentiable, 353
- $\mathfrak{J}^{\text{test}}$ – space of test jets, 353
- $\mathfrak{J}^{\text{vary}}$ – space of jets used for varying the measure, 271, 353
- $\bar{\mathfrak{J}}, \mathfrak{J}$ – jet spaces vanishing in future or past, 274
- $\mathcal{D}'(\mathbb{R}^n)$ – space of distributions, 42
- $\mathcal{D}(\mathbb{R}^n)$ – space of test functions, 42
- $\mathcal{S}'(\mathbb{R}^n)$ – space of tempered distributions, 37
- $\mathcal{S}(\mathbb{R}^n)$ – Schwartz space, 37